

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C07H 21/00	A1	(11) International Publication Number: WO 00/27861 (43) International Publication Date: 18 May 2000 (18.05.00)
(21) International Application Number: PCT/US99/26860 (22) International Filing Date: 12 November 1999 (12.11.99) (30) Priority Data: 60/108,255 12 November 1998 (12.11.98) US (71) Applicant: THE BOARD OF TRUSTEES OF THE LELAND STANFORD JUNIOR UNIVERSITY [US/US]; Suite 350, 900 Welch Road, Palo Alto, CA 94304 (US). (72) Inventors: CONTI, Marco; 24 Ryan Court, Stanford, CA 94305 (US). PAHLKE, Gudrun; Apartment #10, 806 Coleman Avenue, Menlo Park, CA 94025 (US). (74) Agent: FIELD, Bret, E.; Bozicevic, Field & Francis LLP, Suite 200, 285 Hamilton Avenue, Palo Alto, CA 94301 (US).		(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: NOVEL PHOSPHODIESTERASE INTERACTING PROTEINS (57) Abstract Nucleic acid compositions encoding novel PDE interacting proteins, as well as the novel PDE interacting proteins themselves, are provided. Also provided are methods of producing the subject nucleic acid and protein compositions. The subject polypeptide and nucleic acid compositions find use in a variety of applications, including research, diagnostic, and therapeutic agent screening applications, as well as in treatment therapies for disease conditions associated with PDE activity, particularly inflammatory diseases.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

NOVEL PHOSPHODIESTERASE INTERACTING PROTEINS

5

ACKNOWLEDGMENT OF GOVERNMENT SUPPORT

This invention was made with Government support under Grant No. HD20788 awarded by the National Institutes of Health. The Government has certain rights in this invention.

10

INTRODUCTION

Field of the Invention

The field of the invention is cyclic nucleotide phosphodiesterases, particularly cAMP phosphodiesterases.

Background of the Invention

15

Cyclic nucleotide phosphodiesterases are a class of enzymes that catalyze the hydrolysis of phosphodiester bonds in cyclic nucleotides, e.g. cAMP. Cyclic nucleotides are important second messengers that regulate and mediate a number of cellular responses to extracellular signals, such as hormones, light and neurotransmitters. Since cyclic nucleotide phosphodiesterases modulate the concentration of cyclic nucleotides, these enzymes play a significant role in signal transduction. There are at least ten different classes of cyclic phosphodiesterases, seven of which are: (I) Ca(2+)/calmodulin-dependent PDEs; (II) cGMP-stimulated PDEs; (III) cGMP-inhibited PDEs; (IV) cAMP-specific PDEs; (V) cGMP-specific PDEs; (VI) photoreceptor PDEs; and (VII) high-affinity, cAMP-specific PDEs. Because of their role in signal transduction, cyclic nucleotide phosphodiesterases have been pursued as therapeutic or pharmacologic targets in the modulation of a variety of distinct physiological processes.

20

25

cAMP phosphodiesterase inhibitors hold great promise as therapeutic agents for use in the treatment of inflammation. Specifically, data indicates that these types of inhibitors are as effective, or even more effective, than adrenal steroids in suppressing most functions of inflammatory cells, including: migration, adhesion and secretion of cytokines. Specific cAMP phosphodiesterase inhibitors that have been studied include: rolipram, theophylline, and the like. In addition, research is ongoing to identify new cAMP phosphodiesterase inhibitors.

30

Despite their promise as anti-inflammatory therapeutic agents, cAMP-phosphodiesterase inhibitors identified to date have demonstrated significant toxic side effects that have limited to their generalized use in the treatment of inflammation.

As such, there is continued interest in the identification of new, more selective cAMP phosphodiesterase inhibitors for potential use as anti-inflammatory therapeutic agents. These efforts have employed recombinant phosphodiesterases for automated screening of candidate agents. Use of recombinant phosphodiesterases in screening applications has, however, been problematic as such recombinant enzymes have altered conformation as compared to their naturally occurring counterparts, which affects the interaction with potential inhibitors and thereby confounds the results that are obtained. As such, the screening results obtained by using such recombinant proteins are problematic.

Therefore, there is much interest in the further elucidation of the conformation of phosphodiesterases and other factors that may modulate the interaction of these enzymes with inhibitors.

15 Relevant Literature

The role of cAMP phosphodiesterases in inflammatory processes is reviewed in Torphy, Am. J. Respir. Crit. Care Med. (1998) 157:351-370. *See also* Houslay et al., Adv. Pharmacol (1998) 44: 225-342 and Spina et al., Adv. Pharmacol (1998) 44: 33-89, as well as U.S. Patent No. 5,798,373, the disclosure of which is herein incorporated by reference.

20 SUMMARY OF THE INVENTION

Nucleic acid compositions encoding phosphodiesterase interacting proteins, e.g. myomegalin, as well as the polypeptide compositions encoded thereby, are provided. Also provided are complexes of the subject phosphodiesterase interacting protein with a phosphodiesterase enzyme. The subject polypeptide and nucleic acid compositions, as well as complexes thereof, find use in a variety of applications, including research, diagnostic, and therapeutic agent identification and screening applications, as well as in therapeutic applications.

30 BRIEF DESCRIPTION OF THE FIGURES

Figure 1 provides the amino acid sequence of rat myomegalin.

Figure 2 provides the cDNA sequence of a clone having an open reading frame encoding the myomegalin protein having the amino acid sequence of Figure 1.

Figure 3 provides the nucleic acid sequence from the first met to the first stop codon in the sequence of Figure 2.

5 Figure 4 provides the nucleic acid sequence of human myomegalin.

 Figure 5 provides the amino acid sequence of human myomegalin.

 Figure 6 provides the amino acid sequence of rat M14 protein.

DETAILED DESCRIPTION OF THE INVENTION

10 Novel phosphodiesterase interacting proteins, particularly myomegalin, as well as nucleic acid compositions encoding the same, are provided. Also provided are complexes of the subject proteins and phosphodiesterases. The subject polypeptide and nucleic acid compositions find use in a variety of applications, including research, diagnostic, and therapeutic agent identification and screening applications, as well as in therapeutic
15 applications.

 Before the subject invention is described further, it is to be understood that the invention is not limited to the particular embodiments of the invention described below, as variations of the particular embodiments may be made and still fall within the scope of the
20 appended claims. It is also to be understood that the terminology employed is for the purpose of describing particular embodiments, and is not intended to be limiting. Instead, the scope of the present invention will be established by the appended claims.

 In this specification and the appended claims, the singular forms "a," "an," and "the"
25 include plural reference unless the context clearly dictates otherwise. Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood to one of ordinary skill in the art to which this invention belongs.

NUCLEIC ACID COMPOSITIONS

30 Nucleic acid compositions encoding phosphodiesterase (PDE) interacting proteins, as well as fragments thereof, are provided. The subject nucleic acid compositions encode proteins that interact with a phosphodiesterase enzyme, modulate its conformation and direct

its location in a cell. In other words, the proteins encoded by the subject nucleic acid compositions are those that target a (PDE) to a particular subcellular compartment and alter the function and/or properties of the PDE. Of particular interest are nucleic acid compositions which encode proteins that bind to a PDE IV isoenzyme, including PDE4A, PDE4B, PDE4C, PDE4D, and the like.

By nucleic acid composition is meant a composition comprising a sequence of DNA having an open reading frame that encodes a PDE interacting polypeptide, i.e. a gene encoding a polypeptide that interacts with a PDE (e.g. binds to and targets a PDE), and is capable, under appropriate conditions, of being expressed as a PDE interacting polypeptide. Also encompassed in this term are nucleic acids that are homologous, substantially similar or identical to the nucleic acids encoding PDE interacting polypeptides or proteins. Thus, the subject invention provides genes encoding mammalian PDE interacting proteins, such as genes encoding human PDE interacting polypeptides and homologs thereof, as well as non-human mammalian PDE interacting polypeptides and homologs thereof, e.g. rat and mouse proteins.

Of particular interest is a nucleic acid composition encoding a myomegalin protein, particularly a mammalian myomegalin protein, described in greater detail *infra*, or a fragment or homolog thereof. Specific nucleic acid compositions of interest include: polynucleotides encoding a rat myomegalin protein, such as polynucleotides having a nucleotide sequence found in SEQ ID NOs: 1 or 3, including polynucleotides in which the entire sequence is the same as the sequence of SEQ ID NOs. 1 or 3; and polynucleotides encoding human myomegalin protein, such as polynucleotides having a nucleotide sequence found in SEQ ID NO:04, including polynucleotides in which the entire sequence is the same as the sequence of SEQ ID NOs. 04, as well as those in which the entire sequence is the same as the sequence of an ORF found in SEQ ID NO:04.

Also of interest are nucleic acid compositions encoding an M14 polypeptide, described in greater detail *infra*, or a fragment or homolog thereof. Specific nucleic acid compositions of interest include polynucleotides encoding a rat M14 polypeptide, such as polynucleotides encoding an M14 polypeptide having the amino acid sequence set forth in SEQ ID NO:08. Polynucleotides encoding M14 homologs, and polynucleotides encoding PDE-interacting fragments of an M14 polypeptide, are also of interest.

Also of interest are nucleic acid compositions encoding a huntingtin-interacting protein, e.g., HIP1. Specific nucleic acid compositions of interest include a polynucleotide encoding a human HIP1 polypeptide, including, for example, a polynucleotide as disclosed in GenBank Accession No. U79734.

5 The source of homologous genes to those specifically listed above may be any mammalian species, e.g., primate species, particularly human; rodents, such as guinea pigs and mice, canines, felines, bovines, ovines, equines, yeast, nematodes, etc. Between mammalian species, e.g., human and mouse, homologs have substantial sequence similarity, e.g. at least 75% sequence identity, usually at least 90%, more usually at least 95% between
10 nucleotide sequences. Sequence similarity is calculated based on a reference sequence, which may be a subset of a larger sequence, such as a conserved motif, coding region, flanking region, etc. A reference sequence will usually be at least about 18 nt long, more usually at least about 30 nt long, and may extend to the complete sequence that is being compared. Algorithms for sequence analysis are known in the art, such as BLAST, described in Altschul
15 *et al.* (1990), *J. Mol. Biol.* 215:403-10. Unless stated otherwise herein, all sequence identity figures provided in this application are determined using the BLAST program at default settings (e.g. $w=4$; $T=17$). The sequences provided herein are essential for recognizing genes encoding PDE interacting protein-related and homologous polynucleotides in database searches.

20 Nucleic acids encoding the subject PDE interacting proteins and polypeptides of the subject invention may be cDNAs or genomic DNAs, as well as fragments thereof. Also provided are genes comprising the subject nucleic acid compositions, where the term "gene" shall be intended to mean the open reading frame encoding specific PDE interacting proteins and polypeptides, and introns, as well as adjacent 5' and 3' non-coding nucleotide sequences
25 involved in the regulation of expression, up to about 20 kb beyond the coding region, but possibly further in either direction. The gene may be introduced into an appropriate vector for extrachromosomal maintenance or for integration into a host genome.

 The term "cDNA" as used herein is intended to include all nucleic acids that share the arrangement of sequence elements found in native mature mRNA species, where sequence
30 elements are exons and 3' and 5' non-coding regions. Normally mRNA species have contiguous exons, with the intervening introns, when present, being removed by nuclear RNA splicing, to create a continuous open reading frame encoding an PDE interacting protein.

A genomic sequence of interest comprises the nucleic acid present between the initiation codon and the stop codon, as defined in the listed sequences, including all of the introns that are normally present in a native chromosome. It may further include the 3' and 5' untranslated regions found in the mature mRNA. It may further include specific transcriptional and translational regulatory sequences, such as promoters, enhancers, *etc.*, including about 1 kb, but possibly more, of flanking genomic DNA at either the 5' or 3' end of the transcribed region. The genomic DNA may be isolated as a fragment of 100 kbp or smaller, and substantially free of flanking chromosomal sequence. The genomic DNA flanking the coding region, either 3' or 5', or internal regulatory sequences as sometimes found in introns, contains sequences required for proper tissue and stage specific expression.

The nucleic acid compositions of the subject invention may encode all or a part of the subject PDE interacting proteins and polypeptides, described in greater detail *infra*. Double or single stranded fragments may be obtained from the DNA sequence by chemically synthesizing oligonucleotides in accordance with conventional methods, by restriction enzyme digestion, by PCR amplification, *etc.* For the most part, DNA fragments will be of at least 15 nt, usually at least 18 nt or 25 nt, and may be at least about 50 nt.

The genes of the subject invention are isolated and obtained in substantial purity, generally as other than an intact chromosome. Usually, the DNA will be obtained substantially free of other nucleic acid sequences that do not include a sequence encoding a PDE interacting protein or fragment thereof, generally being at least about 50%, usually at least about 90% pure and are typically "recombinant," *i.e.* flanked by one or more nucleotides with which it is not normally associated on a naturally occurring chromosome.

In addition to the plurality of uses described in greater detail in following sections, the subject nucleic acid compositions find use in the preparation of all or a portion of the PDE interacting polypeptides, as described below.

POLYPEPTIDE COMPOSITIONS

Also provided by the subject invention are PDE interacting proteins and polypeptides, *i.e.* proteins and polypeptides that are capable of binding to and modulating PDEs, specifically cAMP-PDEs, and more particularly cAMP-PDE4 isoforms, such as PDE4A, PDE4B, PDE4C, PDE4D, and the like.

The term polypeptide composition as used herein refers to both the full length proteins as well as portions or fragments thereof. Also included in this term are variations of the naturally occurring proteins, where such variations are homologous or substantially similar to the naturally occurring protein, as described in greater detail below, be the naturally occurring protein the human protein, rat protein, or protein from some other species which naturally expresses an PDE interacting protein, usually a mammalian species. In the following description of the subject invention, the term PDE interacting protein is used to refer not only to the human form of such proteins, but also to homologs thereof expressed in non-human species, e.g. murine, rat and other mammalian species.

10 The subject PDE proteins are, in their natural environment, capable of modulating the form/function of PDEs, as well as targeting PDEs to specific subcellular compartments within a cell. In many embodiments, the subject PDE interacting proteins serve as PDE anchoring proteins.

In many embodiments, the subject proteins are characterized by the presence of one or more coiled domains and leucine zippers. Furthermore, in certain embodiments, e.g. certain rat myomegalin proteins, the subject proteins have a region of high homology with *Drosophila* centrosomin, whereby high homology is meant at least about 30, usually at least about 40 % sequence identity.

20 In many embodiments, the proteins range in length from about 1500 to 3000, usually from about 1600 to 2800 and more usually from about 1650 to 2600 amino acid residues, and the projected molecular weight of the subject proteins based solely on the number of amino acid residues in the protein ranges from about 150 to 320, usually from about 160 to 300 kDa, where the actual molecular weight may vary depending on the amount of glycosylation, if any, of the protein and the apparent molecular weight may be considerably less (40 to 50 kDa) due to SDS binding on gels. On other embodiments, the length of the proteins may be much smaller, e.g. as in the case of splice variants or post translated products, where the length in these proteins may be as short as 40%, usually no shorter than about 50% of the above lengths.

30 Of particular interest in many embodiments are proteins that are non-naturally glycosylated. By non-naturally glycosylated is meant that the protein has a glycosylation pattern, if present, which is not the same as the glycosylation pattern found in the corresponding naturally occurring protein. For example, a human phosphodiesterase binding

protein of the subject invention and of this particular embodiment is characterized by having a glycosylation pattern, if it is glycosylated at all, that differs from that of naturally occurring human PDE binding protein. Thus, the non-naturally glycosylated PDE interacting or binding proteins of this embodiment include non-glycosylated PDE interacting proteins, i.e. proteins having no covalently bound glycosyl groups.

A PDE interacting protein of the subject invention of particular interest is myomegalin, particularly mammalian myomegalin and more particularly, rat or human myomegalin. In many embodiments, mammalian myomegalin ranges in length from about 2000 to 3000, usually from about 2200 to 2800 and more usually from about 2300 to 2600 aa residues. The projected molecular weight of these myomegalin proteins based solely on the number of amino acid residues in the protein ranges from about 220 to 320, usually from about 220 to 300 and more usually from about 240 to 300 kDa, where the actual molecular weight may vary depending on the amount of glycosylation, if any, of the protein and the apparent molecular weight may be considerably less (40 to 50 kDa) due to SDS binding on gels. Also of interest are mammalian myomegalin proteins that are shorter than those described above, where these shorter proteins could be splice variants or the products of post-translational activity, and the like.

Of particular interest in certain embodiments is the rat myomegalin protein, where the rat myomegalin protein of the subject invention has an amino acid sequence that is substantially the same as or identical to the sequence appearing as SEQ ID NO:02 *infra* and appearing in Figure 1. By substantially the same as is meant a protein having a sequence that has at least about 80%, usually at least about 90% and more usually at least about 98% sequence identity with the sequence of SEQ ID NO:02. Also of particular interest is an approximately 65 kDa rat myomegalin protein expressed in rat testis. Yet another protein of particular interest is the human myomegalin protein of the subject invention which has an amino acid sequence that is substantially the same as or identical to the sequence appearing as SEQ ID NO:05 *infra* and appearing in Figure 5. By substantially the same as is meant a protein having a sequence that has at least about 80%, usually at least about 90% and more usually at least about 98% sequence identity with the sequence of SEQ ID NO:05.

Another PDE interacting protein of the subject invention of particular interest is M14, particularly mammalian M14, and more particularly, rat or human M14. In many embodiments, mammalian M14 ranges in length from about 1500 to about 2000, usually from

about 1600 to about 1800, usually from about 1650 to about 1700, and more usually from about 1670 to about 1690 amino acid residues. The projected molecular weight of these M14 polypeptides, based solely on the number of amino acid residues in the protein, ranges from about 150 to about 200 kDa, usually from about 160 to about 180 kDa, usually from about 165 to about 170 kDa. Rat M14 protein has a mobility on SDS-PAGE of about 185 kDa. The actual molecular weight may vary depending on the amount of glycosylation or other post-translational modifications, if any, of the protein, and the apparent molecular weight may be considerably less (e.g. 40-50 kDa) due to SDS binding on gels. Also of interest are PDE-interacting fragments of the above-described M14 proteins.

Of particular interest in certain embodiments is a rat M14 protein, where the rat M14 protein of the subject invention has an amino acid sequence that is substantially the same or identical to the sequence set forth in SEQ ID NO:08 and appearing in Figure 6. By substantially the same as is meant a protein having a sequence that has at least about 80%, usually at least about 90% and more usually at least about 98% sequence identity with the sequence of SEQ ID NO:08. Proteins homologous to rat M14 are also of interest, including, e.g., an Ese2L protein as described in Sengar et al. (1999) *EMBO J.* 18:1159-1171.

Also of interest are huntingtin interacting proteins, and PDE-interacting fragments, variants and homologs thereof. In some embodiments, huntingtin interacting protein (HIP) is a human HIP1 protein having an amino acid sequence as disclosed in GenBank Accession No. U79734. The human HIP1 protein is described in Kalchman et al. (1997) *Nature Genetics* 16:44-53.

In addition to the specific PDE interacting proteins described above, homologs or proteins (or fragments thereof) from other species, i.e. other animal or plant species, are also provided, where such homologs or proteins may be from a variety of different types of species, usually mammals, e.g. rodents, such as mice, rats; domestic animals, e.g. horse, cow, dog, cat; and humans. By homolog is meant a protein having at least about 35 %, usually at least about 40% and more usually at least about 60 % amino acid sequence identity with a specific PDE interacting protein as identified in: (a) SEQ ID NO: 02 and appearing in Figure 1; or (b) SEQ ID NO:05 and appearing in Figure 5; or (c) SEQ ID NO:08 and appearing in Figure 6.

The PDE interacting proteins of the subject invention (e.g. human myomegalin, rat myomegalin or homologs thereof) are present in a non-naturally occurring environment, e.g.

are separated from their naturally occurring environment. In certain embodiments, the subject protein is present in a composition that is enriched for the subject protein as compared to the protein in its naturally occurring environment. As such, purified PDE interacting protein is provided, where by purified is meant that PDE interacting protein is present in a composition
5 that is substantially free of non PDE interacting proteins, where by substantially free is meant that less than 90 %, usually less than 60 % and more usually less than 50 % of the composition is made up of non-PDE interacting proteins.

In certain embodiments of interest, the PDE interacting protein is present in a composition that is substantially free of the constituents that are present in its naturally
10 occurring environment. For example, a human PDE interacting protein comprising composition according to the subject invention in this embodiment will be substantially, if not completely, free of those other biological constituents, such as proteins, carbohydrates, lipids, etc., with which it is present in its natural environment. As such, protein compositions of these embodiments will necessarily differ from those that are prepared by purifying the protein
15 from a naturally occurring source, where at least trace amounts of the protein's constituents will still be present in the composition prepared from the naturally occurring source.

The PDE interacting protein of the subject invention may also be present as an isolate, by which is meant that the PDE interacting protein is substantially free of both non-PDE interacting proteins and other naturally occurring biologic molecules, such as
20 oligosaccharides, polynucleotides and fragments thereof, and the like, where substantially free in this instance means that less than 70 %, usually less than 60% and more usually less than 50 % of the composition containing the isolated PDE interacting protein is a non-PDE interacting protein naturally occurring biological molecule. In certain embodiments, the subject protein is present in substantially pure form, where by substantially pure form is meant
25 at least 95%, usually at least 97% and more usually at least 99% pure.

In addition to the naturally occurring proteins, polypeptides which vary from the naturally occurring proteins are also provided. By polypeptides is meant proteins having an amino acid sequence encoded by an open reading frame (ORF) of an gene according to the subject invention, described *supra*, including the full length protein and fragments thereof,
30 particularly biologically active fragments and/or fragments corresponding to functional domains; and including fusions of the subject polypeptides to other proteins or parts thereof. Fragments of interest will typically be at least about 10 aa in length, usually at least about 50

aa in length, and may be as long as 300 aa in length or longer, but will usually not exceed about 1000 aa in length, where the fragment will have a stretch of amino acids that is identical to the protein of SEQ ID NO:02, SEQ ID NO:05, or SEQ ID NO:08, or a homolog thereof, of at least about 10 aa, and usually at least about 15 aa, and in many embodiments at least
5 about 50 aa in length.

PREPARATION OF PDE INTERACTING POLYPEPTIDES

The subject PDE interacting proteins and polypeptides may be obtained from naturally occurring sources or synthetically produced. Where obtained from naturally occurring
10 sources, the source chosen will generally depend on the species from which the PDE interacting protein is to be derived, e.g. muscle tissue, heart tissue, brain tissue, testis tissue, and the like.

The subject PDE interacting polypeptide compositions may be synthetically derived by expressing a recombinant gene encoding the PDE interacting protein, such as the
15 polynucleotide compositions described above, in a suitable host. For expression, an expression cassette may be employed. The expression vector will provide a transcriptional and translational initiation region, which may be inducible or constitutive, where the coding region is operably linked under the transcriptional control of the transcriptional initiation region, and a transcriptional and translational termination region. These control regions may
20 be native to the gene encoding the particular PDE interacting protein, or may be derived from exogenous sources.

Expression vectors generally have convenient restriction sites located near the promoter sequence to provide for the insertion of nucleic acid sequences encoding heterologous proteins. A selectable marker operative in the expression host may be present.
25 Expression vectors may be used for the production of fusion proteins, where the exogenous fusion peptide provides additional functionality, i.e. increased protein synthesis, stability, reactivity with defined antisera, an enzyme marker, e.g. β -galactosidase, etc.

Expression cassettes may be prepared comprising a transcription initiation region, the gene or fragment thereof, and a transcriptional termination region. Of particular interest is the
30 use of sequences that allow for the expression of functional epitopes or domains, usually at least about 8 amino acids in length, more usually at least about 15 amino acids in length, to about 25 amino acids, and up to the complete open reading frame of the gene. After

introduction of the DNA, the cells containing the construct may be selected by means of a selectable marker, the cells expanded and then used for expression.

The subject proteins and polypeptides may be expressed in prokaryotes or eukaryotes in accordance with conventional ways, depending upon the purpose for expression. For large scale production of the protein, a unicellular organism, such as *E. coli*, *B. subtilis*, *S. cerevisiae*, insect cells in combination with baculovirus vectors, or cells of a higher organism such as vertebrates, particularly mammals, e.g. COS 7 cells, may be used as the expression host cells. In some situations, it is desirable to express the subject proteins in eukaryotic cells, where the protein will benefit from native folding and post-translational modifications. Small peptides can also be synthesized in the laboratory. Polypeptides that are subsets of the complete protein sequence may be used to identify and investigate parts of the protein important for function.

Once the source of the protein is identified and/or prepared, e.g. a transfected host expressing the protein is prepared, the protein is then purified to produce the desired PDE interacting protein comprising composition. Any convenient protein purification procedures may be employed, where suitable protein purification methodologies are described in Guide to Protein Purification, (Deuthser ed.) (Academic Press, 1990). For example, a lysate may be prepared from the original source, e.g. naturally occurring cells or tissues that express a PDE interacting protein or the expression host expressing the PDE interacting protein, and purified using HPLC, exclusion chromatography, gel electrophoresis, affinity chromatography, and the like.

USES OF THE SUBJECT POLYPEPTIDE AND NUCLEIC ACID COMPOSITIONS

The subject polypeptide and nucleic acid compositions find use in a variety of different applications, including diagnostic, and therapeutic agent screening/discovery/preparation applications, as well as the treatment of disease conditions associated with PDE interacting protein activity.

GENERAL APPLICATIONS

The subject nucleic acid compositions find use in a variety of applications, including:

- (a) the identification of PDE interacting protein gene homologs, e.g. myomegalin homologs;
- (b) as a source of novel promoter elements; (c) the identification of PDE interacting protein

expression regulatory factors; (d) as probes and primers in hybridization applications, e.g. PCR; (e) the identification of expression patterns in biological specimens; (f) the preparation of cell or animal models for PDE interacting protein function; (g) the preparation of *in vitro* models for PDE interacting protein function; etc.

5

Identification of homologs

Homologs of the PDE interacting protein gene, e.g. the myomegalin gene, or the M14 gene, are identified by any of a number of methods. A fragment of the provided cDNA may be used as a hybridization probe against a cDNA library from the target organism of interest, where low stringency conditions are used. The probe may be a large fragment, or one or more short degenerate primers. Nucleic acids having sequence similarity are detected by hybridization under low stringency conditions, for example, at 50°C and 6×SSC (0.9 M sodium chloride/0.09 M sodium citrate) and remain bound when subjected to washing at 55°C in 1×SSC (0.15 M sodium chloride/0.015 M sodium citrate). Sequence identity may be determined by hybridization under stringent conditions, for example, at 50°C or higher and 0.1×SSC (15 mM sodium chloride/0.15 mM sodium citrate). Nucleic acids having a region of substantial identity to the provided sequences, e.g. allelic variants, genetically altered versions of the gene, etc., bind to the provided sequences under stringent hybridization conditions. By using probes, particularly labeled probes of DNA sequences, one can isolate homologous or related genes.

15
20

Identification of Novel Promoter Elements

The sequence of the 5' flanking region may be utilized for promoter elements, including enhancer binding sites, that provide for regulation in tissues where the subject gene is expressed. The tissue specific expression is useful for determining the pattern of expression, and for providing promoters that mimic the native pattern of expression. Naturally occurring polymorphisms in the promoter region are useful for determining natural variations in expression, particularly those that may be associated with disease.

25

Identification of Expression Regulatory Factors

Alternatively, mutations may be introduced into the promoter region to determine the effect of altering expression in experimentally defined systems. Methods for the identification

30

of specific DNA motifs involved in the binding of transcriptional factors are known in the art, e.g. sequence similarity to known binding motifs, gel retardation studies, etc. For examples, see Blackwell *et al.* (1995), *Mol. Med.* 1:194-205; Mortlock *et al.* (1996), *Genome Res.* 6:327-33; and Joulin and Richard-Foy (1995), *Eur. J. Biochem.* 232:620-626.

5 The regulatory sequences may be used to identify *cis* acting sequences required for transcriptional or translational regulation of expression of the subject gene, e.g. the myomegalin gene, especially in different tissues or stages of development, and to identify *cis* acting sequences and *trans*-acting factors that regulate or mediate expression of the subject gene. Such transcription or translational control regions may be operably linked to a gene of
10 the subject invention in order to promote expression of wild type or altered PDE interacting protein, e.g. myomegalin, or other proteins of interest in cultured cells, or in embryonic, fetal or adult tissues, and for gene therapy.

Probes and Primers

15 Small DNA fragments are useful as primers for PCR, hybridization screening probes, etc. Larger DNA fragments, *i.e.* greater than 100 nt are useful for production of the encoded polypeptide, as described in the previous section. For use in amplification reactions, such as PCR, a pair of primers will be used. The exact composition of the primer sequences is not critical to the invention, but for most applications the primers will hybridize to the subject
20 sequence under stringent conditions, as known in the art. It is preferable to choose a pair of primers that will generate an amplification product of at least about 50 nt, preferably at least about 100 nt. Algorithms for the selection of primer sequences are generally known and are available in commercial software packages. Amplification primers hybridize to complementary strands of DNA, and will prime towards each other.

25

Identification of Expression Patterns in Biological Specimens

 The DNA may also be used to identify expression of the gene in a biological specimen. The manner in which one probes cells for the presence of particular nucleotide sequences, as genomic DNA or RNA, is well established in the literature. Briefly, DNA or
30 mRNA is isolated from a cell sample. The mRNA may be amplified by RT-PCR, using reverse transcriptase to form a complementary DNA strand, followed by polymerase chain reaction amplification using primers specific for the subject DNA sequences. Alternatively, the mRNA

sample is separated by gel electrophoresis, transferred to a suitable support, *e.g.* nitrocellulose, nylon, *etc.*, and then probed with a fragment of the subject DNA as a probe. Other techniques, such as oligonucleotide ligation assays, *in situ* hybridizations, and hybridization to DNA probes arrayed on a solid chip may also find use. Detection of mRNA hybridizing to the subject sequence is indicative of gene expression in the sample.

The Preparation of PDE Interacting Protein Mutants

The sequence of a gene according to the subject invention, including flanking promoter regions and coding regions, may be mutated in various ways known in the art to generate targeted changes in promoter strength, sequence of the encoded protein, *etc.* The DNA sequence or protein product of such a mutation will usually be substantially similar to the sequences provided herein, *i.e.* will differ by at least one nucleotide or amino acid, respectively, and may differ by at least two but not more than about ten nucleotides or amino acids. The sequence changes may be substitutions, insertions, deletions, or a combination thereof. Deletions may further include larger changes, such as deletions of a domain or exon. Other modifications of interest include epitope tagging, *e.g.* with the FLAG system, HA, *etc.* For studies of subcellular localization, fusion proteins with green fluorescent proteins (GFP) may be used.

Techniques for *in vitro* mutagenesis of cloned genes are known. Examples of protocols for site specific mutagenesis may be found in Gustin *et al.* (1993), *Biotechniques* 14:22; Barany (1985), *Gene* 37:111-23; Colicelli *et al.* (1985), *Mol. Gen. Genet.* 199:537-9; and Prentki *et al.* (1984), *Gene* 29:303-13. Methods for site specific mutagenesis can be found in Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, CSH Press 1989, pp. 15.3-15.108; Weiner *et al.* (1993), *Gene* 126:35-41; Sayers *et al.* (1992), *Biotechniques* 13:592-6; Jones and Winistorfer (1992), *Biotechniques* 12:528-30; Barton *et al.* (1990), *Nucleic Acids Res* 18:7349-55; Marotti and Tomich (1989), *Gene Anal. Tech.* 6:67-70; and Zhu (1989), *Anal Biochem* 177:120-4. Such mutated genes may be used to study structure-function relationships of PDE interacting proteins, or to alter properties of the protein that affect its function or regulation.

Production of *In Vivo* Models of PDE Interacting Protein Function

The subject nucleic acids can be used to generate transgenic, non-human animals or site specific gene modifications in cell lines. Transgenic animals may be made through homologous recombination, where the normal PDE interacting protein gene locus is altered. Alternatively, a nucleic acid construct is randomly integrated into the genome. Vectors for stable integration include plasmids, retroviruses and other animal viruses, YACs, and the like.

The modified cells or animals are useful in the study of PDE interacting protein function and regulation. For example, a series of small deletions and/or substitutions may be made in the host's native PDE interacting protein gene to determine the role of different exons in cholesterol metabolism, e.g. cholesterol ester synthesis, cholesterol absorption, *etc.* Specific constructs of interest include anti-sense constructs which will block PDE interacting protein expression, expression of dominant negative gene mutations, and over-expression of PDE interacting protein genes. Where a particular genetic sequence is introduced, the introduced sequence may be either a complete or partial sequence of an PDE interacting protein gene native to the host, or may be a complete or partial sequence that is exogenous to the host animal, e.g., a human sequence. A detectable marker, such as *lac Z*, may be introduced into the locus, where upregulation of gene expression will result in an easily detected change in phenotype.

One may also provide for expression of the gene or variants thereof in cells or tissues where it is not normally expressed, at levels not normally present in such cells or tissues, or at abnormal times of development.

DNA constructs for homologous recombination will comprise at least a portion of the gene native to the species of the host animal, wherein the gene has the desired genetic modification(s), and includes regions of homology to the target locus. DNA constructs for random integration need not include regions of homology to mediate recombination. Conveniently, markers for positive and negative selection are included. Methods for generating cells having targeted gene modifications through homologous recombination are known in the art. For various techniques for transfecting mammalian cells, see Keown *et al.* (1990), *Meth. Enzymol.* 185:527-537.

For embryonic stem (ES) cells, an ES cell line may be employed, or embryonic cells may be obtained freshly from a host, e.g. mouse, rat, guinea pig, *etc.* Such cells are grown on an appropriate fibroblast-feeder layer or grown in the presence of leukemia inhibiting factor

(LIF). When ES or embryonic cells have been transformed, they may be used to produce transgenic animals. After transformation, the cells are plated onto a feeder layer in an appropriate medium. Cells containing the construct may be detected by employing a selective medium. After sufficient time for colonies to grow, they are picked and analyzed for the occurrence of homologous recombination or integration of the construct. Those colonies that are positive may then be used for embryo manipulation and blastocyst injection. Blastocysts are obtained from 4 to 6 week old superovulated females. The ES cells are trypsinized, and the modified cells are injected into the blastocoel of the blastocyst. After injection, the blastocysts are returned to each uterine horn of pseudopregnant females. Females are then allowed to go to term and the resulting offspring screened for the construct. By providing for a different phenotype of the blastocyst and the genetically modified cells, chimeric progeny can be readily detected.

The chimeric animals are screened for the presence of the modified gene and males and females having the modification are mated to produce homozygous progeny. If the gene alterations cause lethality at some point in development, tissues or organs can be maintained as allogeneic or congenic grafts or transplants, or in *in vitro* culture. The transgenic animals may be any non-human mammal, such as laboratory animals, domestic animals, etc. The transgenic animals may be used in functional studies, drug screening, etc., e.g. to determine the effect of a candidate drug on PDE interacting binding protein activity and/or the enzymatic activity of the PDE/PDE interacting protein complex.

Production of *In Vitro* Models of PDE Interacting Protein Function

One can also use the polypeptide compositions of the subject invention to produce *in vitro* models of PDE interacting protein function. In addition to the subject PDE interacting protein, such models will generally include at least a PDE as well as a cyclic nucleotide, and a means to monitor the activity of the enzyme in the presence of the PDE interacting protein, e.g. a labeled isotope, etc.

DIAGNOSTIC APPLICATIONS

Also provided are methods of diagnosing disease states associated with PDE interacting protein activity, e.g. based on observed levels of PDE interacting protein or the expression level of the gene in a biological sample of interest. Samples, as used herein, include

biological fluids such as semen, blood, cerebrospinal fluid, tears, saliva, lymph, dialysis fluid and the like; organ or tissue culture derived fluids; and fluids extracted from physiological tissues. Also included in the term are derivatives and fractions of such fluids. The cells may be dissociated, in the case of solid tissues, or tissue sections may be analyzed. Alternatively a
5 lysate of the cells may be prepared.

A number of methods are available for determining the expression level of a gene or protein in a particular sample. Diagnosis may be performed by a number of methods to determine the absence or presence or altered amounts of normal or abnormal PDE interacting protein in a patient sample. For example, detection may utilize staining of cells or histological
10 sections with labeled antibodies, performed in accordance with conventional methods. Cells are permeabilized to stain cytoplasmic molecules. The antibodies of interest are added to the cell sample, and incubated for a period of time sufficient to allow binding to the epitope, usually at least about 10 minutes. The antibody may be labeled with radioisotopes, enzymes, fluorescers, chemilumescers, or other labels for direct detection. Alternatively, a second
15 stage antibody or reagent is used to amplify the signal. Such reagents are well known in the art. For example, the primary antibody may be conjugated to biotin, with horseradish peroxidase-conjugated avidin added as a second stage reagent. Alternatively, the secondary antibody conjugated to a fluorescent compound, *e.g.* fluorescein, rhodamine, Texas red, *etc.* Final detection uses a substrate that undergoes a color change in the presence of the
20 peroxidase. The absence or presence of antibody binding may be determined by various methods, including flow cytometry of dissociated cells, microscopy, radiography, scintillation counting, *etc.*

Alternatively, one may focus on the expression of the gene. Biochemical studies may be performed to determine whether a sequence polymorphism in an coding region or control
25 regions is associated with disease. Disease associated polymorphisms may include deletion or truncation of the gene, mutations that alter expression level, that affect the activity of the protein, *etc.*

Changes in the promoter or enhancer sequence that may affect expression levels of the gene can be compared to expression levels of the normal allele by various methods known
30 in the art. Methods for determining promoter or enhancer strength include quantitation of the expressed natural protein; insertion of the variant control element into a vector with a

reporter gene such as β -galactosidase, luciferase, chloramphenicol acetyltransferase, *etc.* that provides for convenient quantitation; and the like.

5 A number of methods are available for analyzing nucleic acids for the presence of a specific sequence, *e.g.* a disease associated polymorphism. Where large amounts of DNA are available, genomic DNA is used directly. Alternatively, the region of interest is cloned into a
10 suitable vector and grown in sufficient quantity for analysis. Cells that express the subject gene may be used as a source of mRNA, which may be assayed directly or reverse transcribed into cDNA for analysis. The nucleic acid may be amplified by conventional techniques, such as the polymerase chain reaction (PCR), to provide sufficient amounts for analysis. The use
15 of the polymerase chain reaction is described in Saiki, *et al.* (1985), *Science* 239:487, and a review of techniques may be found in Sambrook, *et al.* Molecular Cloning: A Laboratory Manual, CSH Press 1989, pp.14.2B14.33. Alternatively, various methods are known in the art that utilize oligonucleotide ligation as a means of detecting polymorphisms, for examples see Riley *et al.* (1990), *Nucl. Acids Res.* 18:2887-2890; and Delahunty *et al.* (1996), *Am. J. Hum. Genet.* 58:1239-1246.

A detectable label may be included in an amplification reaction. Suitable labels include fluorochromes, *e.g.* fluorescein isothiocyanate (FITC), rhodamine, Texas Red, phycoerythrin, allophycocyanin, 6-carboxyfluorescein (6-FAM), 2',7'-dimethoxy-4',5'-dichloro-6-carboxyfluorescein (JOE), 6-carboxy-X-rhodamine (ROX), 6-carboxy-2',4',7',4,7-
20 hexachlorofluorescein (HEX), 5-carboxyfluorescein (5-FAM) or N,N,N',N'-tetramethyl-6-carboxyrhodamine (TAMRA), radioactive labels, *e.g.* ^{32}P , ^{35}S , ^3H ; *etc.* The label may be a two stage system, where the amplified DNA is conjugated to biotin, haptens, *etc.* having a high affinity binding partner, *e.g.* avidin, specific antibodies, *etc.*, where the binding partner is conjugated to a detectable label. The label may be conjugated to one or both of the primers.
25 Alternatively, the pool of nucleotides used in the amplification is labeled, so as to incorporate the label into the amplification product.

The sample nucleic acid, *e.g.* amplified or cloned fragment, is analyzed by one of a number of methods known in the art. The nucleic acid may be sequenced by dideoxy or other methods, and the sequence of bases compared to a wild-type sequence. Hybridization with
30 the variant sequence may also be used to determine its presence, by Southern blots, dot blots, *etc.* The hybridization pattern of a control and variant sequence to an array of oligonucleotide probes immobilized on a solid support, as described in US 5,445,934, or in

WO 95/35505, may also be used as a means of detecting the presence of variant sequences. Single strand conformational polymorphism (SSCP) analysis, denaturing gradient gel electrophoresis (DGGE), and heteroduplex analysis in gel matrices are used to detect conformational changes created by DNA sequence variation as alterations in electrophoretic mobility. Alternatively, where a polymorphism creates or destroys a recognition site for a restriction endonuclease, the sample is digested with that endonuclease, and the products size fractionated to determine whether the fragment was digested. Fractionation is performed by gel or capillary electrophoresis, particularly acrylamide or agarose gels.

Screening for mutations may be based on the functional or antigenic characteristics of the protein. Protein truncation assays are useful in detecting deletions that may affect the biological activity of the protein. Various immunoassays designed to detect polymorphisms in the subject PDE interacting proteins may be used in screening. Where many diverse genetic mutations lead to a particular disease phenotype, functional protein assays have proven to be effective screening tools. The activity of the encoded protein may be determined by comparison with the wild-type protein.

Diagnostic methods of the subject invention in which the level of expression is of interest will typically involve comparison of the PDE interacting protein nucleic acid abundance of a sample of interest with that of a control value to determine any relative differences, where the difference may be measured qualitatively and/or quantitatively, which differences are then related to the presence or absence of an abnormal gene expression pattern. A variety of different methods for determining the nucleic acid abundance in a sample are known to those of skill in the art, where particular methods of interest include those described in: Pietu et al., *Genome Res.* (June 1996) 6: 492-503; Zhao et al., *Gene* (April 24, 1995) 156: 207-213; Soares, *Curr. Opin. Biotechnol.* (October 1997) 8: 542-546; Raval, *J. Pharmacol Toxicol Methods* (November 1994) 32: 125-127; Chalifour et al., *Anal. Biochem* (February 1, 1994) 216: 299-304; Stolz & Tuan, *Mol. Biotechnol.* (December 1996) 6: 225-230; Hong et al., *Bioscience Reports* (1982) 2: 907; and McGraw, *Anal. Biochem.* (1984) 143: 298. Also of interest are the methods disclosed in WO 97/27317, the disclosure of which is herein incorporated by reference.

30

SCREENING ASSAYS

The subject PDE interacting proteins and polypeptides find use in various screening assays designed to identify therapeutic agents. The screening assays may be designed to identify agents that modulate, e.g. inhibit or enhance, the activity of the PDE interacting protein directly and thereby modulate the activity of the particular PDE that depends on the presence of the PDE interacting protein for its function. Alternatively, the assay may be designed to identify those agents that modify, e.g. enhance or inhibit, the activity of the PDE when present as a complex with the PDE interacting protein.

Of particular interest are screening methods that provide for qualitative/quantitative measurements of a PDE enzyme activity in the presence of a particular candidate therapeutic agent and its PDE interacting protein, as such screening methods are capable of identifying highly selective PDE modulatory, e.g. inhibitory, agents. For example, the assay could be an assay which measures the activity of a PDE interacting protein/enzyme complex in the presence and absence of a candidate inhibitor agent. In this preferred screening assay embodiment, the PDE interacting protein/PDE complex will generally be a naturally occurring complex, i.e. a complex between a cyclic nucleotide PDE and its naturally occurring PDE interacting protein partner. Of particular interest are complexes between a cAMP-PDEIV and a myomegalin protein.

The screening method may be an *in vitro* or *in vivo* format, where both formats are readily developed by those of skill in the art. Depending on the particular method, one or more of, usually one of, the components of the screening assay may be labeled, where by labeled is meant that the components comprise a detectable moiety, e.g. a fluorescent or radioactive tag, or a member of a signal producing system, e.g. biotin for binding to an enzyme-streptavidin conjugate in which the enzyme is capable of converting a substrate to a chromogenic product.

A variety of other reagents may be included in the screening assay. These include reagents like salts, neutral proteins, e.g. albumin, detergents, etc. that are used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Reagents that improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc. may be used. Specific PDE activity assays of interest include those described in U.S. Patent Nos. 5,798,373 and 5,580,888, the disclosures of which are herein incorporated by reference.

A variety of different candidate agents may be screened by the above methods. Candidate agents encompass numerous chemical classes, though typically they are organic molecules, preferably small organic compounds having a molecular weight of more than 50 and less than about 2,500 daltons. Candidate agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof.

Candidate agents are obtained from a wide variety of sources including libraries of synthetic or natural compounds. For example, numerous means are available for random and directed synthesis of a wide variety of organic compounds and biomolecules, including expression of randomized oligonucleotides and oligopeptides. Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant and animal extracts are available or readily produced. Additionally, natural or synthetically produced libraries and compounds are readily modified through conventional chemical, physical and biochemical means, and may be used to produce combinatorial libraries. Known pharmacological agents may be subjected to directed or random chemical modifications, such as acylation, alkylation, esterification, amidification, *etc.* to produce structural analogs.

PDE INTERACTING PROTEIN NUCLEIC ACID AND POLYPEPTIDE THERAPEUTIC COMPOSITIONS

The nucleic acid compositions of the subject invention also find use as therapeutic agents in situations where one wishes to enhance the PDE interacting protein activity in a host, e.g. in a mammalian host in which PDE interacting protein activity is sufficiently low such that a disease condition is present, etc. The PDE interacting protein genes, gene fragments, or the encoded proteins or protein fragments are useful in gene therapy to treat disorders associated with defects the PDE interacting protein gene expression. Expression vectors may be used to introduce the gene into a cell. Such vectors generally have convenient restriction sites located near the promoter sequence to provide for the insertion of nucleic acid sequences. Transcription cassettes may be prepared comprising a transcription initiation

region, the target gene or fragment thereof, and a transcriptional termination region. The transcription cassettes may be introduced into a variety of vectors, *e.g.* plasmid; retrovirus, *e.g.* lentivirus; adenovirus; and the like, where the vectors are able to transiently or stably be maintained in the cells, usually for a period of at least about one day, more usually for a
5 period of at least about several days to several weeks.

The gene or protein may be introduced into tissues or host cells by any number of routes, including viral infection, microinjection, or fusion of vesicles. Jet injection may also be used for intramuscular administration, as described by Furth *et al.* (1992), *Anal Biochem* 205:365-368. The DNA may be coated onto gold microparticles, and delivered intradermally
10 by a particle bombardment device, or "gene gun" as described in the literature (see, for example, Tang *et al.* (1992), *Nature* 356:152-154), where gold microprojectiles are coated with the DNA, then bombarded into skin cells.

METHODS OF MODULATING PDE INTERACTING PROTEIN ACTIVITY IN A HOST

15 Also provided are methods of regulating, including enhancing and inhibiting, PDE interacting protein activity in a host. Where the PDE interacting protein activity occurs *in vivo* in a host, an effective amount of active agent that modulates the activity, *e.g.* reduces the activity, of the PDE interacting protein *in vivo* (*e.g.* the activity of the naturally occurring PDE/interacting protein complex), is administered to the host. The active agent may be a
20 variety of different compounds, including a naturally occurring or synthetic small molecule compound, an antibody, fragment or derivative thereof, an antisense composition, and the like.

Naturally occurring or synthetic small molecule compounds of interest include numerous chemical classes, though typically they are organic molecules, preferably small
25 organic compounds having a molecular weight of more than 50 and less than about 2,500 daltons. Candidate agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or
30 polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof.

Also of interest as active agent are antibodies that modulate, e.g. reduce, if not inhibit, PDE interacting protein activity in the host. Suitable antibodies are obtained by immunizing a host animal with peptides comprising all or a portion of the subject proteins, such as found in the polypeptide compositions of the subject invention. Suitable host animals include mouse, rat sheep, goat, hamster, rabbit, *etc.* The origin of the protein immunogen may be mouse, human, rat, monkey *etc.* The host animal will generally be a different species than the immunogen, e.g. human protein used to immunize mice, *etc.*

The immunogen may comprise the complete protein, or fragments and derivatives thereof. Preferred immunogens comprise all or a part of the PDE interacting protein, where these residues contain the post-translation modifications, such as glycosylation, found on the native protein. Immunogens comprising the extracellular domain are produced in a variety of ways known in the art, e.g. expression of cloned genes using conventional recombinant methods, isolation from HEC, *etc.*

For preparation of polyclonal antibodies, the first step is immunization of the host animal with the immunogen, where the immunogen will preferably be in substantially pure form, comprising less than about 1% contaminant. The immunogen may comprise complete PDE interacting protein, fragments or derivatives thereof. To increase the immune response of the host animal, the protein or peptide may be combined with an adjuvant, where suitable adjuvants include alum, dextran, sulfate, large polymeric anions, oil & water emulsions, e.g. Freund's adjuvant, Freund's complete adjuvant, and the like. The immunogen may also be conjugated to synthetic carrier proteins or synthetic antigens. A variety of hosts may be immunized to produce the polyclonal antibodies. Such hosts include rabbits, guinea pigs, rodents, e.g. mice, rats, sheep, goats, and the like. The immunogen is administered to the host, usually intradermally, with an initial dosage followed by one or more, usually at least two, additional booster dosages. Following immunization, the blood from the host will be collected, followed by separation of the serum from the blood cells. The Ig present in the resultant antiserum may be further fractionated using known methods, such as ammonium salt fractionation, DEAE chromatography, and the like.

Monoclonal antibodies are produced by conventional techniques. Generally, the spleen and/or lymph nodes of an immunized host animal provide a source of plasma cells. The plasma cells are immortalized by fusion with myeloma cells to produce hybridoma cells. Culture supernatant from individual hybridomas is screened using standard techniques to

identify those producing antibodies with the desired specificity. Suitable animals for production of monoclonal antibodies to the human protein include mouse, rat, hamster, *etc.* To raise antibodies against the mouse protein, the animal will generally be a hamster, guinea pig, rabbit, *etc.* The antibody may be purified from the hybridoma cell supernatants or ascites fluid by conventional techniques, *e.g.* affinity chromatography using PDE-interacting protein bound to an insoluble support, protein A sepharose, *etc.*

The antibody may be produced as a single chain, instead of the normal multimeric structure. Single chain antibodies are described in Jost *et al.* (1994) J.B.C. 269:26267-73, and others. DNA sequences encoding the variable region of the heavy chain and the variable region of the light chain are ligated to a spacer encoding at least about 4 amino acids of small neutral amino acids, including glycine and/or serine. The protein encoded by this fusion allows assembly of a functional variable region that retains the specificity and affinity of the original antibody.

For *in vivo* use, particularly for injection into humans, it is desirable to decrease the antigenicity of the antibody. An immune response of a recipient against the blocking agent will potentially decrease the period of time that the therapy is effective. Methods of humanizing antibodies are known in the art. The humanized antibody may be the product of an animal having transgenic human immunoglobulin constant region genes (see for example International Patent Applications WO 90/10077 and WO 90/04036). Alternatively, the antibody of interest may be engineered by recombinant DNA techniques to substitute the CH1, CH2, CH3, hinge domains, and/or the framework domain with the corresponding human sequence (see WO 92/02190).

The use of Ig cDNA for construction of chimeric immunoglobulin genes is known in the art (Liu *et al.* (1987) P.N.A.S. 84:3439 and (1987) J. Immunol. 139:3521). mRNA is isolated from a hybridoma or other cell producing the antibody and used to produce cDNA. The cDNA of interest may be amplified by the polymerase chain reaction using specific primers (U.S. Patent nos. 4,683,195 and 4,683,202). Alternatively, a library is made and screened to isolate the sequence of interest. The DNA sequence encoding the variable region of the antibody is then fused to human constant region sequences. The sequences of human constant regions genes may be found in Kabat *et al.* (1991) Sequences of Proteins of Immunological Interest, N.I.H. publication no. 91-3242. Human C region genes are readily available from known clones. The choice of isotype will be guided by the desired effector

functions, such as complement fixation, or activity in antibody-dependent cellular cytotoxicity. Preferred isotypes are IgG1, IgG3 and IgG4. Either of the human light chain constant regions, kappa or lambda, may be used. The chimeric, humanized antibody is then expressed by conventional methods.

5 Antibody fragments, such as Fv, F(ab)₂ and Fab may be prepared by cleavage of the intact protein, *e.g.* by protease or chemical cleavage. Alternatively, a truncated gene is designed. For example, a chimeric gene encoding a portion of the F(ab)₂ fragment would include DNA sequences encoding the CH1 domain and hinge region of the H chain, followed by a translational stop codon to yield the truncated molecule.

10 Consensus sequences of H and L J regions may be used to design oligonucleotides for use as primers to introduce useful restriction sites into the J region for subsequent linkage of V region segments to human C region segments. C region cDNA can be modified by site directed mutagenesis to place a restriction site at the analogous position in the human sequence.

15 Expression vectors include plasmids, retroviruses, YACs, EBV derived episomes, and the like. A convenient vector is one that encodes a functionally complete human CH or CL immunoglobulin sequence, with appropriate restriction sites engineered so that any VH or VL sequence can be easily inserted and expressed. In such vectors, splicing usually occurs between the splice donor site in the inserted J region and the splice acceptor site preceding the human C region, and also at the splice regions that occur within the human CH exons. Polyadenylation and transcription termination occur at native chromosomal sites downstream of the coding regions. The resulting chimeric antibody may be joined to any strong promoter, including retroviral LTRs, *e.g.* SV-40 early promoter, (Okayama *et al.* (1983) Mol. Cell. Bio. 3:280), Rous sarcoma virus LTR (Gorman *et al.* (1982) P.N.A.S. 79:6777), and moloney
20 murine leukemia virus LTR (Grosschedl *et al.* (1985) Cell 41:885); native Ig promoters, *etc.*

25 In yet other embodiments of the invention, the active agent is an agent that modulates, and generally decreases or down regulates, the expression of the gene in the host. Antisense molecules can be used to down-regulate expression of the protein in cells. The anti-sense reagent may be antisense oligonucleotides (ODN), particularly synthetic ODN having
30 chemical modifications from native nucleic acids, or nucleic acid constructs that express such anti-sense molecules as RNA. The antisense sequence is complementary to the mRNA of the targeted gene, and inhibits expression of the targeted gene products. Antisense molecules

inhibit gene expression through various mechanisms, e.g. by reducing the amount of mRNA available for translation, through activation of RNase H, or steric hindrance. One or a combination of antisense molecules may be administered, where a combination may comprise multiple different sequences.

5 Antisense molecules may be produced by expression of all or a part of the target gene sequence in an appropriate vector, where the transcriptional initiation is oriented such that an antisense strand is produced as an RNA molecule. Alternatively, the antisense molecule is a synthetic oligonucleotide. Antisense oligonucleotides will generally be at least about 7, usually at least about 12, more usually at least about 20 nucleotides in length, and not more
10 than about 500, usually not more than about 50, more usually not more than about 35 nucleotides in length, where the length is governed by efficiency of inhibition, specificity, including absence of cross-reactivity, and the like. It has been found that short oligonucleotides, of from 7 to 8 bases in length, can be strong and selective inhibitors of gene expression (see Wagner *et al.* (1996), *Nature Biotechnol.* 14:840-844).

15 A specific region or regions of the endogenous sense strand mRNA sequence is chosen to be complemented by the antisense sequence. Selection of a specific sequence for the oligonucleotide may use an empirical method, where several candidate sequences are assayed for inhibition of expression of the target gene in an *in vitro* or animal model. A combination of sequences may also be used, where several regions of the mRNA sequence
20 are selected for antisense complementation.

Antisense oligonucleotides may be chemically synthesized by methods known in the art (see Wagner *et al.* (1993), *supra*, and Milligan *et al.*, *supra*.) Preferred oligonucleotides are chemically modified from the native phosphodiester structure, in order to increase their intracellular stability and binding affinity. A number of such modifications have been
25 described in the literature, which alter the chemistry of the backbone, sugars or heterocyclic bases.

Among useful changes in the backbone chemistry are phosphorothioates; phosphorodithioates, where both of the non-bridging oxygens are substituted with sulfur; phosphoroamidites; alkyl phosphotriesters and boranophosphates. Achiral phosphate
30 derivatives include 3'-O'-5'-S-phosphorothioate, 3'-S-5'-O-phosphorothioate, 3'-CH₂-5'-O-phosphonate and 3'-NH-5'-O-phosphoroamidate. Peptide nucleic acids replace the entire ribose phosphodiester backbone with a peptide linkage. Sugar modifications are also used to

enhance stability and affinity. The α -anomer of deoxyribose may be used, where the base is inverted with respect to the natural β -anomer. The 2'-OH of the ribose sugar may be altered to form 2'-O-methyl or 2'-O-allyl sugars, which provides resistance to degradation without comprising affinity. Modification of the heterocyclic bases must maintain proper base pairing.

5 Some useful substitutions include deoxyuridine for deoxythymidine; 5-methyl-2'-deoxycytidine and 5-bromo-2'-deoxycytidine for deoxycytidine. 5-propynyl-2'-deoxyuridine and 5-propynyl-2'-deoxycytidine have been shown to increase affinity and biological activity when substituted for deoxythymidine and deoxycytidine, respectively.

As an alternative to anti-sense inhibitors, catalytic nucleic acid compounds, *e.g.* ribozymes, anti-sense conjugates, *etc.* may be used to inhibit gene expression. Ribozymes may be synthesized *in vitro* and administered to the patient, or may be encoded on an expression vector, from which the ribozyme is synthesized in the targeted cell (for example, see International patent application WO 9523225, and Beigelman *et al.* (1995), *Nucl. Acids Res.* 23:4434-42). Examples of oligonucleotides with catalytic activity are described in WO

10 9506764. Conjugates of anti-sense ODN with a metal complex, *e.g.* terpyridylCu(II), capable of mediating mRNA hydrolysis are described in Bashkin *et al.* (1995), *Appl. Biochem. Biotechnol.* 54:43-56.

As mentioned above, an effective amount of the active agent is administered to the host, where "effective amount" means a dosage sufficient to produce a desired result, where

20 the desired result in the desired modulation, *e.g.* enhancement, reduction, of PDE interacting protein activity, which in turn leads to a desired effect on the state of the disease condition being treated, *e.g.* a reduction in the level of inflammation, *etc.*

In the subject methods, the active agent(s) may be administered to the host using any convenient means capable of resulting in the desired inhibition of PDE interacting protein

25 activity. Thus, the agent can be incorporated into a variety of formulations for therapeutic administration. More particularly, the agents of the present invention can be formulated into pharmaceutical compositions by combination with appropriate, pharmaceutically acceptable carriers or diluents, and may be formulated into preparations in solid, semi-solid, liquid or gaseous forms, such as tablets, capsules, powders, granules, ointments, solutions,

30 suppositories, injections, inhalants and aerosols.

As such, administration of the agents can be achieved in various ways, including oral, buccal, rectal, parenteral, intraperitoneal, intradermal, transdermal, intracheal, etc., administration.

5 In pharmaceutical dosage forms, the agents may be administered in the form of their pharmaceutically acceptable salts, or they may also be used alone or in appropriate association, as well as in combination, with other pharmaceutically active compounds. The following methods and excipients are merely exemplary and are in no way limiting.

For oral preparations, the agents can be used alone or in combination with appropriate additives to make tablets, powders, granules or capsules, for example, with conventional
10 additives, such as lactose, mannitol, corn starch or potato starch; with binders, such as crystalline cellulose, cellulose derivatives, acacia, corn starch or gelatins; with disintegrators, such as corn starch, potato starch or sodium carboxymethylcellulose; with lubricants, such as talc or magnesium stearate; and if desired, with diluents, buffering agents, moistening agents, preservatives and flavoring agents.

15 The agents can be formulated into preparations for injection by dissolving, suspending or emulsifying them in an aqueous or nonaqueous solvent, such as vegetable or other similar oils, synthetic aliphatic acid glycerides, esters of higher aliphatic acids or propylene glycol; and if desired, with conventional additives such as solubilizers, isotonic agents, suspending agents, emulsifying agents, stabilizers and preservatives.

20 The agents can be utilized in aerosol formulation to be administered via inhalation. The compounds of the present invention can be formulated into pressurized acceptable propellants such as dichlorodifluoromethane, propane, nitrogen and the like.

Furthermore, the agents can be made into suppositories by mixing with a variety of bases such as emulsifying bases or water-soluble bases. The compounds of the present
25 invention can be administered rectally via a suppository. The suppository can include vehicles such as cocoa butter, carbowaxes and polyethylene glycols, which melt at body temperature, yet are solidified at room temperature.

Unit dosage forms for oral or rectal administration such as syrups, elixirs, and suspensions may be provided wherein each dosage unit, for example, teaspoonful,
30 tablespoonful, tablet or suppository, contains a predetermined amount of the composition containing one or more inhibitors. Similarly, unit dosage forms for injection or intravenous

administration may comprise the inhibitor(s) in a composition as a solution in sterile water, normal saline or another pharmaceutically acceptable carrier.

The term "unit dosage form," as used herein, refers to physically discrete units suitable as unitary dosages for human and animal subjects, each unit containing a predetermined
5 quantity of compounds of the present invention calculated in an amount sufficient to produce the desired effect in association with a pharmaceutically acceptable diluent, carrier or vehicle. The specifications for the novel unit dosage forms of the present invention depend on the particular compound employed and the effect to be achieved, and the pharmacodynamics associated with each compound in the host.

10 The pharmaceutically acceptable excipients, such as vehicles, adjuvants, carriers or diluents, are readily available to the public. Moreover, pharmaceutically acceptable auxiliary substances, such as pH adjusting and buffering agents, tonicity adjusting agents, stabilizers, wetting agents and the like, are readily available to the public.

Where the agent is a polypeptide, polynucleotide, analog or mimetic thereof, e.g.
15 antisense composition, it may be introduced into tissues or host cells by any number of routes, including viral infection, microinjection, or fusion of vesicles. Jet injection may also be used for intramuscular administration, as described by Furth *et al.* (1992), *Anal Biochem* 205:365-368. The DNA may be coated onto gold microparticles, and delivered intradermally by a particle bombardment device, or "gene gun" as described in the literature (see, for example,
20 Tang *et al.* (1992), *Nature* 356:152-154), where gold microprojectiles are coated with the DNA, then bombarded into skin cells.

Those of skill in the art will readily appreciate that dose levels can vary as a function of the specific compound, the severity of the symptoms and the susceptibility of the subject to side effects. Preferred dosages for a given compound are readily determinable by those of skill
25 in the art by a variety of means.

The subject methods find use in the treatment of a variety of different disease conditions involving PDE interacting protein activity, particularly in those disease conditions in which the selective inhibition of PDE activity, more particularly PDEIV activity, results in treatment of the disease condition where targeting of the PDE interacting protein by the
30 therapeutic agent results in modulated, e.g. reduced or enhanced, activity of its corresponding PDE.

Specific disease of interest as treatable by the subject methods include: asthma, including inflamed lung associate asthma, cystic fibrosis, inflammatory airway disease, chronic bronchitis, eosinophilic granuloma, psoriasis and other benign and malignant proliferative skin diseases, endotoxic shock, septic shock, ulcerative colitis, Crohn's disease, reperfusion injury, or the myocardium and brain, inflammatory arthritis, chronic glomerulonephritis, atopic dermatitis, urticaria, adult respiratory distress syndrome, diabetes insipidus, allergic rhinitis, allergic conjunctivitis, vernal conjunctivitis, arterial restinosis and arteriosclerosis, inflammatory diseases associated with irritation and pain, rheumatoid arthritis, ankylosing spondylitis, transplant rejection and graft versus host disease, disease conditions associated with hypersecretion of gastric acid, disease conditions in which cytokines are mediators, e.g. sepsis, and septic shock, and the like.

By treatment is meant at least an amelioration of the symptoms associated with the pathological condition afflicting the host, where amelioration is used in a broad sense to refer to at least a reduction in the magnitude of a parameter, e.g. symptom, associated with the pathological condition being treated, such as inflammation, etc. As such, treatment also includes situations where the pathological condition, or at least symptoms associated therewith, are completely inhibited, e.g. prevented from happening, or stopped, e.g. terminated, such that the host no longer suffers from the pathological condition, or at least the symptoms that characterize the pathological condition.

A variety of hosts are treatable according to the subject methods. Generally such hosts are "mammals" or "mammalian," where these terms are used broadly to describe organisms which are within the class mammalia, including the orders carnivore (e.g., dogs and cats), rodentia (e.g., mice, guinea pigs, and rats), and primates (e.g., humans, chimpanzees, and monkeys). In many embodiments, the hosts will be humans.

Kits with unit doses of the active agent, usually in oral or injectable doses, are provided. In such kits, in addition to the containers containing the unit doses will be an informational package insert describing the use and attendant benefits of the drugs in treating pathological condition of interest. Preferred compounds and unit doses are those described herein above.

30

The following examples are offered primarily for purposes of illustration. It will be readily apparent to those skilled in the art that the formulations, dosages, methods of

administration, and other parameters of this invention may be further modified or substituted in various ways without departing from the spirit and scope of the invention.

EXPERIMENTAL

5 I. Screening of the yeast two hybrid system cDNA brain library

To identify proteins that interact with a PDE4, cDNA coding for the amino terminus of PDE4D3 or for a region corresponding to a.a. 114-672 were inserted into pGBT9 vectors and used for screening of a Matchmaker rat brain library subcloned in pGAD10 vector (Clontech, Palo Alto, CA). The fragment encoding the autoinhibitory (UCR2), catalytic, and
10 carboxy terminal domains of rPDE4D3 (aa 114-672) was amplified by PCR with the full-length cDNA using the following forward and reverse primers with incorporated restriction sites and Stop codon. EcoRI: 5' CGG AAT TCG AGG AGG CCT ACC AGA AAC 3' (GUPA4) (SEQ ID NO:06) and SalI/TAG: 5' TGA GTC GAC TAC GTG TCA AGG CAA CAA TGG TC 3' (GUPA3) (SEQ ID NO:07). The PCR products were cloned into
15 EcoRI/SalI site of pGBT9 (Clontech) downstream of the Gal4 activation domain. The PCR was performed in presence of recombinant Pfu polymerase (Stratagene) at low cycle number (10 cycles) to ensure high fidelity reading. The insertions were entirely sequenced to confirm the correct reading frame and the sequence. Sequencing was performed by the Molecular Biology facility at Stanford University using the ABI PRISM Dye Terminator Cycle
20 Sequencing Ready Reaction Kit with AmpliTaq DNA Polymerase, FS (Perkin Elmer).

Of the positive clones isolated from the screening of the rat brain library, 187 gave strong positive signal while 81 gave only a weak signal. Of the strong positive clones, PBP46 was further characterized. This clone contained an insert of approximately 2.8 kb. The
interaction of the clone with the PDE was confirmed by subcloning the cDNA fragment in
25 both pGBT9 and pGAD10 and by testing growth and β -galactosidase activity in the yeast two hybrid system. The clone continued to show strong interaction with the 1.6 fragment of PDE4D3.

II. Screening for the full length myomegalin clone

30 A homology search (BLAST) using the sequence of PBP46 clone showed no significant identity to sequences in any public domain database. This clone was then used to probe a blot with RNA from multiple tissues. A transcript of approximately 8.0-8.5 kb

hybridized to the probe in several tissues, the highest level of expression being observed in the rat skeletal muscle and heart. Lower levels of expression were detected in brain, liver and lung. In the testis a transcript of 2.0-2.4 kb was consistently observed. The expression in the testis was confirmed by PCR and by screening a rat testis library. Two clones containing the
5 3' end sequence of myomegalin were retrieved from this library.

To obtain the complete sequence of the 8.0-8.5 transcript, a rat skeletal muscle cDNA library was screened with the PBP46 cDNA. From this screening, 2 clones were retrieved. However, the clones did not yield a complete ORF. Screening was then repeated six more times with oligonucleotides corresponding to the 5' end of the longest clones. From this
10 multiple screening, 21 overlapping clones were obtained. Merging of the sequences from the different clones yielded a 9 kb sequence, a size in agreement with the size of the transcript derived from rat heart and skeletal muscles. See Fig. 2. Conceptual translation of the nucleotide sequence uncovered an open reading frame of a protein of 2324 amino acids corresponding to a calculated MW of 261 kDa. See Fig. 1.

15 To analyze tissue distribution of the rat myomegalin transcripts, Northern blot analysis was performed using radioactively labeled probes corresponding to the 3' end (probe 1; 1000 bp) and the 5' end (probe 2; 665 bp) of the myomegalin open reading frame. Transcripts of various sizes were found in various tissues using either probe 1 or probe 2 or both. The results indicated that there are at least four different transcripts of rat myomegalin: two
20 expressed in heart (7.5 and 5.9 kb); two in skeletal muscle (7.5 and 4.3 kb) and one in testis (2.5 kb). The 2.5 kb variant roughly corresponds to the PBP46 clone, and is expressed exclusively in rat testis.

III. Screening of the EST/database

25 To determine whether mouse or human sequences analogous to the rat myomegalin are present in public domain databases, the rat sequence was used for a BLAST search of GenBank and EST libraries. The following EST were retrieved. AA755885, AA110441, W23471, AA333456, AA489265. These sequences are more than 90% homologous to the rat sequence. Sequence AL021920 contains a genomic fragment from human chromosome
30 1p35.1-p36.21. Several exons overlap with the rat sequence from residue 1215 until residue 1444. Thus myomegalin must reside on human chromosome 1p35.1-p36. KIAA0454 (accession # AB007923), KIAA0477 (accession # AB007946) are two clones containing

portion of the human myomegalin sequence since they are more than 90% homologous to the rat ORF. These human clones were merged to obtain a full length human sequence homologous to myomegalin. See Fig. 4. The human open reading frame coded for a protein of 2517 residues and a calculated molecular weight of 282.1 kDa. See Fig. 5.

5 Alignment of the human and rat sequence showed identity from aa 235 of rat myomegalin to the end. In the amino terminus region, the two sequences showed only weak homologies. The reason for this discrepancy is at present unclear. It is possible that it is due to species differences. The junction where the rat sequence diverges from the human was derived from four clones isolated from the rat skeletal muscle library, lessening the possibility
10 that cloning artifact is at the basis of this discrepancy. The presence of the junction was further confirmed by PCR analysis of rat heart mRNA (data not shown). However, further blast searches with the region encompassing the 5' end of myomegalin did not yield mouse EST fragments overlapping the junction. Conversely, several EST clones confirming the human junction were retrieved from human and mouse EST databases.

15

IV. Protein/protein interaction

Several attempts were made to confirm the interaction between myomegalin and PDE4D3. However, due to the insolubility of the full length or truncated myomegalin immunoprecipitation experiments could not be performed. In an alternative approach, PBP46
20 was cotransfected with PDE4D3 in COS 7 cells and the PDE activity was determined in the particulate fraction of the cell. If PDE4D3 interacts with PBP46, an increase in the particulate PDE activity would be expected. Two to three fold increase in the particulate PDE4D3 activity was detected when plasmids containing PBP46 and PDE4D3 were cotransfected in COS7 cells.

25

V. Subcellular localization of myomegalin

To investigate the subcellular localization of myomegalin the PBP46 clone was subcloned in frame to a flag tag and expressed in COS7 cells. The recombinant protein thus obtained was entirely recovered in the particulate fraction and could be extracted only with
30 buffer containing SDS. Expression in transfected cells was further assessed by immunofluorescence (IF) using the flag antibody. The flag tagged recombinant protein

encoded in PBP46 was entirely localized in the Golgi/centrosomal region of COS7 cells. No attempts were made to express the full-length myomegalin cDNA.

VI. Western blot analysis of muscle and testis extracts

5 Polyclonal antibodies were raised in rabbit against peptides corresponding to the carboxyl terminus region of myomegalin. These antibodies recognize in testis a protein of approximately 64 kDa. In heart and muscle, proteins of 280,250 and 200 kDa were observed. It is at present unknown whether these are native proteins or products of proteolysis. When these antibodies were used for IF localization, a region corresponding to the
10 Golgi/centrosomal region is intensely labeled.

It is apparent from the above results and discussion that polynucleotides encoding novel mammalian PDE interacting proteins, such as myomegalin, as well as the novel polypeptides encoded thereby, are provided. The subject invention is important for both
15 research and therapeutic applications. For example, identification of the subject PDE interacting proteins provides for the ability to screen potential PDE inhibitors with PDE/PDE interacting protein complexes, where the results of such screening procedures should be more indicative of *in vivo* activity of a potential agent than screening procedures in which PDE is used by itself. Accordingly, the subject invention provides for a significant contribution to the
20 art.

All publications and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference. The citation of any publication is for its disclosure prior to the filing date and should not be construed as an
25 admission that the present invention is not entitled to antedate such publication by virtue of prior invention.

Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it is readily apparent to
30 those of ordinary skill in the art in light of the teachings of this invention that certain changes and modifications may be made thereto without departing from the spirit or scope of the appended claims.

WHAT IS CLAIMED IS:

1. A polynucleotide present in other than its natural environment encoding a PDE interacting polypeptide.
5
2. The polynucleotide according to Claim 1, wherein said polynucleotide encodes a myomegalin protein.
3. A fragment of a polynucleotide according to Claim 1.
10
4. An PDE interacting polypeptide present in other than its naturally occurring environment.
5. The polypeptide according to Claim 4, wherein said polypeptide is a
15 myomegalin protein.
6. A fragment of a polypeptide according to Claim 4.
7. Substantially pure PDE interacting protein.
20
8. Isolated PDE interacting protein.
9. An expression cassette comprising a transcriptional initiation region functional in an expression host, a polynucleotide having a nucleotide sequence found in the nucleic acid
25 according to Claim 1 under the transcriptional regulation of said transcriptional initiation region, and a transcriptional termination region functional in said expression host.
10. A cell comprising an expression cassette according to Claim 9 as part of an extrachromosomal element or integrated into the genome of a host cell as a result of
30 introduction of said expression cassette into said host cell.
11. The cellular progeny of the cell according to Claim 10.

12. A method of producing an PDE interacting polypeptide, said method comprising:
growing a cell according to Claim 10, whereby said polypeptide is expressed; and
isolating said polypeptide substantially free of other proteins.

5

13. A monoclonal antibody binding specifically to a PDE interacting protein.

14. The monoclonal antibody according to Claim 13, wherein said antibody inhibits the activity of at least one of PDE or a PDE interacting protein.

10

15. The monoclonal antibody according to Claim 13, wherein said antibody is a humanized antibody.

16. A method of determining whether an agent modulates the activity of a PDE, said method comprising:
contacting a complex of said PDE and a PDE interacting protein with said agent; and
determining the effect of said agent on the activity of said PDE.

15

17. The method according to Claim 16, wherein said agent is a small molecule.

20

18. The method according to Claim 16, wherein said agent is an antibody.

19. The method according to Claim 18, wherein said agent is a monoclonal antibody.

25

20. A method for modulating the activity of a PDE interacting protein, said method comprising:
contacting said PDE interacting protein with an agent that modulates the activity of said PDE interacting protein.

30

1/12

FIG. 1

>myomegalin protein
MSGYRTLSQHLNDLKKNFSLKLRIYFLEERMQQKYEVSRDVDYKRNIELKVEVESLKRELQDRKQHL
HKTWADEEDLNSQNEAELRRQVEEPQQETEHVYELLONNIQLLQEESEFRFAKDEATQMETLVEAEKGCNL
ELSERWKDATKNREDAPGDQVKLDQYSAALQRRRIEELRQSLAAQEGLEQLSREKQQLHLLEEPG
GMEVQPMKGLPTQQKPDNETPTTQPSVSDSHLAELQDKIQQTEVTNKILQEKLNDSCELSAQESS
QKQDTTIQSLKEMLSRESETEELYQVIEGQNDTMAKLPEMLHQSOLGQLQSSEGIAPAQQQVALLDQ
SALFCSQLEIQKLQRLRLRQKERQLADGKRCMQFVEAAAQEREQQKEAAWKHNQELRKALQHLQEGELHSK
SQQLHVLEAEKYNEIRTQGGNIQHLSHSLSHKEQLIQELQELLQYRDTTDTKLTDTNEVFLEKLQRRIQD
RAVALERVIDEKFSALEEKDKELRQLRLAVRDRDHLERLRCVLSANEATMQSMESLLRARGLEVEQLI
ATCQNLQWLKEELETKFQHWQKEQESIQQQLQTSLHNRNKEVEDLSATLLHKLGPQSEVAEELCQRLQ
RKERVLDLLSDRNKQAMEHEMEVQGLLQSMGTREQERQAVAEKMQVQAFMERNSELQALRQYLGGKELM
AASQAFISNQFAGATSVGPHHGEQTDQGSTQMPSRDDSTSLTAREEASIPRSTLGDSOTVAGLEKELSN
AKEEELMAKKESESQIELSALQSMMAVQEEELQVQAADLESLTRNIQIKEDLIKOLQMLQVDPEDMPA
MERLTQEVLLREKVASVEPQGGSENRRQQLLLMLEGLVDESRRLNEALQAERQLYSSLVKFHAQPE
ISERDRTLQVELEGAQVLRSLRLEEVLRSLERLSRLETAAIGGATAGDETDSTQFTDSIEEEAAHN
SHQQLIKVSLEKSLTMTQNTCLQPPSPVGEDGNRHLQEEMLHLRAEIHQPLEEKRAEAEKELKQAO
IEEAGFSSVSHIRNTMLSLCLCLENALKEQMGEMS DGWEVEEDKEKGEVMVETVAVKGLSSEDSLQA
EFRKVQGRLLKSAYNIINLLKEQLVLRSSSEGNTKEMPEFLVRLAREVDRMNMGLPSSEKHQHQEQENMTA
RPGPRPQSLKLTALSVQGYQLENKSQAQDSGHQPEFSLPGSTKHLRSQLAQCRQRYQDLQEKLLISEA
TVFAQANQLEKYRAILSESLVKQDSKQIQVDLQDLGYETCGRSENEAEREETTSPECEEHGNLKPVVLV
EGLCSEQGYLDPVLVSSPVKNPWRTSQEARRIQAQGSTDNSSLLRKDIRNLKAQLPNAYKVLQNLRSRV
RSLSATSDYSSSLERPRKLIATVATLEGASPHSVTDEDEGLLSDGTGAFYPPGLQAKKNLENLIQRVSQL
EAQLPKTGLEGLAEELKSASWPGKYDSLQDQARKTVISASENTKREKDLFSSHPTFERIVKSFEDLL
RNNDLTTYLGQSFREQLSSRRSVTDRLTSKFSTKDHKSEKEEVGLEPLAFRFSRELQEKVIEVLQAK
VDRFFSPSSHAASESHRCASSTSLSDDIEACSDMDVASEYTHYEEKKPSPSNSAASASQGLKGEPR
SSSISLPTQNPPEKASQAQPGFHNSIPKPAISLQAPMHETVPSFMPFGPSGPPLLGCCETPVVSLAE
AQQLQMLQKQLGRSVSIAPPTSTSTLLSNHTEASSPRYSNPAQPHSPARGTIELGRILEPGYLGSGQW
DMMRPQKGSISGELSSGSSMYQLNSKPTGADLLEHLGEIRNLQRLEESICVNDRLREQLQHLRSLSTA
RENGSTSHFYSQGLESMPLYNENRALREENQSLQTRLSHASRGHSQEV DHLREALSSSSSQLELEKE
LEQQAERRQLLEDLQEKQDEIVHFREERLSIQENNSRLQHKLALLQQQCEEKQQLSLSLQSELQIYES
LYENPKKGLKAFSLDSCYQVPGELSCLVAEIRALRVQLEQSIQVNNRLRLQLEQQMDHGAGKASLSSCP
VNQSFSAKAEANQQPPFQGSAAASPPVRDVLNSPPVVLPSNSCSVPGSDSAIISRTNNGSDESAATKT
PPKMEVDAADGPFASGHGRHVIGHVDDYDALQQQIGEGKLLIQKILSLTRPARSVPALDAQGTEAPGTK
SVHELRSARALNHSLEESASLLTMFWRAALPNSHGSLVVGEEGNLMEKELLDLRAQVSQQQQLQSTA
VRLKTANQRKKSMEQFIVSHLTRTHDVLKARTNLEMKSFRALMCTPAL (SEQ ID NO:01)

2/12

FIG. 2 >MYOMEGALIN complete DNA

CCGGTCCCCTTTGGTAGTAGTATCTCAGAGCTCGCCCCATAGTTTCATAGTTCATGTCTGGTTTGTCTCT
TATGCTTTCCCAGAGCTTCGAGACAGCCTTTGAGTCCACCAGCTTGAATATGCCCTTTTCTCTCTGAG
TCCATTTAATATACCTGGGACAAGTATTTTTATCTTGAAGCAGATCTAAAAGAACTCCACAGATAGG
TTGTGTTTCTTTTCTTCTCTGGCTTTCTTCTTGAAGTCTTAAGTCTCAGGAGACCCATTGGAACTGGTG
ACTGCTGGGTCTTTGGTTTACGGCCAACCTTCTTCTTTTTCATTGGTTCTGGCTGTCTGGTGAAGTAT
GGATAGGCGAGGCATCCATTGGTTCAAGTCTCTCTGTTGACACCTCCACTACAGTCTCCGTAATGACAT
CTGGCCTCATCGCAGCATGGATAAAATCGGATTCTTGAATCTCAAGCAGGTAGGAGACTCCATATGAA
GCAGGGCTTCAGCAGCTTCAATGGTCTTATCCGTACAGTGTGCATTACTGCTGTGAAGTGTGCTTCCA
CGGCCCGGATGAGCAGATCCAGCTGGTTCGTGGGTCCTCATGACAGAGCCTCGCCATGTTTATCCCGG
GGCTGGAAGTGTGCTTACATTGACTTACACCCTGAGCAGCGGCGACAGGGGAGAAGGCGGAACCCCG
GGCCGGAGACACACGCCGTGCGGGCGGCACACACTCACGCACTCGCACACACTCCGACGCCCGGATCCT
TGGCGTCTCTCCGACAGGAAGCGGCGGCGGCGGCTCCCGCGCGGGCTGAGCAGCCCCACCACCT
AAGCGCAGGGGCGGCGGCGGCGGCTGGCAACGCGATCCTCCGCGCGCGGCGGAGACAGGAAGTCC
CGGGCGCGGCGCAGCCAGCGGCGGCGGCGGCGGCTGAGGCTGGGGAGCCCGCAGGCCGCGCTCGGGGACG
CGGGCTCGGCAGGAAAAGGCGGCTTACGTTCTGCGGAAGCGAAGTGTGCAATGTCCCTCAGCAT
GGTCTTCTCTCTGGTCAATCTGTCTCACCTTCAAGTGATCTAGGACTGGGGCTCTTTCCAGGTCCC
CAGTTTCTCAAGTCGATCTTACCTCCCTCTTGATTTTCTACTCCATTGCTGGAAAGCTCCAGAACAG
AGCCTCCGCGGCCAACACTGTGTATGCCATCGCGTCTTCCCTGAGCAAGTTTGAACGCTGCGAATCA
ATGTAATTACGGCTCAGATGATTGCCAGGGTTATCGGTTTCATGTTCTAATTCAATAGTGATGGAGTAG
ACATCCAGAAGTCCAGTCTTCTAAAGATGATTAAACAGAGGGTAGTTTACGGTTAAGTAGTCTAAGCA
TCCTTACCGTTTCCACACTCCCAAGAGCTGAAGTCTAAACCAGCAGCTCTCTGGAGCTACTGCTCTCC
CTCCAGCTCGCGCTGTCCCTTGCCCTTCCCTCAGGGCGGAGACCGCGGAGCCGCGCAGCCGCGG
CCGTGGCGCGGCGTCTGCGGGAAGCGAGGGGGCTCCCGGGCCACCGCGGAGCGCTCCGCGACC
ACAGGACGAGACAAACCGGCTATGTGCGCTTAGCCCTCGGGTCCACAGCCTCAGCAGGCTCTAG
CCTGCCGCTCCTATGCCAGGCAAGGCTGCACGTTTCCAGGGGTGAAGGGGCGATCGGGCATGCTC
CTCCCCATGGGTGCGCCACCATGTCTAATGGATATCGCACTCTGTCCAGCACCTCAATGACCTGAAGA
AGGAGAACTTCAGCCTCAAGCTGCGCATCTACTTCTGGAGGAGCGCATGCAACAGAAGTATGAAGTCA
CGCGGGAGGAGCTCTACAAGCGGAACATTGAGCTGAAGGTTGAAGTGGAGAGCCTGAACAGAGAGCTCC
AGGACAGGAAACAGCATCTACATAAAACATGGCCGATGAGGAGGATCTCAACAGCCAGAATGAAGCAG
AGCTCCGGCGCCAGGTTGAAGAACCAGCAGGAGACAGAACACGTTTATGAGCTCCTAGACAACAACA
TTCAGTGTCTGACAGGAGGAATCCAGGTTTGAAGGATGAAGCCACACAGATGGAGACTCTGGTGGAGG
CAGAGAAGGGGTGAATCTGGAGCTCTCAGAGAGGTGGAAGGATGTACCAAGAACAGGGAAGATGCAC
CGGAGACAGGTTGAAGCTTGACCAATATTCTGCGGCACTGGCTCAGAGGGACAGGAGAATTGAAGAGC
TGAGGACAGAGCTTGGCTGCGGAGGAGGGCTTGTGGAACAGTGTCTCGAGAGAAACAACACTGTAC
ATCTGCTGGAGGAGCCTGGGGCATGGAAGTGCAGCCCATGCCTAAAGGGTTACCCACGCAACAAAGC
CAGACCTAAATGAGACCCCTACAACCCAGCCATCTGTGTCTGATTCCACCTGGCAGAACTCCAGGACA
AAATCCAGCAACAGAGGTACCAACAAGATTCTTCAAGAGAACTGAATGACATGAGCTGTGAGCTCA
GATCTGCACAGGAGTCTCTCAGAAGCAAGATACGACAATCAAAGCCTCAAGGAAATGCTAAAGAGCA
GGGAAAGTGAGACTGAAGAGCTGTACCAGGTGATTGAAGGTCAAATGACACAATGGCAAGCTTCCGG
AAATGCTACACCAGAGCCAGCTCGGACAGTCCAGAGCTCAGAGGGCATTGCCCTGCTCAGCAGCAAG
TGGCCCTGCTTGACCTTCAGAGTGTCTGTCTGACGCCAGCTTGAAATCCAGAAGCTCCAGAGGCTGT
TACGCCAGAAAGAGCGTCAGCTGGCTGACGGCAAGCGGTGCATGCAATTTGTGGAGGCTGCAGCAGAG
AGAGAGAGCAGCAGAAGGAAGCTGCTTGGAAACATAACCAGGAATTACGAAAAGCTTTGCAACACCTCC
AAGGAGAACTGCACAGTAAGAGCCAACAGCTCCACGTTTGTGGAGGCAGAAAAATATAATGAAATTCGAA
CCCAGGGACAAAACATTCAACACCTAAGTCACAGTCTGAGTCACAAAGAGCAGCTAATTCAGGAACCTC
AGGAGCTCCTACAGTATCGGGATACACAGACAAAACCTTAGACACAAATGAGGTGTTTCTTGAGAAAC
TACGGCAACGAATACAAGACCGGCGAGTTGCTCTAGAGCGGGTTATAGATGAAAAGTTCTCTGCTCTAG
AAGAAAAGGACAAGGAAGTGGCGCAGTCCGGCTTGTGTGAGGGACCGAGACCATGACTTAGAGAGAC
TGCGTTGTGCTCTGTCTGCAATGAAGTACCATGCAAGTATGGAGAGTCTCCTGAGGGCCAGAGGCC
TGGAAGTGGAGCAGTTAATTGCCACCTGCCAAAACCTCCAGTGGTTGAAGGAAGAATTGGAAACCAAGT
TTGGCCACTGGCAGAAGGAACAGGAGAGCATATTCAAGCAGTTACAGACATCTCTGCATGACAGGAACA
AAGAAGTAGAGGATCTCAGTCAACTTTGCTCCACAACTTGACCCGCGCAGAGTGAAGTAGCTGAGG
AGCTGTGCCAGCGCTGACGCGGAAGGAAAGGCTGCTGACAGGACCTTCTGAGTGTGAGGAGTGCAGG
CCATGGAGCAGAGATGGAGGTCCAGGGACTGCTCCAGTCTGATGGGCACCCGGGAACAGGAAAGACAGG
CTGTTGCAAGAAAAATGGTACAAGCCTTCATGGAAGAACTCGGAATTACAGGCCCTGCGGCAGTATC
TAGGGGGGAAGGAATTAATGGCAGCATCTCAGGCATTCTCTTAACCAACAGCTGGAGCGACTTCTG
TAGGCCCCACCATGGAGAGCAAACTGACCAAGTTCTACGCAGATGCCCTCTCGAGACGACAGCACCT
CGCTGACTGCCAGAGAGGAGGCAAGCATACCCCGTCTACATTAGGAGACTCAGACACAGTTGCAGGGC
TGGAGAAAGAACTGAGCAATGCCAAGGAGGAGCTTGAAGTCTATGGCCAAAAAGAAAGAGAAAGCCAGA
TAGAATTTGCTCTCCCTGCAAGTCCATGATGGCTGTGCAAGAGGAAGAGCTGCAGGTGCAGGCTGTGACT
TGGAGTCCCTGACCAGGAACATACAGATAAAGAAAGACCTCATAAAGGACCTGCAATGCAACTGGTTG

3/12

FIG. 2 (CONT)

ACCCTGAAGATATGCCAGCCATGGAGCGCCTGACCCAAGAGGTCTTACTTCTTCGGGAAAAAGTTGCTT
CAGTGGAAACCCAGGGTCAGGAAGGGTCAGAGAACAGGAGACAACAGTTGCTGCTGATGTTAGAAGGAC
TAGTGGATGAACGGAGTCGGCTCAACGAGGCCCTGCAAGCTGAGCGGCAGCTCTACAGCAGCCTGGTCA
AGTTCCATGCCCAACCAGAGATCTCTGAGAGAGACCGAACTCTGCAGGTGGAAGTGAAGGGGCCAGG
TGTTACGCAGTCGACTAGAAGAAGTTCTTGGAGAAGCCTGGAGCGCTTAAGCAGGCTGGAGACCCTGG
CCGCCATTGGAGGTGCTACTGCAGGCGATGAGACTGAAGATACAAGCACACAGTTACAGACAGCATTG
AGGAGGAGGCTGCACACAACAGCCACCAGCAACTCATCAAGGTGCTTTGGAGAAAAGCCTGACCACCA
TGGAGACCCAGAACACATGTCTTCAGCCCCCTTCCCCAGTAGGAGAGGATGGTAACAGGCATCTTCAGG
AAGAAATGCTCCACCTGAGGGCTGAAATCCACCAGCCCTTAGAAGAGAAGAGAAAAGCTGAGGCAGAAC
TCAAGGAGCTAAAGGCTCAAATTCAGGAAGCAGGATTCTCCTCTGTGTCCACATCAGGAACACCATGC
TGAGCCTTTGCCTTTGCCTTGAGAATGCAGAGCTGAAAGAGCAGATGGGAGAAGCAATGTCTGATGGAT
GGGAGGTGGAGGAAGACAAGGAGAAGGGCGAGGTGATGGTGGAGACCGTGGTGGCCAAAGGGGGTCTGA
GTGAGGACAGCCTTCAGGCTGAGTTAGGTAAGTCCAGGGGAGACTCAAGAGTGCCTACAACATCATCA
ACCTCCTCAAAGAGCAGCTGGTCTGAGAAGCTCGGAAGGGAACACTAAGGAGATGCCAGAGTTCTCTCG
TGCGCCTGGCCAGGGAGGTGGACAGAATGAACATGGCTTGCCTTCTCGGAGAAGCATCAACACCAAG
AACAGGAGAATATGACCGCAAGGCCTGGCCCCAGGCCCCAGAGTCTCAAGCTTGGGACAGCTCTCTCAG
TAGACGGCTACCAACTGGAGAACAAGTCCAGGCCAAGACTCTGGACATCAGCCAGAATTTAGCCTAC
CAGGGTCCACCAACACCTGCGCTCCAGCTGGCTCAGTGTAGACAACGGTACCAAGATCTCCAGGAGA
AGCTGCTCATCTCAGAAGCCACTGTGTTTGGCCAGGCAAACCAGCTAGAGAAGTACAGAGCCATATTA
GTGAATCCCTGGTGAAGCAGGACAGCAAGCAGATCCAGGTGGACCTTCAGGACCTGGGCTATGAGACTT
GTGGCCGAAGTGAGAATGAAGCTGAACGTGAGGAGACCACAGCCCTGAGTGTGAGGAGCACGGTAACC
TGAAGCCTGTGGTGTGGTGGAGGCTTGTGCTCTGAGCAAGGGTACCTGGACCCTGTCTTGGTCAGCT
CACCTGTGAAGAACCCTTGGAGAACAAGCCAGGAAGCCAGAAGAATCCAGGCACAGGAACCTCAGACA
ACAGCTCTCTCCTGAGGAAGGACATCCGAAATCTGAAAGCCAGCTACCGAATGCCTACAAGGTCTCTC
AGAACCTGAGGAGCCGGTCCGGTCCCTGTCTGCCACAAGCGATTACTCATCGAGTCTGGAGAGACCCC
GCAAGCTGATAGCGTGGCAACCCTTGAGGGGGCCTCACCCACAGTGTCACTGATGAAGACGAAGGCT
TGTTGTGATGAGCCCGGGCTTTTTACCCTCCAGGGCTCCAGGCCAAAAAGAACTCAGAGAATCTCA
TCCAGAGAGTATCCAGCTGGAGGCCAGCTCCCCAAACTGGACTAGAAGGGAAGCTGGCTGAAGAAC
TGAAGTCCGCCTCGTGGCCTGGAAAAATACGATTCTTTGATTAGGATCAGGCCCGAAAAACTGTCTAT
CTGCGTCCGAAAATACXAAAAGGGAGAAGGATTGTTTCTTCTCACCACATTCGAAAGATACGTCA
AATCTTTTGAAGACCTCCTGAGGAACAACGACTTGACTACTTACCTGGGCCAGAGCTTCCGGGAACAA
TTAGTTCAAGGCGTTCAGTGACAGACAGGCTGACCAGCAAATTCAGCACAAAGGATCATAGAGTGAAA
AAGAAGAAGTTGGGCTTGAGCCACTGGCCTTCAGGTTTCAGCAGGGAATTACAGGAGAAAGAGAAAGTGA
TTGAAGTCTGCAGGCCAAGGTGGATACCCGGTTTTTCTCACCCTCCAGCAGCCATGCTGCGTCTGAGT
CCACCGTGTGTCAGCAGCACATCTTCTGTGCGATGACATAGAAGCCTGCTCTGACATGGACGTAG
CCAGCGAGTACACACACTATGAAGAGAAGAAGCCCTCACCCAGTAACTCAGCAGCCAGTCTCAGG
GGCTTAAGGGGAGCCAGAACAGCTCCATCAGCTTGCCAACTCCCCAGAACCCCCCTAAGGAGGCCA
GCCAGGCCAGCCAGGCTTCACTTTAACTCCATACCCAGCCGGCTAGCCTTCCAGGCACCAATGC
ACTTCACTGTACCCAGCTTCATGCCTTTCGGCCCCCTCTGGGCCTCCCCCTTCTGGTTGTGTGAGACAC
CAGTGGTGTCTTGGCTGAGGCTCAACAAGAGCTGCAGATGGTGCAGAAGCAGCTGGGACGAAGTGTTA
GCATTGCCCCCTCCACCTCCACATCCACGTTGCTTAGCAACCACACAGAAGCTAGCTCTCCCCGCTACA
GCAACCCTGCTCAGCCCCACTCCCGAGCAAGGGGCACCATAGAGTGGGCAGAACTCTGGAGCCTGGAT
ACCTGGGCAGCGCCAGTGGGACATGATGAGGCCTCAGAAAGGGAGCATCTCTGGGGAGCTGTCTCTCAG
GCTCCTCGATGTACAGCTTAACCTCAAACCCACAGGGGCCGACCTGTTGGAAGAGCATTAGGTGAGA
TCCGGAACCTGCGCCAGCGCCTGGAGGAGTCCATATGTGTCAATGACAGGCTACGGGAGCAGCTGCAGC
ATAGGCTCAGCTCCACGGCCCCAGAAAATGGTTCCACCTCTCACTTCTACAGTCAGGGCCTGGAGTCCA
TGCCTCAGCTCTACAATGAGAACAGAGCCCTCAGGGAAGAAAACCAAAGCCTGCAGACACGGCTCAGTC
ATGCTTCCAGGGGACACTCCAGGAAGTGGACCACCTGAGGGAGGCTCTGCTTTCCTCAAGTTCCAGC
TCCAGGAGCTGGAGAAGGAGCTGGAGCAGAGAAGGCTGAGCGGGCAGCTTCTGGAAGACTTGCAGG
AGAAGCAGGATGAGATCGTGCAATTTCCGAGAGGAGAGGCTGTCCCTCCAGGAAAACAATCCAGGCTGC
AGCACAGCTGGCCCTCCTGCAACAACAGTGTGAGGAGAAACAGCAGCTCTCCCTGTCCCTGCAGTCAG
AGCTCCAGATCTACGAGTCCCTTACGAAAATCCTAAGAAGGGCTTGAAAGCCTTCAGCCTAGATTCTCT
GTTACCAAGTCCC3GGTGAGTTGAGCTGCCTGGTGGCAGAGATTGAGGCTCTGAGAGTGCAGTTGGAGC
AGAGATTCAGTGAACAACCGTCTGCGGCTGCAGCTGGAACAGCAGATGGATCACGGTGTGGCAAAG
CCAGTCTCAGTTCTGCTGCTTTAACCAGAGCTTCTCAGCCAAAGGCGGAGCTGGCAACACGAGCCAC
CCTTCCAAGGTTTCAGCTGCTTCCCTCCAGTCCGGGACGTTGGCTTGAATTTCCACCCGTGGTCTCTC
CCAGCAATTCGTGCTGTGTTCTGGCTCAGACTCTGCCATCATCAGTAGGACAAACAATGGTTCCGATG
AGTCTGCAGCAACGAAGACCCCTCCCAAGATGGAGTGCATGCTGCTGATGGCCCATTTGCCAGTGGAC
ACGGCAACAGCTTATCGGCCATGTGGATGACTACGACGCCCTACAGCAGCAGATTGGGGAAGGGAAGC
TGCTGATCCAAAGATACTGTCTCTACGAGGCCAGCACGCGTCCCTGCACTGGACCGCCAGGGCA

4/12

FIG.2 (CONT)

CAGAGGCACCAGGTACCAAAAGTGTCATGAGCTTCGGAGCAGCGCCAGGGCTCTGAACCACAGCCTAG
AAGAGTCAGCTTCCCTCCTCACCATGTTCTGGAGAGCAGCTTTGCCAACTCTCATGGTTCTGTACTGG
TAGGCGAAGAGGGAAACCTGATGGAGAAAGAACTCCTAGACCTGCGAGCCCAAGTGTCCTAACAGCAAC
AGCTCCTTCAGAGCACTGCTGTGCGTCTGAAGACGGCCAAACCAGAGGAAGAAAAGCATGGAGCAGTTCA
TCGTGAGCCATCTGACCAGGACCCATGATGTCTTGAAGAAAGCACGGAATAATTTAGAGATGAAATCCT
TCAGGGCCCTGATGTGCACTCCAGCCTTGTGACCCTTGCCTTCCAGGAGCCACATAAAAGGCGAAGCCA
GGAGTCCTTAAAACAGCAGGAAGGGTGGGCCTGCCCCCCTAGTACAGCTGCCTGTCTGTCTGAGGAAT
ACCTGGTCCGACTCCTCCCTGCTGGAGCTCCAGGGAAGGGCTCATATATGTGTCCACATGGGACAGGC
AGGAAGGAAAGTGGCATCCTGACAATGAATATGATTAGCCAAGGCCACTGGGCCCCTACTAAGCAAA
ACTCATGTAGACTGTGTAGAAGGCCCCCGGCACTGCTTCTAGACAGCCTCAGCAGCACGGTGCCACC
TCGTTACAGTTCTCACCTCAAGATAGCCAACCTCAGGGGAAGTACAGCCTTACCACCCACAAACAGGATG
TGTGGTCCCAATGCCAACGCTCCTCAGACAGTTGTAAAAGCACACATCATTGAGTGGCAGCGTCCAGCC
GGACACTGTTGGAGACTACCAAAACCCCTCACTGACCCAGTCTTGGGCCAGGCCAGCTCTGTGGGCCAAG
TCTGGTAGTACTTTGGTCTCTACCACACACCAGAGAGAGTCTATATAGCAAATGTGGTAACTTGTAGG
TGCCCTGCACTTAGCCTAGCACCTTCTGTTTCTTACGTGATCTCAAGTTGAACCAACTTCCTTAACCTCT
GCTGTCCCCTGAATCCTAACTTCCCTCAGGGGAATTGGAGATTGGTGGCCACATCATGCCTATTGAATG
TTTAGTGAACAGCATATCGGTGCCTCTTAATGGCATGGCAAGGCCTGCTCTGTACTGAAGACTGTGTC
TTCACAGTGCTCATAGGACGTGGGTGTGTATAAATGTATAATATAGATTATATATATGTGCTATGGC
TATGTGTTGAAGGCCAGCATAAGTCAGAGCGATGGGTGAGAAGACGCTAAGCAGTCTTTCTTATGGCT
ATTAAAGCTAACTGTGTAC (SEQ ID NO:02)

5/12

FIG. 3.

MYOMEGALIN firstMET until stop
ATGTCCTAATGGATATCGCACTCTGTCCCAGCACCTCAATGACCTGAAGAAGGAGAACTTCAGCCTCAAG
CTGCGCATCTACTTCTTGGAGGAGCGCATGCAACAGAAGTATGAAGTCAGCCGGGAGGACGTCTACAAG
CGGAACATTGAGCTGAAGGTTGAAGTGGAGAGCCTGAAACGAGAGCTCCAGGACAGGAAACAGCATCTA
CATAAAACATGGCCGATGAGGAGGATCTCAACAGCCAGAATGAAGCAGAGCTCCGGCGCCAGGTTGAA
GAACCGCAGCAGGAGACAGAACACGTTTATGAGCTCCTAGACAACAACATTCAGCTGCTGCAGGAGGAA
TCCAGGTTTGGCAAAGGATGAAGCCACACAGATGGAGACTCTGGTGGAGGCAGAGAAGGGGTGTAATCTG
GAGCTCTCAGAGAGGTGGAAGGATGCTACCAAGAACAGGGAAGATGCACCGGAGACCAGGTGAAGCTT
GACCAATATTCTGCGGCACTGGCTCAGAGGGACAGGAGAATTGAAGAGCTGAGGCAGAGCTTGGCTGCC
CAGGAGGGGCTTGTGGAACAGCTGTCTCGAGAGAAACAACAATGTTACATCTGCTGGAGGAGCTGGG
GGCATGGAAGTGCAGCCCATGCTTAAAGGGTTACCCACGCAACAAAGCCAGACCTAAATGAGACCCCT
ACAACCCAGCCATCTGTGTCTGATTCCACCTGGCAGAACTCCAGGACAAAATCCAGCAAAACAGAGGTC
ACCAACAAGATTCTCAAGAGAACTGAATGACATGAGCTGTGAGCTCAGATCTGCACAGAGTCTGCT
CAGAAGCAAGATACGACAATCCAAAGCCTCAAGGAAATGCTAAAGAGCAGGGAAGTGAAGTGAAGAG
CTGTACCAGGTGATTGAAGGTCAAATGACACAATGGCAAAGCTTCCGGAAATGCTACACCAGAGCCAG
CTCGGACAGCTCCAGAGCTCAGAGGGCATTGCCCCCTGCTCAGCAGCAAGTGGCCCTGCTTGACCTTCAG
AGTGCTCTGTTCTGCAGCCAGCTTGAATCCAGAAGCTCCAGAGGCTGTTACGCCAGAAAGAGCGTCAG
CTGGCTGACGGCAAGCGGTGCATGCAATTTGTGGAGGCTGCAGCACAGGAGAGAGCAGCAGCAAGGAA
GCTGCTTGGAAACATAACCAGGAATTACGAAAAGCTTGTCAACACCTCCAAGGAGAACTGCACAGTAAG
AGCCAACAGCTCCACGTTCTGGAGGCAGAAAAATATAATGAAATTCGAACCCAGGGACAAAACATTCAA
CACCTAAGTCACAGTCTGAGTCACAAAGAGCAGCTAATTGAGAACTTCAGGAGCTCCTACAGTATCGG
GATACCACAGACAAAACCTAGACACAAATGAGGTGTTTCTTGAGAACTACGGCAACGAATACAAGAC
CGGCAGTTGCTCTAGAGCGGTTATAGATGAAAAGTTCTCTGCTCTAGAAGAAAAGGACAAGGAACTG
CGGCAGCTCCGGCTTCTGTGAGGGACCGAGACCATGACTTAGAGAGACTGCGTTGTGTCTGTCTGCC
AATGAAGCTACCATGCAAAGTATGGAGAGTCTCCTGAGGGCCAGAGGCTTGAAGTGGAGCAGTTAATT
GCCACCTGCCAAAACCTCCAGTGGTTGAAGGAAGAATTGGAACCAAGTTGGCCACTGGCAGAAGGAA
CAGGAGAGCATATTGAGCAGTTACAGACATCTCTGCATGACAGGAACAAAGAAGTAGAGGATCTCAGT
GCAACTTTGTCCACAACTTGGACCCGCCAGAGTGAAGTAGCTGAGGAGCTGTGCCAGCGCTGCAG
CGGAAGGAAGGGTCTGTCAGGACCTTCTGAGTGATCGGAACAAACAGCCATGGAGCAGAGATGGAG
GTCAGGGACTGCTCCAGTCCGATGGGCACCCGGGAACAGGAAGACAGGCTGTTGCAGAAAAATGGTA
CAAGCCTTCATGGAAAGAACTCGGAATTACAGGCCCTGCCGCAGTATCTAGGGGGGAAGGAATTAATG
GCAGCATCTCAGGCATTCTCTTAACCAACCAGCTGGAGCGACTTCTGTAGGCCCCCACCATTGGAGAG
CAAACCTGACCAAGGTTCTACGCAGATGCCCTCTCGAGACGACAGCACCTCGCTGACTGCCAGAGAGGAG
GCCAGCATACCCGGTCTACATTAGGAGACTCAGACACAGTTGAGGGCTGGAGAAAGAACTGAGCAAT
GCCAAGGAGGAGCTTGAAGTCTATGGCCAAAAAGAAAGAGAAAGCCAGATAGAATTGCTGCCCTGCAG
TCCATGATGGCTGTGCAAGAGGAAGAGCTGCAGGTGCAGGCTGCTGACTTGGAGTCCCTGACCGGAAC
ATACAGATAAAAGAGACCTCATAAAGACCTGCAAATGCAACTGGTTGACCCTGAAGATATGCCAGCC
ATGGAGCGCTGACCAAGAGGTCTTACTTCTTCGGGAAAAGTTGCTTCAGTGAACCCAGGGTTCAG
GAAGGTCAGAGAACAGGAGACAACAGTTGCTGCTGATGTTAGAAGGACTAGTGGATGAACCGAGTCCG
CTCAACGAGGCCCTGCAAGCTGAGCGGCAGCTCTACAGCAGCCTGGTCAAGTTCCATTCACCAAGAG
ATCTCTGAGAGAGACCGAACTCTGCAGGTGGAAGTGAAGGGGCCCAGGTGTTACGCAGTCCAGTGAAG
GAAGTTCTTGAAGAAGCCTGGAGCGCTTAAGCAGGCTGGAGACCTGGCCGCCATTGGAGGTGCTACT
GCAGGCGATGAGACTGAAGATACAAGCACACAGTTACAGACAGCATTTAGGAGGAGGCTGCACACAAC
AGCCACCAGCAACTCATCAAGGTGTCTTGGAGAAAAGCCTGACCACCATGGAGACCCAGAACACATGT
CTTCAGCCCCCTTCCCACTAGGAGAGGATGGTAACAGGCATCTTCAGGAAGAAATGCTCCACCTGAGG
GCTGAAATCCACCAGCCCTTAGAAGAGAAGAGAAAAGCTGAGGCAGAACTCAAGGAGCTAAAGGCTCAA
ATTGAGGAAGCAGGATTCTCTCTGTGTCCCACATCAGGAACACCATGCTGAGCCTTTGCCTTTGCCTT
GAGAATGCAGAGCTGAAAGAGCAGATGGGAGAAGCAATGTCTGATGGATGGGAGGTGGAGGAAGACAAG
GAGAAGGGCGAGGTGATGGTGGAGACCGTGGTGGCCAAAGGGGGTCTGAGTGAGGACAGCCTTCAGGCT
GAGTTCAGGAAAGTCCAGGGGAGACTCAAGAGTGCCTACAACATCATCAACCTCCTCAAAGAGCAGCTG
GTCCTGAGAAGCTCGGAAGGGAACACTAAGGAGATGCCAGAGTTCTCTGTCGCCCTGGCCAGGAGGTG
GACAGAAATGAACATGGGCTTGCCCTCGGAGAAGCATCAACACCAAGAACAGGAGAAATATGACCGCA
AGGCCTGGCCCCAGGCCAGAGTCTCAAGCTTGGGACAGCTCTCTCAGTAGACGGCTACCAACTGGAG
AACAAGTCCAGGCCCAAGACTCTGGACATCAGCCAGAATTTAGCCTACCAGGGTCCACCAAAACCTG
CGCTCCAGCTGGCTCAGTGTAGACAACGGTACCAAGATCTCCAGGAGAAGCTGCTCATCTCAGAAGCC
ACTGTGTTTGGCCAGGCAACACAGCTAGAGAAGTACAGAGCCATATTAAGTGAATCCCTGGTGAAGCAG
GACAGCAAGCAGATCCAGGTGGACCTTCAGGACCTGGGCTATGAGACTTGTGGCCGAGTGAAGTGAAG
GCTGAACGTGAGGAGACCACAGCCCTGAGTGTGAGGAGCACGGTAACCTGAAGCCTGTGGTGTGGT
GAAGGCTTGTGCTCTGAGCAAGGTACCTGGACCTGTCTTGGTCAAGTCTACCTGTAAGAACCCTTGG
AGAACAAGCCAGGAAGCCAGAAGATCCAGGCACAAGGAACTTCAGACAACAGCTCTCTCTGAGGAAG
GACATCCGAAATCTGAAAGCCCAGCTACCGAATGCCTACAAGGTCTTCAGAACCTGAAGAGCTGGGTG

6/12

FIG. 3 (cont)

CGGTCCTGTCTGCCACAAGCGATTACTCATCGAGTCTGGAGAGACCCCGCAAGCTGATAGCCGTGGCA
ACCCTTGAGGGGGCCTCACCCACAGTGTCACTGATGAAGACGAAGGCTTGTGTGATGAGTGGCACC
GCTTTTACCCTCCAGGGCTCCAGGCCAAAAAGAATCTAGAGAATCTCATCCAGAGAGTATCCAGCTG
GAGGCCAGCTCCCCAACTGGACTAGAAGGGAAGCTGGCTGAAGAAGTGAAGTCCGCTCGTGGCCT
GGAAAATACGATTCTTTGATTTCAGGATCAGGCCGAAAACTGTCATATCTGCGTCCGAAAAATACXAAA
AGGGAGAAGGATTTGTTTTCTTCTCACCCAACTTCGAAAGATACGTCAAATCTTTTGAAGACCTCCTG
AGGAACAACGACTTGACTACTTACCTGGGCCAGAGCTTCCGGGAACAAGTTCAGGCGTTTCAGTG
ACAGACAGGCTGACCAGCAAATTCAGCACAAAGGATCATAAGAGTGAAAAAGAAGAAGTTGGGCTTGAG
CCACTGGCCTTCAGGTTTCAGCAGGGAATTACAGGAGAAAGAGAAAGTGATTGAAGTCTGCAGGCCAAG
GTGGATACCCGTTTTTCTCACCCCCAGCAGCCATGCTGCGTCTGAGTCCACCGTTGTGCCAGCAGC
ACATCTTTCTGTGCGATGACATAGAAGCCTGCTCTGACATGGACGTAGCCAGCGAGTACACACACTAT
GAAGAGAAGAGCCCTCACCCAGTAAGTTCAGCAGCCAGTGCATCTCAGGGCTTAAGGGCGAGCCAGCA
AGCAGCTCCATCAGCTTGCCAACTCCCCAGAACCCCCCTAAGGAGGCCAGCCAGGCCAGCCAGGCTTT
CACTTTAACTCCATACCCAAGCCGGCTAGCCTTTCCCAGGCACCAATGCCTTCACTGTACCCAGCTTC
ATGCTTTTCGGCCCCCTCTGGGCTCCCCCTTCTTGGTTGCTGTGAGACACCAGTGGTGTCTTGGCTGAG
GCTCAACAAGAGCTGCAGATGCTGCAGAAGCAGCTGGGACGAAGTGTTAGCATTGCCCTCCACCTCC
ACATCCACGTTGCTTAGCAACCACACAGAAGCTAGCTCTCCCCGTACAGCAACCCTGCTCAGCCCCAC
TCCCCAGCAAGGGGACCATAGAGCTGGGCAGAATCTGGAGCCTGGATACCTGGGCAGCGGCCAGTGG
GACATGATGAGGCCTCAGAAAGGGAGCATCTCTGGGGAGCTGTCTCAGGCTCCTCGATGTACCAGCTT
AACTCCAAACCCACAGGGGGCCGACCTGTTGGAAGAGCATTTAGGTGAGATCCGGAACCTGCGCCAGCGC
CTGGAGGAGTCCATATGTGTCAATGACAGGCTACGGGAGCAGCTGCAGCATAGGCTCAGCTCCACGGCC
CGAGAAAATGGTTCCACCTCTCACTTCTACAGTCAGGGCCTGGAGTCCATGCCTCAGCTTACAATGAG
AACAGAGCCCTCAGGGAAGAAAACCAAGCCTGCAGACACGGCTCAGTCATGCTTCCAGGGGACACTCC
CAGGAAGTGGACCCTGAGGGAGGCTCTGCTTTCTCAAGTTCACAGCTCCAGGAGCTGGAGAAGGAG
CTGGAGCAGCAGAAGGCTGAGCGGGCGCAGCTTCTGGAAGACTTGCAAGAGAAGCAGGATGAGATCGTG
CATTTCCGAGAGGAGAGGCTGTCCCTCCAGGAAAAACAACCTCAGGCTGCAGCACAGCTGGCCCTCTG
CAACAACAGTGTGAGGAGAAACAGCAGCTCTCCCTGTCCCTGCAGTCAGAGCTCCAGATCTACGAGTCC
CTCTACGAAAATCCTAAGAAGGGCTTGAAAGCCTTCAGCCTAGATTCTGTACCAAGTCCCGGGTGAG
TTGAGCTGCTGGTGGCAGAGATTGAGCTCTGAGAGTGCAGTTGGAGCAGAGCATTCAAGTGAACAAC
CGTCTGCGGCTGCAGCTGGAACAGCAGATGGATCAGGCTGTGGCAAGCCAGTCTCAGTTCTGCGCT
GTTAACCAGAGCTTCTCAGCCAAGGGGAGCTGGCAAACAGCAGCCACCCTTCCAAGTTTCACTGCT
TCCCTCCAGTCCGGGACGTTGGCTTGAATTCTCCACCCGTGGTCTCCCAAGCAATTCTGTCTGTT
CCTGGCTCAGACTCTGCCATCATCAGTAGGACAAACAATGGTTCCGATGAGTCTGCAGCAACGAAGACC
CCTCCCAAGATGGAGGTCGATGCTGCTGATGGCCATTTGCCAGTGGACACGGCAGACACGTCTCGGC
CATGTGGATGACTACGACGCCCTACAGCAGCAGATTGGGAAGGGAAGCTGCTGATCCAAAAGATACTG
TCTCTCAGGAGGCCAGCAGCAGCGTCCCTGCAGTGGACGCGCAGGGCACAGAGGCACAGGTACCAAA
AGTGTCCATGAGCTTCGGAGCAGCGCCAGGGCTCTGAACCACAGCCTAGAAGAGTCAGCTTCCCTCCTC
ACCATGTTCTGGAGAGCAGCTTTGCCAACTCTCATGGTTCTGTACTGGTAGGCGAAGAGGGAAACCTG
ATGGAGAAAGAACTCCTAGACCTGCCAGCCCCAAGTGTCCCAACAGCAACAGCTCCTTCAGAGCACTGCT
GTGCGTCTGAAGACGGCCAACCAGAGGAAGAAAAGCATGGAGCAGTTTCATCGTGAGCCATCTGACCAGG
ACCCATGATGCTTTGAAGAAAGCACGGACTAATTTAGAGATGAAATCCTTCAGGGCCCTGATGTGCACT
CCAGCCTTGTA (SEQ ID NO:03)

7/12

FIG. 4

Human myomegalin cDNA

```

1  GGATCCTTGA GGGCACTGGT GCGACTTTCA GGTGAGGTCT TAGCAGATGA
51  AAGCGGCTGG CTGTGGCCCG CGCCAGTAGT GCTTTCTGCT CCGCACTCGC
101 CGTGAGCCAG GTGTGCAACC GGATTTGGGG CGAGGGTCGC GCTGGCTACC
151 TCGCATGCGC AGAGCCGGAA GCCCGCTGAC CGGACTACAG CTCCCAAGAG
201 AGCCTTGTGG AGGCCGCGA CGCGAAGCCG CTGGCGCCAT CTTGAAATCT
251 GATCCTCCAT CCCCAGAGGCT TTGCGTCTGC GCGGCCGCGC GCTGCTGCTC
301 CGGGAGCCCA GTCTGCTAAA AGGGGAGGAC GTTGAGGACG CGGCGGCTGG
351 CGGGAGAGAC AGCTGGGGAG AGACATGGCA GGGTCGGAGC GCGGCCTGCG
401 CCTCTGTGAC TCAGCATCCT CTTAGGCGTT TCCACGCCCG CCCCTGTGCC
451 GAGGGGCGGG GCTGACGGCT CTGGTACCCG GAGTCGGCGC GCGGGGCAGG
501 GGCGCGCCCC TGCAGAGTGG GGACCCCACT GGGCTGTGCC ATGCTGACCG
551 GAGACCACCG AGGCGGGAGA CAGAGCGCGG CGAAGAGCCA TTGAGTGGTC
601 ACCCAGTAGC CGCCGCGCGC GCCGCTCGG GAAGCTTGCC ACCCGTAGG
651 AGGGAAGATG AAGGAGATTT GCAGGATCTG TGCCCCGAGAG CTGTGTGGAA
701 ACCAGCGCGC CTGGATCTTC CACACGGCGT CCAAGCTCAA TCTCCAGGTT
751 CTGCTTTCGC ACGTCTTGGG CAAGGATGTC CCCCCTGATG GCAAAGCCGA
801 GTTCGCTTGC AGCAAGTGTG CTTTCATGCT TGATCGAATC TATCGATTCC
851 ACACAGTTAT TGCCCGGATT GAAGCGCTTT CTATTGAGCG CTTGCAAAAG
901 CTGCTACTGG AGAAGGATCG CCTCAAGTTC TGCATTGCCA GTATGTATCG
951 GAAGAATAAC GATGACTCTG GCGCGGAGAT CAAGCGGGG AATGGGACGG
1001 TTGACATGTC CGTCTTACCC GATGCGAGAT ACTCTGCACT GCTCCAGGAG
1051 GACTTCGCCT ATTCAGGGTT TGAGTGCTGG GTGGAGAATG AGGATCAGAT
1101 CCAGGAGCCA CACAGCTGCC ATGGTTCAGA AGGCCCTGGA AACCGACCCA
1151 GGAGATGCCG TGGTTGTGCC GCTTTGCGGG TTGCTGATTC TGAATATGAA
1201 GCCATTGTGA AGGTACCTCG AAAGGTGGCC AGAAGTATCT CCTGCGGCCC
1251 TTCTAGCAGG TGGTCGACCA GCATTTCAC TGAAGAACCA GCGTTGTCTG
1301 AGGTTGGGCC ACCCGACTTA GCAAGCACAA AGGTACCCCG AGATGGAGAA
1351 AGCATGGAGG AAGAGACGCC TGGTTCCTCT GTGGAATCTT TGGATGCAAG
1401 CGTCCAGGCT AGCCCTCCAC AACAGAAAGA TGAGGAGACT GAGAGAAGTG
1451 CAAAGGAAGT TGGAAAGTGT GACTGTTGTT CAGATGATCA GGCTCCGCAG
1501 CATGGGTGTA ATCACAAGCT GGAATTAGCT CTTAGCATGA TTAAAGGCTC
1551 TGATTATAAG CCCATCCAGA GCCCCGAGG GAGCAGGCTT CCGATTCCAG
1601 TGAAATCCAG CCTACCTGGA GCCAAGCCTG GCCCTAGCAT GACAGATGGA
1651 GTTAGTTCCG GTTTCCTTAA CAGGTCTTTG AAACCCCTTT ACAAGACACC
1701 TGTGAGTTAT CCCTTGGAGC TTTAGACCT GCAGGAGCTG TGGGATGATC
1751 TCTGTGAAGA TTATTGCGG CTCCGGGTCC AGCCCATGAC TGAAGAGTTG
1801 CTGAACAAC AAAAGCTGAA TTCACATGAG ACCACTATAA CTCAGCAGTC
1851 TGTATCTGAT TCCCACTTGG CAGAACTCCA GGAATAATC CAGCAAACAG
1901 AGGCCACCAA CAAGATTCTT CAAGAGAAAC TTAATGAAAT GAGCTATGAA
1951 CTAAGTGTG CTCAGGAGTC GTCTCAAAAG CAAGATGGTA CAATTGAGAA
2001 CCTCAAGGAA ACTCTGAAAA GCAGGGAACG TGAGACTGAG GAGTTGTACC
2051 AGGTAATTGA AGGTCAAAAT GACACAATGG CAAAGCTTCG AGAAATGCTG
2101 CACCAAAGCC AGCTTGGACA ACTTCACAGC TCAGAGGGTA CTTCTCCAGC
2151 TCAGCAACAG GTAGCTCTGC TTGATCTTCA GAGTGCTTTA TTCTGCAGCC
2201 AACTTGAAAT ACAGAAGCTC CAGAGGGTGG TACGACAGAA AGAGCGCCAA
2251 CTGGCTGATG CCAACAATG TGTGCAATTT GTAGAGGCTG CAGCACACGA
2301 GAGTGAACAG CAGAAAGAGG CTTCTTGGA ACATAACCAG GAATTGCGAA
2351 AAGCCTTGCA GCAGCTACAA GAAGAATTGC AGAATAAGAG CCAACAGCTT
2401 CGTGCCCTGGG AGGCTGAAAA ATACAATGAG ATTCGAACCC AGGAACAAAA
2451 CATCCAGCAC CTAACCATA GTCTGAGTCA CAAGGAGCAG TTGCTTCAGG
2501 AATTTGGGA GCTCCTACAG TATCGAGATA ACTCAGACAA AACCCCTGAA
2551 GCAAATGAAA TGTGCTTGA GAAACTTCGC CAGCGAATAC ATGATAAAGC
2601 TGTGCTCTG GAGCGGGCTA TAGATGAAAA ATTCTCTGCT CTAGAAGAGA
2651 AAGAAAAAGA ACTGCGCCAG CTTCTGCTTG CTGTGAGAGA GCGAGATCAT
2701 GACTTAGAGA GACTGCGCGA TGTCTCTCC TCCAATGAAG CTACTATGCA
2751 AAGTATGGAG AGTCTCTGA GGGCCAAAGG CCTGGAAGTG GAACAGTTAT
2801 CTACTACCTG TCAAAACCTC CAGTGGCTGA AAGAAGAAAT GGAAACCAA
2851 TTTAGCCGTT GGCAGAAAGA ACAAGAGAGT ATCATTGAGC AGTTACAGAC
2901 GTCTCTTCAT GATAGGAACA AAGAAGTGGG GGATCTTAGT GCAACACTGC

```

8/12

FIGURE 4 (CONT)

2951 TCTGCAAAC TGGACCAGGG CAGAGTGAGA TAGCAGAGGA GCTGTGCCAG
 3001 CGTCTACAGC GAAAGGAAA GATGCTGCAG GACCTTCTAA GTGATCGAAA
 3051 TAAACAAGTG CTGGAACATG AAATGGAGAT TCAAGGCCTG CTTCACTCTG
 3101 TGAGCACCAG GGAGCAGGAA AGCCAAGCTG CTGCAGAGAA GTTGGTGCAA
 3151 GCCTTAATGG AAAGAAATTC AGAATTACAG GCCCTGCGCC AATATTTAGG
 3201 AGGGAGAGAC TCCCTGATGT CCCAAGCACC CATCTCTAAC CAACAAGCTG
 3251 AAGTTACCCC CACTGGCCGT CTTGGAAAAC AGACTGATCA AGGTTCAATG
 3301 CAGATACCTT CCAGAGATGA TAGCACTTCA TTGACTGCCA AAGAGGATGT
 3351 CAGCATACCC AGATCCACAT TAGGAGACTT GGACACAGTT GCAGGGCTGG
 3401 AAAAAGAACT GAGTAATGCC AAAGAGGAAC TTGAACTCAT GGCTAAAAAA
 3451 GAAAGAGAAA GTCAGATGGA ACTTTCTGCT CTACAGTCCA TGATGGCTGT
 3501 GCAGGAAGAA GAGCTGCAGG TGCAGGCTGC TGATATGGAG TCTCTGACCA
 3551 GGAACATACA GATTAAGGAA GATCTCATAA AGGACCTGCA AATGCAACTG
 3601 GTTGATCCTG AAGACATACC AGCTATGGAA CGCCTGACCC AGGAAGTCTT
 3651 ACTTCTTCGG GAAAAAGTTG CTTCACTAGA ATCCCAGGGT CAAGAAATTT
 3701 CAGGAAACCG AAGACAACAG TTGCTGCTGA TGCTAGAAGG ACTAGTAGAT
 3751 GAACGGAGTC GGCTCAATGA GGCCTTACAA GCAGAGAGAC AGCTCTATAG
 3801 CAGTCTGGTG AAGTTCCATG CCCATCCAGA GAGCTCTGAG AGAGACCGAA
 3851 CTCTGCAGGT GGAAGTGGAA GGGGCTCAGG TGTTACGCAG TCGGCTAGAA
 3901 GAAGTTCTTG GAAGAAGCTT GGAGCGCTTA AACAGGCTGG AGACCCTGGC
 3951 CGCCATTGGA GGTGCAGCTG CAGGGGATGA CACCGAAGAT ACAAGCACTG
 4001 AGTTCAGTGA CAGTATTGAG GAGGAGGCTG CACACCATAG TCACCAGCAA
 4051 CTTGTCAAGG TGGCTTTGGA GAAAAGTCTG GCAACTGTGG AGACCCAGAA
 4101 CCCATCTTTT TCCCCTCCTT CTCGATGGG AGGGGACAGT AACAGGTGTC
 4151 TTCAGGAAGA AATGCTCCAC CTGAGGGCTG AGTTCACCA GCACTTAGAA
 4201 GAGAAGAGGA AAGCTGAGGA GGAAGTGAAG GAGCTAAAGG CTCAAATTGA
 4251 GGAAGCAGGA TTCTCCTCAG TGTCCACAT CAGGAACACC ATGCTGAGCC
 4301 TTTGCCTTGA GAATGCGGAG CTGAAAGAGC AGATGGGAGA AGCAATGTCT
 4351 GATGGATGGG AGATCGAGGA AGACAAGGAG AAGGGCGAGG TGATGTTTGA
 4401 GACTGTGGTA ACCAAAGAGG GTCTGAGTGA GAGTAGCCTT CAGGCTGAGT
 4451 TCAGAAAGCT CCAGGGAAAA CTGAAGAATG CCCACAATAT CATCAACCTC
 4501 CTCAAAGAAC AACTTGTGCT GAGTAGCAAG GAAGGGAATA GTAAACTTAC
 4551 TCAGAGAGCT CTTGTGCATC TGACCAGCAC CATTGAAAGA ATAAACACAG
 4601 AACTGGTTGG TTCCCCTGGG AAGCACCAC ACCAAGAGGA GGGGAATGTG
 4651 ACTGTGAGGC CTTTCCCAG ACCCCAGAGC CTTGACCTTG GGGCTACCTT
 4701 CACAGTGGAT GCCCACCAT TGGATAACCA GTCCCAGCCT CGTGACCCCTG
 4751 GGCTCAGTC AGCGTTTAGC CTACCAGGGT CCACCCAGCA CCTGCGCTCC
 4801 CAGCTGTCAC AATGCAAAAC ACGCTATCAA GATCTCCAGG AGAAGCTGCT
 4851 GCTATCAGAA GCCACTGTCT TTGCTCAGGC TAACGAGCTG GAGAAATACA
 4901 GAGTTATGCT TACAGGTGAA TCCTTGGTGA AGCAGGACAG CAAGCAGATC
 4951 CAGGTGGACC TCCAGGACCT GGGCTATGAG ACTTGTGGCC GAAGCGAGAA
 5001 TGAGGCTGAA CGGGAGGAAA CCACCAGTCC TGAGTGTGAG GAGCACAACA
 5051 GCCTCAAGGA AATGGTCTGT ATGGAGGGGC TGTGCTCTGA GCAGGGACGC
 5101 CGGGGCTCAA CACTGGCTAG TTCCTCTGAG AGGAAGCCCT TGGAGAACCA
 5151 GCTAGGGAAG CAGGAAGAGT TCCGGGTATA TGGAAAGTCA GAAAACATCT
 5201 TGGTCTTACG AAAGGACATC AAAGATCTGA AGGCCAGCT GCAGAATGCC
 5251 AACAAGGTCA TTCAAAACCT CAAGAGCCCG GTCCGGTCCC TCTCAGTTAC
 5301 AAGTGATTAT TCGTCTAGTC TGGAAGAGCC CCGGAAGCTG AGAGCTGTTG
 5351 GCACCTTGA GGGGTCTTCA CCTCATAGTG TCCCTGATGA GGATGAGGGG
 5401 TGGCTGTCTG ATGGCACTGG GGCTTTCTAC TCTCCAGGGC TTCAGGCCAA
 5451 AAAGGACCTG GAGAGTCTCA TCCAGAGAGT ATCCCAGCTG GAGGCCCAGC
 5501 TCCCAAAAAA TGGACTAGAA GAGAAGCTGG CTGAGGAGCT GAGATCAGCC
 5551 TCGTGGCCTG GGAATATGA TTCCCTGATT CAGGATCAGG CCCGGGAAC
 5601 GTCTTACCTA CGGCAAAAAA TACGAGAAGG GAGAGGTATT TGTATCTTA
 5651 TCACCCGGCA TGCAAAAGAT ACAGTAAAT CTTTTGAGGA TCTCCTAAGG
 5701 AGCAATGACA TTGACTACTA CCTGGGACAG AGCTTCCGGG AGCAACTCGC
 5751 CCAGGGAAGC CAGCTGACAG AGAGGCTCAC CAGCAAACTC AGCACCRAAGG
 5801 ATCATAAAAG TGAGAAAGAT CAAGCTGGAC TTGAGCCACT GGCCCTCAGG
 5851 CTCAGCAGGG AGCTGCAGGA GAAGGAGAAA GTGATTGAAG TCTGACGGC
 5901 CAAGCTGGAT GCTCGGTCCC TCACACCCTC CAGCAGCCAT GCCTTGTCTG
 5951 ACTCCACCGC CTCTCCAGC AGCACCTCTT TCCTGTCTGA TGAAGTGA

9/12

FIGURE 4(CONT)

```

6001 GCCTGCTCTG ACATGGACAT AGTCAGCGAG TACACACACT ATGAAGAGAA
6051 GAAAGCTTCT CCCAGTCACT CAGATTCCAT CCATCATTCTG AGTCATTCTG
6101 CTGTGTTGTC TTCTAAACCA TCATCAACCA GTGCATCTCA GGGGGCTAAG
6151 GCCGAATCCA ACAGCAACCC CATCAGCTTG CCAACTCCCC AGAATACCCC
6201 CAAGGAGGCC AACCAGGCC ATTGAGGCTT TCATTTTCAC TCCATACCCA
6251 AGCTGGCTAG CCTTCCTCAG GCACCATTGC CCTCAGCTCC ATCCAGCTTC
6301 CTGCCTTTCA GCCCCACTGG CCCTCTCCTC CTTGGCTGCT GTGAGACACC
6351 AGTGGTCTCC TTGGCTGAGG CTCAGCAGGA GCTACAGATG CTGCAGAAGC
6401 AGTTGGGAGA AAGTGCCAGC ACTGTTCCCTC CTGCTTCCAC AGCTACATTG
6451 CTGAGCAACG ACTTGGAAGC CGACTCTTCC TACTACCTCA ACTCTGCCCCA
6501 GCCTCACTCT CCTCCAAGGG GCACCATAGA ACTGGGAAGA ATCCTAGAGC
6551 CTGGGTACCT GGGCAGCAGT GGCAAGTGGG ATGTGATGAG GCCTCAGAAA
6601 GGGAGTGTAT CTGGGGACCT ATCCTCAGGC TCCTCTGTGT ACCAGCTTAA
6651 CTCCAAACCC ACAGGGGCTG ACCTGCTGGA AGAGCATCTT GGTGAAATCC
6701 GGAACCTGCG CCAGCGCCTG GAGGAGTCCA TCTGCATCAA TGACCGCCTA
6751 CGGGAGCAAC TGAACACCG GCTGACCTCT ACTGCTCGTG GAAGGGGATC
6801 CACTTCTAAC TTCTACAGTC AGGGCCTGGA GTCCATACCT CAGCTCTGCA
6851 ATGAGAACAG AGTCCTCAGG GAAGACAATC GAAGACTTCA GGCTCAACTG
6901 AGTCATGTTT CCAGAGAGCA CTCCCAGGAA ACAGAAAGCC TGAGGGAGGC
6951 TCTGCTGTCC TCTCGATCCC ACCTTCAAGA GCTGAAAAAG GAGCTGGAGC
7001 ACCAGAAGGT GGAAGGCAG CAGCTTTTGG AAGACTTGAG GGAGAAGCAG
7051 CAAGAGGTCT TGCATTTTCA GGAGGAACGT CTTTCCCTCC AGGAAAACGA
7101 CTCCAGTGGG CCTTGCTCT CTCTGGTCAG ACTGCAGCAC AAGCTGGTTC
7151 TCCTGCAGCA ACAGTGTGAA GAGAAACAGC AGCTCTTTGA GTCCCTCCAG
7201 TCAGAGCTAC AAATCTACGA GGCACTTTAT GGCAATTCCA AGAAGGGGCT
7251 GAAAGCTTAC AGCCTGGATG CCTGTCACCA AATCCCTTTG AGCAGTGACC
7301 TGAGCCACCT GGTGGCAGAG GTACGAGCTC TGAGAGGGCA GCTGGAGCAG
7351 AGCATTGAGG GGAACAATTG TCTGCGACTG CAGCTGCAAC AGCAGCTGGA
7401 GAGCGGTGCT GGCAAGGCCA GCCTCAGCCC CTCTCCATT AACCAGAACT
7451 TCCAGCCAG CACTGACCCT GGAAACAAGC AGCTGCTCCT CCAAGATTCA
7501 GCTGTGTCCC CTCCAGTCCG GGATGTTGGT ATGAATTCCC CAGCTCTGGT
7551 CTTCCCCAGC TCTGCTTCT CTACTCCTGG CTCAGAAACG CCCATAATCA
7601 ACAGAGCAAA TGGCTTGGGT TTGGATACTT CTCCAGTAAT GAAGACCCCT
7651 CCAAGCTAG AGGGTGATGC TACTGATGGC TCCTTTGCCA ATAAGCATGG
7701 CCGCCATGTC ATTGGCCACA TTGATGACTA CAGTGCCCTA AGACAGCAGA
7751 TTGCGGAGGG CAAGCTGCTG GTCAAAAAGA TAGTGTCTCT TGTGAGATCA
7801 GCGTGCAGCT TCCCTGGCCT TGAAGCCCAA GGCACAGAGG TGCTAGGCAG
7851 CAAAGGTATT CATGAGCTTC GGAGCAGCAC CAGTGCCCTG CACCATGCCC
7901 TAGAGGAGTC GGCTTCCCTC CTCACCATGT TCTGGAGAGC AGCCCTGCCA
7951 AGCACCCACA TCCCTGTGCT GCCTGGCAAA GTGGGAGAAT CAACAGAAAG
8001 GGAACTTCTG GAAGTGAAG CCAAGTATC CAAACAGGAG CGGCTCCTTC
8051 AGAGCACAACTGAGCATCTG AAGAAGCCCA ACCAGCAGAA GGAGAGCATG
8101 GAGCAGTTCA TCGTCAGCCA GCTAACCAGA ACACATGATG TTTTAAAGAA
8151 GGCAAGGACT AACTTAGAGG TGAATCCCT AAGGGCTCTG CCATGTACTC
8201 CAGCCTTGTG ACCCTTGCCT TCCAGGAACC ATGCAAGAAG CGCAGCCACC
8251 AGAAGTCTT AAAACAGCAG GAAAGGTGGG CCTGTCCCC TTTTGTGCAG
8301 CTACCTATCT GCTGAGGAGC ATCTGGGCTT CATTCCTCCA AGTCCACGGG
8351 AGGGTCCAGA AGAGGGAGTC AGAGATGTAT CCTGGTGGAG CTGGGAGAAA
8401 GGCAGAAAGC CTTTCTGACA GCTATGGAAT ACGATTAGCC AAGGTCCACT
8451 TGGCCACGCA CTAAGAAAAA GATGCGTAGT TTGCACAGAA GGTTTTGTGA
8501 TCCTGCCTCT CAACAGCCCC AGCAGCTTGG GAACTAGCAA GAGCACATTT
8551 CTTGCCTCAT CAGCTGTCTT GAGATGGAAA ACTCAGTGGA TATAGGACCC
8601 TGATTCCGAT GAAAGGGGCA CGTGGTCCCA ATGCTGGAGC TCCTCTGGCA
8651 GGTTCATAAA GCACACTACT GAGCAGCGGT GCCCTGCCGG ACCTGCTGG
8701 CGGGGGCTCA GTGAGCACTA CTCACAGATC CACACCTGAC CCTGTTGGGT
8751 CGAGTCAGGC TGGGCCTTGG TCTGCACTGT AGCACCTGTG TTCTTTGAGT
8801 TCACATCATG AATGTGGTGA CTTCCCAGAT ACCATCTCAG GCTTAACCTA
8851 GCACATCCTA TTTCTTTTCT TCTATGATAT CCAAATTGSA CTGACCTCAC
8901 TTTCAAAGTTG CTGTCCCAT TTGTACCCT ATCTTATCTC GGGGAAATTG
8951 CAGACTGATG GCCAGACCAA CTCTGTTGAA ATTCTTGCAT AGAGCAAACC
9001 TGTGCTCATT TTTAAGTGGC ATGGGAGAGG CCCCCAGCCT AGTAAAGCCT

```


10/12

FIGURE 4 (CONT)

9051 AGTCTGTGTC TTCACAGTGC TGGTAGAATG TGTTTGTGTG TATAAATATA
9101 TGATATAGAT TTATATATGT TGCTAACGCC ATATATTGAA GGCCAACATA
9151 ACTGGTGGAC AGGGTGGGTG ACAGAAAATG AAAGCCTTTT TGGTGATTGT
9201 TAAAGCAAGA TGTGTATAAA GAAATAAATA GTTTTCTTT C (SEQ ID NO:04)

11/12

FIG. 5

>Human myomegalin protein

1	MKEICRICAR	ELCGNQRRWI	FHTASKLNLQ	VLLSHVLGKD	VPRDGAKEFA
51	CSKCAFMLOR	IYRFOTVIAR	IEALSIERLQ	KLLLEKDRLK	FCIASMYRKN
101	NDDSGAEIKA	GNGTVDMSVL	PDARYSALLQ	EDFAYSGFEC	WVENEDQIQE
151	PHSCHGSEGP	GNRPRRCRGC	AALRVADSDY	EAICKVPRKV	ARSISCGPSS
201	RWSTSICTEE	PALSEVGPPD	LASTKVPPDG	ESMEEETPGS	SVESLDASVQ
251	ASPPQQKDEE	TERSAKELGK	CDCCSDDQAP	QHGCNKKLEL	ALSMIKGLDY
301	KPIQSPRGSR	LPIPVKSSLP	GAKPGPSMTD	GVSSGFLNRS	LKPLYKTPVS
351	YPLELSDLQE	LWDDLCEGYL	PLRVQPMTEE	LLKQQKLNH	ETTITQQSVS
401	DSHLAELQEK	IQQTEATNKI	LQEKLNEMSY	ELKCAQESSQ	KQDGTIQNLK
451	ETLKSRERET	EELYQVIEGQ	NDTMAKLREM	LHQSQLGQLH	SSEGTPAQQ
501	QVALLDLQSA	LFCSQLLEIQK	LQRVVRQKER	QLADAKQCQV	FVEAAAHSESE
551	QQKEASWKHN	QELRKALQQL	QEELQNKSSQ	LRAWAEAKYN	EIRTQEQNIQ
601	HLNHSLSHKE	QLLQEFRELL	QYRDNSDKTL	EANEMLLEKL	RQRIHDKAVA
651	LERAIDEKFS	ALEEKEKELR	QLRLAVRERD	HDLERLRDVL	SSNEATMQSM
701	ESLLRAKGLE	VEQLSTTCQN	LQWLKEEMET	KFSRWQKEQE	SIIQQQLQTS
751	HDRNKEVEDL	SATLLCKLGP	GQSEIAEELC	QRLQRKERML	QDLLSDRNKQ
801	VLEHEMEIQG	LLQSVSTREQ	ESQAAAEKLV	QALMERNSEL	QALRQYLGGR
851	DSLMSQAPIS	NQQAQVPTG	RLGKQTDQGS	MQIPSRDDST	SLTAKEDVSI
901	PRSTLGOLDT	VAGLEKELSN	AKEELELMAK	KERESQMELS	ALQSMMAVQE
951	EELQVQAADM	ESLTRNIQIK	EDLIKDLQMQ	LVDPEDIPAM	ERLTQEVLLL
1001	REKVASVESQ	GQEISGNRRQ	QLLLMLEGLV	DERSRLNEAL	QAERQLYSSL
1051	VKFHAHPESS	ERDRTLQVEL	EGAQVLRSLR	EEVLGRSLER	LNRLETLAAT
1101	GGAAAGDDTE	DTSTFTDSI	EEEEAAHSHQ	QLVKVALEKS	LATVETQNP
1151	FSPPSPMGDD	SNRCLQEEML	HLRAEFHQHL	EEKRKAEEEL	KELKAQIEEA
1201	GFSSVSHIRN	TMSLCLCLEN	ELKEQMGEAM	SDGWEIEEDK	EKGEVMVETV
1251	VTKEGLSESS	LQAEFRKLQG	KLKNAHNIIN	LLKEQLVLSS	KEGNSKLTPE
1301	LLVHLTSTIE	RINTELVGSP	GKHQHQQEEN	VTVRPFPRPQ	SLDLGATFTV
1351	DAHQLDNQSQ	PRDPGPQSAF	SLPGSTQHLR	SQLSQCKQRY	QDLQEKLLLS
1401	EATVFAQANE	LEKYRVMLTG	ESLVKQDSKQ	IQVDLQDLGY	ETCGRSENEA
1451	EREETTSPEC	EEHNSLKEMV	LMEGLCSEQG	RRGSTLASSS	ERKPLENQLG
1501	KQEEFRVYVK	SENILVLRKD	IKDLKAQLQN	ANKVIQNLKS	RVRSLSVTSD
1551	YSSSLERPRK	LRAVGTLEGS	SPHSVPDEDE	GWLSDGTGAF	YSPGLQAKKD
1601	LESLIQRVSQ	LEAQLPKNGL	EEKLAEELRS	ASWPGKYDSL	IQDQARELSY
1651	LRQKIREGRG	ICYLITRHAK	DTVKSFEPLL	RSNDIDYYLG	QSFREQLAAG
1701	SQLTERLTSK	LSTKDHKSEK	DQAGLEPLAL	RLSRELQEKE	KVIEVLQAKL
1751	DARSLTPSSS	HALSDSHRSP	SSTSFLSDEL	EACSDMDIVS	EYTHYEEKKA
1801	SPSHSDSIHH	SSHS AVLSSK	PSSTSASQGA	KAESNSNPIS	LPTPQNTPK
1851	ANQAHSGFHF	HSIPKLASLP	QAPLPSAPSS	FLFFSPTGPL	LLGCCETPVV
1901	SLAEAAQELQ	MLQKQLGESA	STVPPASTAT	LLSNDLEADS	SYLLNSAQPH
1951	SPPRGTIELG	RILEPGYLGS	SGKWDVMPQ	KGSVSGDLSS	GSSVYQLNSK
2001	PTGADLLEEH	LGEIRNLQR	LEESICINDR	LREQLEHRLT	STARGRGSTS
2051	NFYSQGLESI	PQLCENNRVL	REDNRRLQAQ	LSHVSREHSQ	ETESLREALL
2101	SSRSHLQELE	KELEHQKVER	QQLLEDLREK	QQEVLHFREE	RLSLQENDSS
2151	GPCLSLVRQ	HKLVLQQQC	EEKQQLFESL	QSELQIYEAL	YGNSKKGLKA
2201	YSLDACHQIP	LSSDLSHLVA	EVRLARGQLE	QSIQGNCLR	LQLQQQLESG
2251	AGKASLSPSS	INQNFPASTD	PGNKQLLLQD	SAVSPPVROV	GMNSPALVFP
2301	SSASSTPGSE	TPIINRANGL	GLDTSFVMKT	PPKLEGDATD	GSFANKHGRH
2351	VIGHIDDYSA	LRQQIAEGKL	LVKKIVSLVR	SACSFPGLEA	QGTEVLGSKG
2401	IHELRSSTSA	LHHALEESAS	LLTMFWRAAL	PSTHIPVLPG	KVGESTEREL
2451	LELRATKVSQ	ERLLQSTTEH	LKNANQQKES	MEQFIVSQLT	RTHDVLKKAR
2501	TNLEVKSLRA	LPCTPAL	(SEQ ID NO: 05)		

12/12
FIGURE 6

M14 PROTEIN

MMAQFPTAMNGGPNMWAITSEERTKHKQFDNLKPSGGYITGDQARTFFLQSGLPAPVL
AEIWALSDLNKGMDQQEFSIAMKLIKLLQGQQLPVVLPPIKQPPMFSPLISARFG
MGSMPNLSIHQPLPPVAPITAPLSSATSGTSSIPPLMMPAPLVPSVSTSSLPNGTASLIQ
PLSIPYSSSTLPHASSYSLMMGGFGGASIQKAQSLIDLGSSSSTSSTASLSGNSPKTGT
SEWAVPQPSRLKYRQKFNSLDKSMGYSGLSFQARNALLQSNLSQTQLATIWTLADIDGD
GQLKAEFFILAMHLTDMAKAGQPLPLTLPELVPPSFRGGKQIDSINGTLPSYQKTQEE
EPQKKLPVTFEDKRKANYERGNMELEKRRQVLMEQQQREAEKKAQKEKEEWERKQRELQ
EQEWKKQLELEKRLKQRELERQREEERRKEIERREAAKQELERQRRLEWERIRROELL
NQKNREQEEIVRLNSKKKSLHLELEAVNGKHQQISGRLODVRIRKQTQKTELEVLDKQC
DLEIMEIKQLQQELQEYQNKLIYLVPEKQLLNERIKNMQLSNTPDGSGISLLHKKSSSEKE
ELCQRLKEQLDALEKETASKLSEMDSFNNQLKCGNMDDSVLQCLLSLLSCLNNLFLLLK
ELRESYNTQQLALEQLHKIKRDKLELERKRLQIQKKKLEDEAARKAKQGKENLWKES
IRKEEEEKQKRLQEEKSQDRTOEEERKTEAKQSETARALVNYRALYPFEARNHDEMSFN
SGDIIQVDEKTVGEPGWLYGSFQKFGWFPCNYVEKMLSSDKTPSPKKALLPPAVSLSA
TSAAPQPLCSNQAPVTDYQNVSFNNLVNTTWQKSAFTRTVSPGSVSPIHGQGQAVE
NLKAQALCSWTAKKENHLNFSKHDVITVLEQQENWWFGEVHGGRGWFPKSYVKIIPGSE
VKRGEPEALYAAVNKKPTSTAYPVGEEYIALYSYSSVEPGDLTFTEGEELLVTQKDGW
WTGSIGERTGIFPSNYVRPKDQENVGNASKSGASNKKPEIAQVTSAYAASGAEQLSLAP
GQLILILKKNSSGWWQGELQARGKKRQKGFPPASHVKLLGPSAERTTFAFHAVCQVIAM
YDYIANNEDELNFSKGQLINVMNKDDPDWWQGEINGVTGLFPSNYVKMTTDS DPSQWC
ADLQALDTMQPMERKRQGYIHELIEETEERYMDDLQLVIEVFQKRMAESGFLTEAEMALI
FVNWKELIMSNTKLLKALVRKKTGGEKMPVEMMGDILAAELSHMQAYIRFCSCQLNGA
ALLQOKTDEDADFEFLKKLASDPRCKGMPLSSFLKPMQRITRYPLLIRSILENTPON
HVDHSSLKLALERAELCSQVNEGVRKENS DRLEWIAHVQCEGLAEQLIFNSLTNCL
GPRKLLYSGKLYKTKSNKELHGFLFNDFLLLTYLVRQFAASSGFEKLFSSKSSAQFKMY
KTPIFLNEVLVKLPTDPSSDEPVFHISHIDRVYTLRTDNINERTAWVQKIKAASEQYID
TEKKKREKAYQARSQKTSIGIGRLMVHVIEATELKACKPNGKSNPYCEISMGSQSYTTRT
LQDTLNPKNWFNCQFFIKDLYQDVLCLTMFDRDQFSPDQFLGRTEVPVAKIRTEQESKG
PTTRRLLLHEVPTGEVWVRFDLQLFEQKTL (SEQ ID NO:08)

SEQUENCE LISTING

<110> Conti, Marco
Pahlke, Gudrun

<120> Novel Phosphodiesterase Interacting
Proteins

<130> SUN-101PCT

<140> 60/108,255

<141> 1998-11-12

<160> 8

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 2326

<212> PRT

<213> rat

<400> 1

```

Met Ser Asn Gly Tyr Arg Thr Leu Ser Gln His Leu Asn Asp Leu Lys
 1           5           10           15
Lys Glu Asn Phe Ser Leu Lys Leu Arg Ile Tyr Phe Leu Glu Glu Arg
          20           25           30
Met Gln Gln Lys Tyr Glu Val Ser Arg Glu Asp Val Tyr Lys Arg Asn
      35           40           45
Ile Glu Leu Lys Val Glu Val Glu Ser Leu Lys Arg Glu Leu Gln Asp
 50           55           60
Arg Lys Gln His Leu His Lys Thr Trp Ala Asp Glu Glu Asp Leu Asn
65           70           75           80
Ser Gln Asn Glu Ala Glu Leu Arg Arg Gln Val Glu Glu Pro Gln Gln
      85           90           95
Glu Thr Glu His Val Tyr Glu Leu Leu Asp Asn Asn Ile Gln Leu Leu
100           105           110
Gln Glu Glu Ser Arg Phe Ala Lys Asp Glu Ala Thr Gln Met Glu Thr
115           120           125
Leu Val Glu Ala Glu Lys Gly Cys Asn Leu Glu Leu Ser Glu Arg Trp
130           135           140
Lys Asp Ala Thr Lys Asn Arg Glu Asp Ala Pro Gly Asp Gln Val Lys
145           150           155           160
Leu Asp Gln Tyr Ser Ala Ala Leu Ala Gln Arg Asp Arg Arg Ile Glu
      165           170           175
Glu Leu Arg Gln Ser Leu Ala Ala Gln Glu Gly Leu Val Glu Gln Leu
180           185           190
Ser Arg Glu Lys Gln Gln Leu Leu His Leu Leu Glu Glu Pro Gly Gly
195           200           205
Met Glu Val Gln Pro Met Pro Lys Gly Leu Pro Thr Gln Gln Lys Pro
210           215           220
Asp Leu Asn Glu Thr Pro Thr Thr Gln Pro Ser Val Ser Asp Ser His
225           230           235           240
Leu Ala Glu Leu Gln Asp Lys Ile Gln Gln Thr Glu Val Thr Asn Lys
      245           250           255
Ile Leu Gln Glu Lys Leu Asn Asp Met Ser Cys Glu Leu Arg Ser Ala
260           265           270
Gln Glu Ser Ser Gln Lys Gln Asp Thr Thr Ile Gln Ser Leu Lys Glu
275           280           285
Met Leu Lys Ser Arg Glu Ser Glu Thr Glu Glu Leu Tyr Gln Val Ile
290           295           300
Glu Gly Gln Asn Asp Thr Met Ala Lys Leu Pro Glu Met Leu His Gln

```

-2-

Gln Met Gln Leu Val Asp Pro Glu Asp Met Pro Ala Met Glu Arg Leu
 820 825 830
 Thr Gln Glu Val Leu Leu Leu Arg Glu Lys Val Ala Ser Val Glu Pro
 835 840 845
 Gln Gly Gln Glu Gly Ser Glu Asn Arg Arg Gln Gln Leu Leu Leu Met
 850 855 860
 Leu Glu Gly Leu Val Asp Glu Arg Ser Arg Leu Asn Glu Ala Leu Gln
 865 870 875 880
 Ala Glu Arg Gln Leu Tyr Ser Ser Leu Val Lys Phe His Ala Gln Pro
 885 890 895
 Glu Ile Ser Glu Arg Asp Arg Thr Leu Gln Val Glu Leu Glu Gly Ala
 900 905 910
 Gln Val Leu Arg Ser Arg Leu Glu Glu Val Leu Gly Arg Ser Leu Glu
 915 920 925
 Arg Leu Ser Arg Leu Glu Thr Leu Ala Ala Ile Gly Gly Ala Thr Ala
 930 935 940
 Gly Asp Glu Thr Glu Asp Thr Ser Thr Gln Phe Thr Asp Ser Ile Glu
 945 950 955 960
 Glu Glu Ala Ala His Asn Ser His Gln Gln Leu Ile Lys Val Ser Leu
 965 970 975
 Glu Lys Ser Leu Thr Thr Met Glu Thr Gln Asn Thr Cys Leu Gln Pro
 980 985 990
 Pro Ser Pro Val Gly Glu Asp Gly Asn Arg His Leu Gln Glu Glu Met
 995 1000 1005
 Leu His Leu Arg Ala Glu Ile His Gln Pro Leu Glu Glu Lys Arg Lys
 1010 1015 1020
 Ala Glu Ala Glu Leu Lys Glu Leu Lys Ala Gln Ile Glu Glu Ala Gly
 1025 1030 1035 1040
 Phe Ser Ser Val Ser His Ile Arg Asn Thr Met Leu Ser Leu Cys Leu
 1045 1050 1055
 Cys Leu Glu Asn Ala Glu Leu Lys Glu Gln Met Gly Glu Ala Met Ser
 1060 1065 1070
 Asp Gly Trp Glu Val Glu Glu Asp Lys Glu Lys Gly Glu Val Met Val
 1075 1080 1085
 Glu Thr Val Val Ala Lys Gly Gly Leu Ser Glu Asp Ser Leu Gln Ala
 1090 1095 1100
 Glu Phe Arg Lys Val Gln Gly Arg Leu Lys Ser Ala Tyr Asn Ile Ile
 1105 1110 1115 1120
 Asn Leu Leu Lys Glu Gln Leu Val Leu Arg Ser Ser Glu Gly Asn Thr
 1125 1130 1135
 Lys Glu Met Pro Glu Phe Leu Val Arg Leu Ala Arg Glu Val Asp Arg
 1140 1145 1150
 Met Asn Met Gly Leu Pro Ser Ser Glu Lys His Gln His Gln Glu Gln
 1155 1160 1165
 Glu Asn Met Thr Ala Arg Pro Gly Pro Arg Pro Gln Ser Leu Lys Leu
 1170 1175 1180
 Gly Thr Ala Leu Ser Val Asp Gly Tyr Gln Leu Glu Asn Lys Ser Gln
 1185 1190 1195 1200
 Ala Gln Asp Ser Gly His Gln Pro Glu Phe Ser Leu Pro Gly Ser Thr
 1205 1210 1215
 Lys His Leu Arg Ser Gln Leu Ala Gln Cys Arg Gln Arg Tyr Gln Asp
 1220 1225 1230
 Leu Gln Glu Lys Leu Leu Ile Ser Glu Ala Thr Val Phe Ala Gln Ala
 1235 1240 1245
 Asn Gln Leu Glu Lys Tyr Arg Ala Ile Leu Ser Glu Ser Leu Val Lys
 1250 1255 1260
 Gln Asp Ser Lys Gln Ile Gln Val Asp Leu Gln Asp Leu Gly Tyr Glu
 1265 1270 1275 1280
 Thr Cys Gly Arg Ser Glu Asn Glu Ala Glu Arg Glu Glu Thr Thr Ser
 1285 1290 1295
 Pro Glu Cys Glu Glu His Gly Asn Leu Lys Pro Val Val Leu Val Glu
 1300 1305 1310
 Gly Leu Cys Ser Glu Gln Gly Tyr Leu Asp Pro Val Leu Val Ser Ser

1315 1320 1325
 Pro Val Lys Asn Pro Trp Arg Thr Ser Gln Glu Ala Arg Arg Ile Gln
 1330 1335 1340
 Ala Gln Gly Thr Ser Asp Asn Ser Ser Leu Leu Arg Lys Asp Ile Arg
 1345 1350 1355 1360
 Asn Leu Lys Ala Gln Leu Pro Asn Ala Tyr Lys Val Leu Gln Asn Leu
 1365 1370 1375
 Arg Ser Arg Val Arg Ser Leu Ser Ala Thr Ser Asp Tyr Ser Ser Ser
 1380 1385 1390
 Leu Glu Arg Pro Arg Lys Leu Ile Ala Val Ala Thr Leu Glu Gly Ala
 1395 1400 1405
 Ser Pro His Ser Val Thr Asp Glu Asp Glu Gly Leu Leu Ser Asp Gly
 1410 1415 1420
 Thr Gly Ala Phe Tyr Pro Pro Gly Leu Gln Ala Lys Lys Asn Leu Glu
 1425 1430 1435 1440
 Asn Leu Ile Gln Arg Val Ser Gln Leu Glu Ala Gln Leu Pro Lys Thr
 1445 1450 1455
 Gly Leu Glu Gly Lys Leu Ala Glu Glu Leu Lys Ser Ala Ser Trp Pro
 1460 1465 1470
 Gly Lys Tyr Asp Ser Leu Ile Gln Asp Gln Ala Arg Lys Thr Val Ile
 1475 1480 1485
 Ser Ala Ser Glu Asn Thr Lys Arg Glu Lys Asp Leu Phe Ser Ser His
 1490 1495 1500
 Pro Thr Phe Glu Arg Tyr Val Lys Ser Phe Glu Asp Leu Leu Arg Asn
 1505 1510 1515 1520
 Asn Asp Leu Thr Thr Tyr Leu Gly Gln Ser Phe Arg Glu Gln Leu Ser
 1525 1530 1535
 Ser Arg Arg Ser Val Thr Asp Arg Leu Thr Ser Lys Phe Ser Thr Lys
 1540 1545 1550
 Asp His Lys Ser Glu Lys Glu Glu Val Gly Leu Glu Pro Leu Ala Phe
 1555 1560 1565
 Arg Phe Ser Arg Glu Leu Gln Glu Lys Glu Lys Val Ile Glu Val Leu
 1570 1575 1580
 Gln Ala Lys Val Asp Thr Arg Phe Phe Ser Pro Pro Ser Ser His Ala
 1585 1590 1595 1600
 Ala Ser Glu Ser His Arg Cys Ala Ser Ser Thr Ser Phe Leu Ser Asp
 1605 1610 1615
 Asp Ile Glu Ala Cys Ser Asp Met Asp Val Ala Ser Glu Tyr Thr His
 1620 1625 1630
 Tyr Glu Glu Lys Lys Pro Ser Pro Ser Asn Ser Ala Ala Ser Ala Ser
 1635 1640 1645
 Gln Gly Leu Lys Gly Glu Pro Arg Ser Ser Ser Ile Ser Leu Pro Thr
 1650 1655 1660
 Pro Gln Asn Pro Pro Lys Glu Ala Ser Gln Ala Gln Pro Gly Phe His
 1665 1670 1675 1680
 Phe Asn Ser Ile Pro Lys Pro Ala Ser Leu Ser Gln Ala Pro Met His
 1685 1690 1695
 Phe Thr Val Pro Ser Phe Met Pro Phe Gly Pro Ser Gly Pro Pro Leu
 1700 1705 1710
 Leu Gly Cys Glu Thr Pro Val Val Ser Leu Ala Glu Ala Gln Gln
 1715 1720 1725
 Glu Leu Gln Met Leu Gln Lys Gln Leu Gly Arg Ser Val Ser Ile Ala
 1730 1735 1740
 Pro Pro Thr Ser Thr Ser Thr Leu Leu Ser Asn His Thr Glu Ala Ser
 1745 1750 1755 1760
 Ser Pro Arg Tyr Ser Asn Pro Ala Gln Pro His Ser Pro Ala Arg Gly
 1765 1770 1775
 Thr Ile Glu Leu Gly Arg Ile Leu Glu Pro Gly Tyr Leu Gly Ser Gly
 1780 1785 1790
 Gln Trp Asp Met Met Arg Pro Gln Lys Gly Ser Ile Ser Gly Glu Leu
 1795 1800 1805
 Ser Ser Gly Ser Ser Met Tyr Gln Leu Asn Ser Lys Pro Thr Gly Ala
 1810 1815 1820

Asp Leu Leu Glu Glu His Leu Gly Glu Ile Arg Asn Leu Arg Gln Arg
 1825 1830 1835 1840
 Leu Glu Glu Ser Ile Cys Val Asn Asp Arg Leu Arg Glu Gln Leu Gln
 1845 1850 1855
 His Arg Leu Ser Ser Thr Ala Arg Glu Asn Gly Ser Thr Ser His Phe
 1860 1865 1870
 Tyr Ser Gln Gly Leu Glu Ser Met Pro Gln Leu Tyr Asn Glu Asn Arg
 1875 1880 1885
 Ala Leu Arg Glu Glu Asn Gln Ser Leu Gln Thr Arg Leu Ser His Ala
 1890 1895 1900
 Ser Arg Gly His Ser Gln Glu Val Asp His Leu Arg Glu Ala Leu Leu
 1905 1910 1915 1920
 Ser Ser Ser Ser Gln Leu Gln Glu Leu Glu Lys Glu Leu Glu Gln Gln
 1925 1930 1935
 Lys Ala Glu Arg Arg Gln Leu Leu Glu Asp Leu Gln Glu Lys Gln Asp
 1940 1945 1950
 Glu Ile Val His Phe Arg Glu Glu Arg Leu Ser Leu Gln Glu Asn Asn
 1955 1960 1965
 Ser Arg Leu Gln His Lys Leu Ala Leu Leu Gln Gln Gln Cys Glu Glu
 1970 1975 1980
 Lys Gln Gln Leu Ser Leu Ser Leu Gln Ser Glu Leu Gln Ile Tyr Glu
 1985 1990 1995 2000
 Ser Leu Tyr Glu Asn Pro Lys Lys Gly Leu Lys Ala Phe Ser Leu Asp
 2005 2010 2015
 Ser Cys Tyr Gln Val Pro Gly Glu Leu Ser Cys Leu Val Ala Glu Ile
 2020 2025 2030
 Arg Ala Leu Arg Val Gln Leu Glu Gln Ser Ile Gln Val Asn Asn Arg
 2035 2040 2045
 Leu Arg Leu Gln Leu Glu Gln Gln Met Asp His Gly Ala Gly Lys Ala
 2050 2055 2060
 Ser Leu Ser Ser Cys Pro Val Asn Gln Ser Phe Ser Ala Lys Ala Glu
 2065 2070 2075 2080
 Leu Ala Asn Gln Gln Pro Pro Phe Gln Gly Ser Ala Ala Ser Pro Pro
 2085 2090 2095
 Val Arg Asp Val Gly Leu Asn Ser Pro Pro Val Val Leu Pro Ser Asn
 2100 2105 2110
 Ser Cys Ser Val Pro Gly Ser Asp Ser Ala Ile Ile Ser Arg Thr Asn
 2115 2120 2125
 Asn Gly Ser Asp Glu Ser Ala Ala Thr Lys Thr Pro Pro Lys Met Glu
 2130 2135 2140
 Val Asp Ala Ala Asp Gly Pro Phe Ala Ser Gly His Gly Arg His Val
 2145 2150 2155 2160
 Ile Gly His Val Asp Asp Tyr Asp Ala Leu Gln Gln Gln Ile Gly Glu
 2165 2170 2175
 Gly Lys Leu Leu Ile Gln Lys Ile Leu Ser Leu Thr Arg Pro Ala Arg
 2180 2185 2190
 Ser Val Pro Ala Leu Asp Ala Gln Gly Thr Glu Ala Pro Gly Thr Lys
 2195 2200 2205
 Ser Val His Glu Leu Arg Ser Ser Ala Arg Ala Leu Asn His Ser Leu
 2210 2215 2220
 Glu Glu Ser Ala Ser Leu Leu Thr Met Phe Trp Arg Ala Ala Leu Pro
 2225 2230 2235 2240
 Asn Ser His Gly Ser Val Leu Val Gly Glu Glu Gly Asn Leu Met Glu
 2245 2250 2255
 Lys Glu Leu Leu Asp Leu Arg Ala Gln Val Ser Gln Gln Gln Gln Leu
 2260 2265 2270
 Leu Gln Ser Thr Ala Val Arg Leu Lys Thr Ala Asn Gln Arg Lys Lys
 2275 2280 2285
 Ser Met Glu Gln Phe Ile Val Ser His Leu Thr Arg Thr His Asp Val
 2290 2295 2300
 Leu Lys Lys Ala Arg Thr Asn Leu Glu Met Lys Ser Phe Arg Ala Leu
 2305 2310 2315 2320
 Met Cys Thr Pro Ala Leu

2325

<210> 2

<211> 9679

<212> DNA

<213> rat

<220>

<221> misc_feature

<222> (1)...(9679)

<223> n = A,T,C or G

<400> 2

ccggtccct	ttggtagtag	tatctcagag	ctcgcccat	agtttcatag	ttcatgtctg	60
gtttgttctt	atgctttccc	cagagcttcg	agacagcctt	tgagtccacc	agcttgaata	120
tgcccttttc	tctctgagtc	catttaatat	acctgggaca	agtattttta	tcttgaagca	180
gatctaaaag	aaactccac	agataggttg	tggttctctt	tccttctctg	gctttcttct	240
tgactcctaa	ctcaggagac	ccattggaaa	ctgggtactg	ctgggtcttt	ggtttacggc	300
caactttctt	ctttttcatt	ggttcgtggc	tgctcgtgga	agtatggata	ggcaggcat	360
ccattggttc	agactcctct	gttgacacct	ccactacagt	ctccgtaatg	acatctggcc	420
tcacgcgagc	atggataaaa	tcggattctt	gaatcctcaa	gcaggtagga	gactccatat	480
gaagcagggc	ttcagcagct	tcaatggtct	tatccgtaca	gtgtgcatta	ctgctgtgaa	540
ctgatgcttc	cacggcccg	atgagcagat	ccagctggtt	cgtgggtccc	tcacgcagag	600
acgtcgccat	gtttatccc	gggtcggaa	tgctgcttca	cattgactta	caccttgagc	660
agcggcgaca	ggggagaagg	cggaaccgc	ggccggagac	acacgccgtg	cgggcgccac	720
acactcacgc	actcgcacac	actccgacgc	ccggatcctt	gcgcgtcttc	cgacaggaag	780
cggcgcccg	cccgcctccc	gcccgcgggc	tgagcagccc	caccacctaa	cggcaggggc	840
ggcgccggcc	ccggctggca	acgcgatcct	tcggccccc	gcccagacag	gaagtcccgc	900
gcgcggcgag	ccagcgcccg	cacggacacc	tgaggctggg	gagcccgag	gcccgcctcg	960
gggacgcggg	cctcggcagg	aaaaggcgcg	cttcacgttc	tgcggaagcg	aagtctgcaa	1020
atgtcccttc	agcatggtct	tcctcctggc	tcaatctgtc	tcaccttcag	gtgatcctag	1080
gactggggct	cctttccagg	tcctccagttt	ctcaagtcca	tcttctacct	ccctcttgat	1140
tttctactcc	attgctggaa	agctccagaa	cagagcctcc	gcccgaacc	actgctgatg	1200
ccatcgcgtc	ttccctgagc	aagtctcgaa	cgctgcgaat	caatgtaatt	acgctcaga	1260
tgattgccag	ggttatcgtt	ttcatgttct	aattcaatag	tgatggagta	gacatccaga	1320
agtcacgtct	tctaaagatg	attaaccaga	gggtagtttg	acggttaagt	agtctaagca	1380
tccttcaccc	ttccacact	cccaagagct	gaactctaaa	ccagcagctc	tctggagcta	1440
ctgctctccc	ttccagtcgc	cgtgtccctt	gcccctcccc	tcaggggccg	agaccggccg	1500
agccgcgcga	gcccgcgcgc	gttgggcccg	cgtcctgcgg	gaagccgagg	gggcctcccc	1560
gggcccacgc	gcgagccgct	ccgcaccaca	ggacgagaca	aaccgcggct	atgtcgcctt	1620
agccctcggg	gtcccacagc	ctcagcagcg	tcctagcctg	cccgtcccat	gccacggcaa	1680
ggctgcaccg	gtgtccagg	gtgaaggggg	cgtcgggca	tgctcctccc	catgggtcgc	1740
ccaccatgtc	taattggatat	cgactctgt	ccagcacct	caatgacctg	aagaaggaga	1800
acttcagcct	caagctgcgc	atctacttcc	tgaggaggcg	catgcaacag	aagtatgaag	1860
tcagccggga	ggacgtctac	aagcggaaaca	ttgagctgaa	ggttgaaagt	gagagcctga	1920
aacgagagct	ccaggacagg	aaacagcatc	tacataaaac	atgggcccga	gaggaggatc	1980
tcaacagcca	gaatgaagca	gagctccggc	gccaggttga	agaaccgcag	caggagacag	2040
aacacgttta	tgagctccta	gacaacaaca	ttcagctgct	gcaggaggaa	tccaggtttg	2100
caaaggatga	agccacacag	atggagactc	tggtggaggc	agagaagggg	tgtaatctgg	2160
agctctcaga	gaggtggaag	gatgctacca	agaacaggga	agatgcaccg	ggagaccagg	2220
tgaagcttga	ccaatattct	gcggcactgg	ctcagagggg	caggagaatt	gaagagctga	2280
ggcagagcct	ggctgcccag	gaggggcttg	tggaacagct	gtctcgagag	aaacaacaac	2340
tgttacatct	gctggaggag	cctgggggca	tggaagtga	gcccctgcct	aaaggggttac	2400
ccacgcaaca	aaagccagac	ctaaatgaga	cccctacaac	ccagccatct	gtgtctgatt	2460
cccacctggc	agaactccag	gacaaaatcc	agcaaacaga	ggtcaccaac	aagattcttc	2520
aagagaaact	gaatgacatg	agctgtgagc	tcagatctgc	acaggagtgc	tctcagaagc	2580
aagatacgac	aatccaaagc	ctcaaggaaa	tgctaaagag	cagggaaaagt	gagactgaag	2640
agctgtacca	ggtgattgaa	ggtcaaaatg	acacaatggc	aaagcttccg	gaaatgtctac	2700
accagagcca	gctcggacag	ctccagagct	cagagggcat	tgccctgct	cagcagcaag	2760
tgccctgct	tgacctcag	agtgtctgt	tctgcagcca	gcttgaaatc	cagaagctcc	2820
agaggctgtt	acgccagaaa	gagcgtcagc	tggctgacgg	caagcgggtg	atgcaatttg	2880
tggaggctgc	agcacaggag	agagagcagc	agaaggaagc	tgcttggaag	cataaccagg	2940
aattacgaaa	agctttgcaa	cacctccaag	gagaactgca	cagtaagagc	caacagctcc	3000

acgttctgga	ggcagaaaaa	tataatgaaa	ttcgaaccca	gggacaaaac	attcaacacc	3060
taagtccacag	tctgagtcac	aaagagcagc	taattcagga	acttcaggag	ctcctacagt	3120
atcgggatac	cacagacaaa	actctagaca	caaagtaggt	gtttcttgag	aaactacggc	3180
aacgaatata	agaccgggca	gttgctctag	agcgggttat	agatgaaaag	ttctctgtct	3240
tagaagaaaa	ggacaaggaa	ctgcggcagc	tccggcttgc	tgtgaggagc	cgagaccatg	3300
acttagagag	actgcgttgt	gtcctgtctg	ccaatgaagc	taccatgcaa	agtatggaga	3360
gtctcctgag	ggccagaggc	ctggaagtgg	agcagttaat	tgccacctgc	caaaacctcc	3420
agtgggtgaa	ggaagaattg	gaaaccaagt	ttggccactg	gcagaaggaa	caggagagca	3480
tcattcagca	gttacagaca	tctctgcatg	acaggaacaa	agaagtagag	gatctcagt	3540
caactttgct	ccacaaactt	ggaccctggc	agagtgaagt	agctgaggag	ctgtgccagc	3600
gcctgcagct	gaaggaaaag	gtgctgcagg	acctcttgag	tgatcggaac	aaacaagcca	3660
tggagcacga	gatggaggtc	cagggaactg	tccagctgat	gggcaccggg	gaacaggaaa	3720
gacaggctgt	tgcaaaaaa	atggtacaag	ccttcatgga	aagaaactcg	gaattacagg	3780
ccctgcggca	gtatctaggg	gggaagggaat	taatggcagc	atctcaggca	ttcatctcta	3840
accaaccagc	tggagcgact	tctgtaggcc	cccaccatgg	agagcaaaact	gaccaagggt	3900
ctacgcagat	gccctctcga	gacgacagca	cctcgctgac	tgccagagag	gaggccagca	3960
tacccccgtc	tacattagga	gactcagaca	cagttgcaog	gctggagaaa	gaactgagca	4020
atgccaagga	ggagcttgag	ctcatggcca	aaaaagaaag	agaaagccag	atagaattgt	4080
ctgccctgca	gtccatgatg	gctgtgcaag	aggaagagct	gcaggtgcag	gctgctgact	4140
tggagctccct	gaccaggaac	atacagataa	aagaagacct	cataaaggac	ctgcaaatgc	4200
aactgggtga	ccctgaaagt	atgccagcca	tggagcgctt	gacccaagag	gtcttacttc	4260
ttcgggaaaa	agttgcttca	gtggaacccc	agggtcagga	agggtcagag	aacaggagac	4320
aacagttgct	gctgatgtta	gaaggactag	tggatgaacg	gagtcggctc	aacgaggccc	4380
tgcaagctga	gccgcagctc	tacagcagcc	tggtaagttt	ccatgcccaa	ccagagatct	4440
ctgagagaga	ccgaactctg	cagggtggaac	tggaaagggc	ccaggtgtta	cgcagtcgac	4500
tagaagaagt	tcttggaaga	agcctggagc	gcttaagcag	gctggagacc	ctggccgcca	4560
ttggagggtgc	tactgcaggc	gatgagactg	aagatacaag	cacacagttc	acagacagca	4620
ttgaggagga	ggctgcacac	aacagccacc	agcaactcat	caaggtgtct	ttggagaaaa	4680
gcctgaccac	catggagacc	cagaacacat	gtcttcagcc	cccttcccca	gtaggagagg	4740
atggtaacag	gcatcttcag	gaagaaatgc	tccacctgag	ggctgaaatc	caccagccct	4800
tagaagagaa	gagaaaagct	gaggcagaac	tcaaggagct	aaaggctcaa	attgagggaag	4860
caggattctc	ctctgtgtcc	cacatcagga	acacctgctt	gagcctttgc	ctttgccttg	4920
agaatgcaga	gctgaaagag	cagatgggag	aagcaatgtc	tgatggatgg	gaggtggagg	4980
aagacaagga	gaaggcgag	gtgatgttgg	agaccgtggt	ggccaaaggg	ggtctgagtg	5040
aggacagcct	tcaggctgag	ttcaggaaaag	tccaggggag	actcaagagt	gcctacaaca	5100
tcatcaacct	cctcaaagag	cagctgtgtcc	tgagaagctc	ggaagggaac	actaaggaga	5160
tgccagagtt	cctcgtgcgc	ctggccaggg	aggtggacag	aatgaacatg	ggcttgccct	5220
cctcggagaa	gcatcaacac	caagaacagg	agaatatgac	cgcaaggcct	ggccccaggc	5280
cccagagttc	caagcttggt	acagctctct	cagtgaacgg	ctaccaactg	gagaacaagt	5340
cccaggccca	agactctgga	catcagccag	aatttagcct	accagggtcc	accaaaccac	5400
tgcgctccca	gctggtcag	tgtagacaac	ggtaccaaga	tctccaggag	aagctgtcca	5460
tctcagaagc	cactgtgttt	gcccaggcaa	accagctaga	gaagtacaga	gccatattaa	5520
gtgaatccct	ggtgaagcag	gacagcaagc	agatccagggt	ggaccttcag	gacctgggct	5580
atgagacttg	tggccgaagt	gagaatgaag	ctgaacgtga	ggagaccacc	agccctgagt	5640
gtgaggagca	cggtaacctg	aagcctgtgg	tgctgttgga	aggcttgtgc	tctgagcaag	5700
ggtacctgga	ccctgtcttg	gtcagctcac	ctgtgaagaa	cccttggaag	acaagccagg	5760
aagccagaag	aatccaggca	caaggaaact	cagacaacag	ctctctcctg	aggaaggaca	5820
tccgaaatct	gaaagcccg	ctaccgaatg	cctacaaggt	ccttcagaac	ctgaggagcc	5880
gggtccggtc	cctgtctgcc	acaagcgatt	actcatcgag	tctggagaga	ccccgcaagc	5940
tgatagccgt	ggcaaccctt	gagggggcct	cacccacacg	tgtcactgat	gaagacgaag	6000
gcttggtgtc	agatggcacc	ggggcttttt	accctccagg	gctccaggcc	aaaaagaatc	6060
tagagaatct	catccagaga	gtatcccagc	tggaggccca	gctccccaaa	actggactag	6120
aagggaaagt	ggctgaagaa	ctgaagtccg	cctcgtggcc	tggaaaatac	gattctttga	6180
ttcaggatca	ggccccgaaa	actgtcatat	ctgcgtccga	aaatacnaaa	agggagaagg	6240
atttggtttc	ttctcaccca	acattcgaaa	gatacgtcaa	atcttttgaa	gacctcctga	6300
ggaacaacga	cttgactact	tacctgggcc	agagcttccg	ggaacaactt	agttcaaggc	6360
gttcagtga	agacaggctg	accagcaaat	tcagcacaaa	ggatcataag	agtgaaaaag	6420
aagaagtgg	gcttgagcca	ctggccttca	ggttcagcag	ggaattacag	gagaaagaga	6480
aagtgttga	agtcctgcag	gccaaaggtg	atccccggtt	tttctcacc	cccagcagcc	6540
atgctgcgtc	tgagtcacac	cgttggtgcca	gcagcacatc	tttctgtctg	gatgacatag	6600
aagcctgtct	tgacatggac	gtagccagcg	agtacacaca	ctatgaagag	aagaagccct	6660
cacccagtaa	ctcagcagcc	agtgcacatc	aggggcttaa	gggcgagccc	agaagcagct	6720
ccatcagctt	gccaaactccc	cagaaccccc	ctaaggaggc	cagccaggcc	cagccaggct	6780

ttcactttaa	ctccataccc	aagccggcta	gcctttccca	ggcaccaatg	cactttcactg	6840
taccagctt	catgcctttc	ggccccctctg	ggcctccccct	tcttggttgc	tgtgagacac	6900
cagtgggtgc	cttggctgag	gctcaacaag	agctgcagat	gctgcagaag	cagtggggac	6960
gaagtgttag	cattgccccct	cccacctcca	catccacgtt	gcttagcaac	cacacagaag	7020
ctagctctcc	ccgctacagc	aacctgtctc	agccccactc	cccagcaagg	ggcaccatag	7080
agctgggcag	aatcctggag	cctggatacc	tgggcagcgg	ccagtgggac	atgatgaggc	7140
ctcagaaagg	gagcatctct	ggggagctgt	cctcaggctc	ctcgaatgtac	cagcttaact	7200
ccaaacccac	agggggccgac	ctgttggaag	agcattttagg	tgagatccgg	aacctgcgcc	7260
agcgccctgga	ggagtgccata	tgtgtcaatg	acaggctacg	ggagcagctg	cagcataggc	7320
tcagctccac	ggcccagaaa	aatggttcca	cctctcactt	ctacagtcag	ggcctggagt	7380
ccatggctca	gtcctacaat	gagaacagag	cctcaggga	agaaaaccaa	agcctgcaga	7440
cacggctcag	tcatgtctcc	aggggacact	cccagggaag	ggaccacctg	agggaggctc	7500
tgctttcctc	aagttcccag	ctccaggagc	tggagaagga	gctggagcag	cagaaggctg	7560
agcgccggca	gcttctggaa	gacttgacag	agaagcagga	tgagatcgtg	catttccgag	7620
agcagaggct	gtccctccag	gaaaacaact	ccaggctgca	gcacaagctg	gccctcctgc	7680
aacaacagt	tgaggagaaa	cagcagctct	cctgtccct	gcagtcagag	ctccagatct	7740
agagtcctc	ctacgaaaat	cctaagaagg	gcttgaaagc	cttcagccta	gattcctgtt	7800
accaagtcct	gggtgagttg	agctgcctgg	tggcagagat	tcgagctctg	agagtgcagt	7860
tgagcagag	cattcaagt	aacaaccgtc	tgccgtgca	gctggaacag	cagatggatc	7920
acgggtgctg	caaagccagt	ctcagttcct	gccctgttaa	ccagagcttc	tcagccaagg	7980
cggagctggc	aaaccagcag	ccacccttcc	aaggttcagc	tgcttcccct	ccagtccggg	8040
acgttggtct	gaattctcca	cccgtgggtc	tccccagcaa	ttcgtgctct	gttccctggct	8100
cagactctgc	catcatcagt	aggacaaaac	atggttcgga	tgagtctgca	gcaacgaaga	8160
ccctcccaa	gatggaggct	gatgtgctg	atggccatt	tgccagtggg	cacggcagac	8220
acgtcatcgg	ccatgtggat	gactacgacg	cctacagca	gcagattggg	gaagggaagc	8280
tgctgatcca	aaagatactg	tctctcacga	ggccagcagc	cagcgtccct	gcactggacg	8340
cgcagggcac	agaggcacca	ggtacaaaaa	gtgtccatga	gcttcggagc	agcgccaggg	8400
ctctgaacca	cagcctagaa	gagtcagctt	ccctcctcac	catgttctgg	agagcagctt	8460
tgccaaaact	tcattggtct	gtactggtag	gcgaagaggg	aaacctgatg	gagaaagAAC	8520
tcctagacct	gcgagcccaa	gtgtcccaac	agcaacagct	ccttcagagc	actgctgtgc	8580
gtctgaagac	ggccaaccag	aggaagaaaa	gcatggagca	gttcatcgtg	agccatctga	8640
ccaggaccca	tgatgtcttg	aagaaagcac	ggactaattt	agagatgaaa	tccttcaggg	8700
ccctgatgtg	cactccagcc	ttgtgacctt	tgccctccag	gagccacata	aaaggcgaag	8760
ccaggagtcc	ttaaaacagc	aggaagggtg	ggcctgcccc	cccctagtag	agctgcctgt	8820
ctgctgagga	atacctggtc	cgactcctcc	cctgctggag	ctccagggaa	gggctcatat	8880
atgtgtccac	atgggacagg	caggaaggaa	agtggcatcc	tgacaatgaa	tatgattagc	8940
caaggccac	tgggcccatc	actaagcaaa	actcatgtag	actgtgtaga	aggccccccg	9000
gcactgcttc	tagacagcct	cagcagcagc	gtgcccacct	cgttacagtt	ctcacctcaa	9060
gatagccaac	tcaggggaac	taggacctta	ccaccacaaa	acaggatgtg	tggtcccaat	9120
gccaacgctc	ctcagacagt	tgtaaaagca	cacatcattg	agtggcagcg	tccagccgga	9180
cactgttgga	gactaccaaa	cccctcactg	acccagtctt	gggccaggcc	agctctgtgg	9240
gccaagtctg	gtagtacttt	gggtctctacc	accacaccag	agagagtcta	tatagcaaat	9300
gtggtaactt	gtagggtgcc	tgcaacttagc	ctagcacctt	ctgtttctta	cgtgatctca	9360
agttgaacca	acttccttaa	ctctgctgtc	ccctgaatcc	taacttcctt	caggggaatt	9420
ggagattggt	ggccacatca	tgccatttga	atgttttagt	aacagcatat	cggtgcctct	9480
taatggcatg	ggcaaggcct	gctctgtact	gaagactgtg	tcttcacagt	gctcatagga	9540
cgtgggtgtg	tgtataaatg	tataatatag	atttatatat	gtcgctatgg	ctatgtgttg	9600
aaggccagca	taagtgcaga	gcgatgggtg	agaagacgct	aagcagtctt	tcttatggct	9660
attaaagcta	actgtgtac					9679

<210> 3

<211> 6981

<212> DNA

<213> rat

<220>

<221> misc feature

<222> (1)... (6981)

<223> n = A,T,C or G

<400> 3

atgtctaattg	gatattcgac	tctgtcccag	cacctcaatg	acctgaagaa	ggagaacttc	60
agcctcaagc	tgcgcattct	cttcctggag	gagcgcatgc	aacagaagta	tgaagtcagc	120
cgggaggacg	tctacaagcg	gaacattgag	ctgaagggtg	aagtggagag	cctgaaacga	180
gagctccagg	acaggaaaca	gcattctacat	aaaacatggg	ccgatgagga	ggatctcaac	240
agccagaatg	aagcagagct	ccggcgccag	ggtgaagaac	cgcagcagga	gacagaacac	300
gtttatgagc	tcctagacaa	caacattcag	ctgctgcagg	aggaatccag	gtttgcaaag	360
gatgaagcca	cacagatgga	gactctggtg	gaggcagaga	aggggtgtaa	tctggagctc	420
tcagagaggt	ggaaggatgc	taccaagaac	agggagatg	caccgggaga	ccaggtgaag	480
cttgaccaat	attctgcggc	actggctcag	agggacagga	gaattgaaga	gctgaggcag	540
agcttggtg	cccaggagg	gcttggtgga	cagctgtctc	gagagaaaca	acaactgtta	600
catctgctgg	aggagcctgg	gggcatggaa	gtgcagccca	tgcctaaagg	gttaccacag	660
caacaaaagc	cagacctaaa	tgagaccctt	acaaccacgc	catctgtgtc	tgattccac	720
ctggcagaac	tcaggacaaa	aatccagcaa	acagaggtca	ccaacaagat	tcttcaagag	780
aaactgaatg	acatgagctg	tgagctcaga	tctgcacagg	agtcgtctca	gaagcaagat	840
acgacaatcc	aaagcctcaa	ggaaatgcta	aagagcaggg	aaagtgaagc	tgaagagctg	900
taccaggtga	ttgaagggtca	aaatgacaca	atggcaaaagc	ttccggaaat	gctacaccag	960
agccagctcg	gacagctcca	gagctcagag	ggcattgccc	ctgctcagca	gcaagtggcc	1020
ctgcttgacc	ttcagagtgc	tctgttctgc	agccagcttg	aaatccagaa	gctccagagg	1080
ctgttacgccc	agaaagagcg	tcagctggct	gacggcaagc	gggtgatgca	atttgtggag	1140
gctgcagcac	aggagagaga	gcagcagaag	gaagctgctt	ggaaacataa	ccaggaatta	1200
cgaaaagctt	tgcaaacctt	ccaaggagaa	ctgcacagta	agagccaaca	gctccacgtt	1260
ctggaggcag	aaaaatataa	tgaaattcga	accagggac	aaaacattca	acacctaatg	1320
cacagtctga	gtcacaaaaga	gcagctaatt	caggaaacttc	aggagctcct	acagtatcgg	1380
gataccacag	acaaaaactct	agacacaaat	gaggtgtttc	ttgagaaact	acggcaacga	1440
atacaagacc	gggcagttgc	tctagagcgg	gttatagatg	aaaagttctc	tgctctagaa	1500
gaaaaggaca	aggaactgcg	gcagctccgg	cttgctgtga	gggaccgaga	ccatgactta	1560
gagagactgc	gttgtgtcct	gtctgccaat	gaagctacca	tgcaaaagtat	ggagagtctc	1620
ctgagggccca	gaggcctgga	agtggagcag	ttaattgccca	cctgccaaaa	cctccagtgg	1680
ttgaagggaag	aattggaaac	caagtttgcc	cactggcaga	aggaacagga	gagcatcatt	1740
cagcagttac	agacatctct	gcattgacag	aacaaagaag	tagaggatct	cagtgcact	1800
ttgtctccaca	aacttgagcc	cggccagagt	gaagtatgctg	aggagctgtg	ccagcgctctg	1860
cagcggaagg	aaagggtgct	gcaggacctt	ctgagtgtatc	ggaacaaaca	agccatggag	1920
cacgagatgg	aggtccagg	actgctccag	tcgatgggca	cccgggaaca	ggaaagacag	1980
gctgttgagc	aaaaaatggt	acaagccttc	atggaaagaa	actcggaatt	acaggccctg	2040
cggcagtatc	taggggggaa	ggaattaatg	gcagcatctc	aggcattcat	ctctaaccac	2100
ccagctggag	cgacttctgt	aggccccac	catggagagc	aaactgacca	aggttctacg	2160
cagatgccct	ctcgagacga	cagcacctcg	ctgactgcca	gagaggaggc	cagcataccc	2220
cggctctacat	taggagactc	agacacagtt	gcaggggctgg	agaaagaaact	gagcaatgcc	2280
aaggaggagc	ttgagctcat	ggccaaaaaa	gaaagagaaa	gccagataga	attgtctgcc	2340
ctgcagtcca	tgatggctgt	gcaagaggaa	gagctgcagg	tgaggctgc	tgacttggag	2400
tcctgacca	ggaacataca	gataaaagaa	gacctcataa	aggacctgca	aatgcaactg	2460
gttgaccctg	aagatatgcc	agccatggag	cgctgaccc	aagaggtctt	acttcttcgg	2520
gaaaaagttg	cttcagtggg	acccaggggt	caggaagggt	cagagaacag	gagacaacag	2580
ttgctgctga	tgtagaagg	actagtggat	gaacggagtc	ggctcaacga	ggccctgcaa	2640
gctgagcggc	agctctacag	cagcctgggtc	aagttccatg	cccaaccaga	gatctctgag	2700
agagaccgaa	ctctgcaggt	ggaactggaa	ggggcccagg	tggtacgcag	tcgactagaa	2760
gaagttcttg	gaagaagcct	ggagcgctta	agcaggctgg	agaccctggc	cgccattgga	2820
ggtgctactg	caggcgatga	gactgaagat	acaagcacac	agttcacaga	cagcattgag	2880
gaggaggctg	cacacaacag	ccaccagcaa	ctcatcaagg	tgtctttgga	gaaaagcctg	2940
accaccatgg	agaccagaa	catatgtctt	cagccccctt	ccccagtagg	agaggatggt	3000
aacaggcatc	ttcaggaaga	aatgctccac	ctgagggtg	aaatccacca	gcccttagaa	3060
gagaagagaa	aagctgaggc	agaactcaag	gagctaaagg	ctcaaattga	ggaagcagga	3120
ttctcctctg	tgtcccat	caggaaacac	atgctgagcc	tttgcccttg	ccttgagaat	3180
gcagagctga	aagagcagat	gggagaagca	atgtctgatg	gatgggagg	ggaggaagac	3240
aaggagaagg	gcgaggtgat	ggtggagacc	gtgggtggcca	aaggggtct	gagtggaggc	3300
agccttcagg	ctgagttcag	gaaagtccag	gggagactca	agagtgccta	caacatcatc	3360
aacctcctca	aagagcagct	ggtcctgaga	agctcggaag	ggaacactaa	ggagatgcca	3420
gagttcctcg	tgccgctggc	caggagaggtg	gacagaatga	acatgggctt	gccttctctg	3480
gagaagcatc	aacaccaaga	acaggagaat	atgaccgcaa	ggcctggccc	caggccccag	3540
agtctcaagc	ttgggacagc	tctctcagta	gacggctacc	aactggagaa	caagtcaccg	3600
gccaagact	ctggacatca	gccagaattt	agcctaccag	ggtccaccaa	acacctgccc	3660
tcccagctgg	ctcagtgtag	acaacgggtac	caagatctcc	aggagaagct	gctcatctca	3720
gaagccactg	tggttgccca	ggcaaacag	ctagagaagt	acagagccat	attaagtga	3780

tccctgggtga	agcaggacag	caagcagatc	caggtggacc	ttcaggacct	gggctatgag	3840
acttgtggcc	gaagtgaaga	tgaagctgaa	cgtgaggaga	ccaccagccc	tgagtgtgag	3900
gagcacggta	acctgaagcc	tgtggtgctg	gtggaaggct	tgtgctctga	gcaagggtac	3960
ctggaccctg	tcttggtcag	ctcacctgtg	aagaacctct	ggagaacaag	ccagggaagcc	4020
agaagaatcc	aggcacaagg	aacttcagac	aacagctctc	tcctgaggaa	ggacatccga	4080
aatctgaaa	cccagctacc	gaatgcctac	aaggtccttc	agaacctgag	gagccgggtc	4140
cggctccctg	ctgccacaag	cgattactca	tcgagtctgg	agagaccccg	caagctgata	4200
gccgtggcaa	cccttgaggg	ggcctcacc	cacagtgtca	ctgatgaaga	cgaaggcttg	4260
ttgtcagatg	gcaccggggc	tttttaccct	ccagggtctc	aggccaaaaa	gaatctagag	4320
aatctcatcc	agagagtatc	ccagctggag	gcccagctcc	ccaaaaactg	actagaaggg	4380
aagctggctg	aagaactgaa	gtccgcctcg	tggcctggaa	aatacgattc	tttgattcag	4440
gatcaggccc	gaaaaactgt	catatctgcg	tccgaaaaata	cnaaaaagga	gaaggatttg	4500
ttttcttctc	acccaacatt	cgaaagatac	gtcaaatctt	ttgaagacct	cctgaggaaac	4560
aacgacttga	ctacttacct	gggccagagc	ttccgggaac	aacttagttc	aaggcgttca	4620
gtgacagaca	ggctgaccag	caaattcagc	acaaggatc	ataagagtga	aaaagaagaa	4680
gttgggcttg	agccactggc	cttcaggttc	agcagggaat	tacaggagaa	agagaaagtg	4740
attgaagtcc	tgccaggccaa	gggtggatacc	cggtttttct	cacccccag	cagccatgct	4800
gcgtctgagt	cccaccgttg	tgccagcagc	acatctttcc	tgctggatga	catagaagcc	4860
tgctctgaca	tggacgtagc	cagcagtagc	acacactatg	aagagaagaa	gcccctaccc	4920
agtaactcag	cagccagtgc	atctcagggg	cttaagggcg	agcccagaag	cagctccatc	4980
agcttgccaa	ctccccagaa	cccccttaag	gagggcagcc	aggcccagcc	aggctttcac	5040
tttaactcca	tacccaagcc	ggctagcctt	tcaccaggac	caatgcactt	cactgtatcc	5100
agcttcatgc	ctttcggtccc	ctctgggctt	ccccttcttg	gttgctgtga	gacaccagtg	5160
gtgtccttgg	ctgagggtca	acaagagctg	cagatgctgc	agaagcagct	gggacgaagt	5220
gttagcattg	cccctccac	ctccacatcc	acgttgctta	gcaaccacac	agaagctagc	5280
tctccccgct	acagcaaccc	tgctcagccc	cactccccag	caaggggcac	catagagctg	5340
ggcagaatcc	tggagcctgg	ataccctggc	agcggccagt	gggacatgat	gaggcctcag	5400
aaagggagca	tctctgggga	gctgtcctca	ggctcctcga	tgtaccagct	taactccaaa	5460
cccacagggg	ccgacctgtt	ggaagagcat	ttaggtgaga	tcgggaacct	gcgccagcgc	5520
ctggaggagt	ccatattgtg	caatgacagg	ctacgggagc	agctgcagca	taggtctcagc	5580
ttccagggccc	gagaaaatgg	ttccacctct	cacttctaca	gtcagggcct	ggagtccatg	5640
cctcagctct	acaatgagaa	cagagccctc	agggaaagaa	accaaagcct	gcagacacgg	5700
ctcagtcagt	cttccagggg	acactcccag	gaagtggacc	acctgaggga	ggctctgctt	5760
tcctcaagtt	cccagctcca	ggagctggag	aaggagctgg	agcagcagaa	ggctgagcgg	5820
cggcagcttc	tgggaagactt	gcaggagaag	caggatgaga	tcgtgcattt	ccgagaggag	5880
aggctgtccc	tccaggaaaa	caactccagg	ctgcagcaca	agctggccct	cctgcaacaa	5940
cagtgtgagg	agaaacagca	gctctccctg	tccttgagct	cagagctcca	gatctacgag	6000
tcctctacg	aaaatcctaa	gaagggttg	aaagccttca	gcctagattc	ctgttaccaa	6060
gtcccggtg	agttgagctg	cctggtggca	gagattcgag	ctctgagagt	gcagttggag	6120
cagagcattc	aagtgaacaa	ccgtctgcgg	ctgcagctgg	aacagcagat	ggatcacggg	6180
gctggcaaa	ccagtctcag	ttcctgccc	gttaaccaga	gcttctcagc	caaggcggag	6240
ctggcaaa	agcagccacc	cttccaaggt	tcagctgctt	cccctccagt	ccgggacgtt	6300
ggcttgaatt	ctccaccgt	ggtcctcccc	agcaattcgt	gctctgttcc	tggctcagac	6360
tctgccatca	tcagtaggac	aaacaatggt	tcggatgagt	ctgcagcaac	gaagacccct	6420
cccaagatgg	aggtcgatgc	tgctgatggc	ccatttgcca	gtggacacgg	cagacacgtc	6480
atcgcccatg	tggatgacta	cgacgcctta	cagcagcaga	ttggggaaag	gaagctgctg	6540
atccaaaaga	tactgtctct	cacgaggcca	gcacgcagcg	tccttgact	ggacgcgcag	6600
ggcacagagg	caccagggtac	caaaagtgtc	catgagcttc	ggagcagcgc	cagggctctg	6660
aaccacagcc	tagaagagtc	agcttccctc	ctcaccatgt	tctggagagc	agctttgcca	6720
aactctcatg	gttctgtact	ggtaggcgaa	gagggaacc	tgatggagaa	agaactccta	6780
gacctgagga	cccaagtgtc	ccaacagcaa	cagctccttc	agagcactgc	tgtgcgtctg	6840
aagacggcca	accagaggaa	gaaaagcatg	gagcagttca	tcgtgagcca	tctgaccagg	6900
acccatgatg	tcttgaagaa	agcacggact	aatttagaga	tgaaatcctt	cagggccctg	6960
atgtgcactc	cagccttggtg	a				6981

<210> 4
 <211> 9241
 <212> DNA
 <213> human

<400> 4

ggatccttga	gggacttggt	gcgactttca	ggtgaggtct	tagcagatga	aagcggctgg	60
ctgtggcccc	cgccagtagt	gctttctgct	ccgcactcgc	cgtgagccag	gtgtgcaacc	120
ggatttgggg	cgagggtcgc	gctggctacc	tcgcatgcgc	agagccggaa	gcccgtgac	180
cggactacag	ctcccagaag	agccttgttg	aggccgcaga	cgcgaaagccg	ctggcgccat	240
cttgaaatct	gacccctccat	ccccgaggct	ttgcgtctgc	gcggccggcc	gctgctgtc	300
cgggagccca	gtctgctaaa	aggggaggac	gttgaggacg	cgccggctgg	cgggagagac	360
agctggggag	agacatggca	gggtcgagc	gcggcctgcg	cctctgtcac	tcagcatcct	420
cttaggcgtt	tcacgcccc	ccccctgccc	gagggcgagg	gctgacggct	ctggtaccog	480
gagtcggcgc	gcggggcagg	ggcgcccccc	tgacagtggt	ggacccact	gggctgtgcc	540
atgctgaccg	gagaccaccg	agggcgggaga	cagagcgccg	cgaaagacca	ttgagtggtc	600
acccagtagc	cgccgcccgc	gccgcctcgg	gaagcttgcc	acccgctagg	agggaaagatg	660
aaggagattt	gcaggatctg	tgcccagagag	ctgtgtggaa	accagcgccg	ctggatcttc	720
cacacggcgt	ccaagctcaa	tctccagggt	ctgctttcgc	acgtcttggg	caaggatgtc	780
ccccgcgatg	gcaaagccga	gttcgcttgc	agcaagtgtg	ctttcatgct	tgatcgaatc	840
tatcgattcg	acacagttat	tgcccggatt	gaagcgcttt	ctattgagcg	cttgcaaaag	900
ctgctactgg	agaaggatcg	cctcaagtcc	tgcatgtcca	gtatgtatcg	gaagaataac	960
gatgactctg	gcgcggagat	caaggcgagg	aatgggacgg	ttgacatgtc	cgtcttacc	1020
gatgcgagat	actctgcact	gctccaggag	gacttcgcct	attcagggtt	tgagtgtctg	1080
gtggagaatg	aggatcagat	ccaggagcca	cacagctgcc	atggttcaga	aggccctgga	1140
aaccgaccca	ggagatgccg	tggttgtgcc	gctttgcggg	ttgctgattc	tgactatgaa	1200
gccatttcta	aggtacctcg	aaaggtggcc	agaagtatct	cctgcggccc	ttctagcagg	1260
tggtcgacca	gcatttgcac	tgaagaacca	gcgttgtctg	aggttggggc	acccgactta	1320
gcaagcacia	aggtaccccc	agatggagaa	agcatggagg	aagagacgcc	tggttctctt	1380
gtggaatctt	tgatgcaag	cgtccaggct	agccctccac	aacagaaaga	tgaggagact	1440
gagagaagtg	caaaggaact	tggaagtggt	gactgttgtt	cagatgatca	ggctcccgag	1500
catgggtgta	atcacaaagt	ggaattagct	cttagcatga	ttaaaggctt	tgattataag	1560
cccatccaga	gcccccgagg	gagcaggctt	ccgattccag	tgaaatccag	cctacctgga	1620
gccaaagcctg	gccctagcat	gacagatgga	gttagttccg	gtttccttaa	caggtctttg	1680
aaaccctctt	acaagacacc	tgtgagttat	cccttgaggc	tttcagacct	gcaggagctg	1740
tggtgatgat	tctgtgaaga	ttatttgccg	ctccgggtcc	agcccatgac	tgaagagttg	1800
ctgaaacaac	aaaagctgaa	ttcacatgag	accactataa	ctcagcagtc	tgtatctgat	1860
tccccacttg	cagaactcca	ggaaaaaatc	cagcaaacag	aggccacca	caagattctt	1920
caagagaaac	ttaatgaaat	gagctatgaa	ctaaagtgtg	ctcaggagtc	gtctcaaaag	1980
caagatggta	caattcagaa	cctcaaggaa	actctgaaaa	gcagggaacg	tgagactgag	2040
gagttgtacc	aggtaattga	aggtcaaaat	gacacaatgg	caaagcttcg	agaaatgctg	2100
caccaaaagcc	agcttgagaa	acttcacagc	tcagagggtg	cttctccagc	tcagcaacag	2160
gtagctctgc	ttgatcttca	gagtgtctta	ttctgcagcc	aacttgaaat	acagaagctc	2220
cagaggggtg	tacgacagaa	agagcgccaa	ctggctgatg	ccaaacaatg	tgtgcaattt	2280
gtagaggctg	cagcacacga	gagtgaacag	cagaagaagg	cttcttgga	acataaccag	2340
gaattgcgaa	aagccttgca	gcagctacaa	gaagaattgc	agaataagag	ccaacagctt	2400
cgtgcctggg	aggctgaaaa	atacaatgag	attcgaaccc	aggaacaaaa	catccagcac	2460
ctaaaccata	gtctgagtca	caaggagcag	ttgcttcagg	aatttcggga	gctcctacag	2520
tatcgagata	actcagacaa	aacccttgaa	gcaaatgaaa	tggtgcttga	gaaacttcgc	2580
cagcgaatac	atgataaagc	tggtgtctctg	gagcgggcta	tagatgaaaa	attctctgct	2640
ctagaagaga	aagaaaaaga	actgcgccag	cttcgtcttg	ctgtgagaga	gcgagatcat	2700
gacttagaga	gactgcgcga	tgtcctctcc	tccaatgaag	ctactatgca	aagtatggag	2760
agtctcctga	gggcccagg	cctggaagtg	gaacagttat	ctactacctg	tcaaaacctc	2820
cagtggctga	aagaagaaat	ggaaacccaa	tttagccgtt	ggcagaagga	acaagagagt	2880
atcattcagc	agttacagac	gtctcttcat	gataggaaca	aagaagtggg	ggatcttagt	2940
gcaacactgc	tctgcaaaact	tggaaccagg	cagagtgaga	tagcagagga	gctgtgccag	3000
cgtctacagc	gaaaggaaa	gatgctgcag	gactctctaa	gtgatcgaaa	taaacaaagt	3060
ctggaaacatg	aaatggagat	tcaaggcctg	cttcagtctg	tgagcaccag	ggagcaggaa	3120
agccaagctg	ctgcagagaa	gttgggtgcaa	gccttaaatg	aaagaaattc	agaattacag	3180
gccctgcgcc	aatattttag	agggagagac	tccctgatgt	cccaagcacc	catctctaac	3240
caacaagctg	aagttaacccc	cactggccgt	cttggaatac	agactgatca	aggttcaatg	3300
cagatacctt	ccagagatga	tagcacttca	ttgactgcca	aagaggatgt	cagcataccc	3360
agatccacat	taggagactt	ggacacagtt	gcaggcgctg	aaaaagaact	gagtaatgcc	3420
aaagaggaa	ttgaactcat	ggctaaaaaa	gaaagagaaa	gtcagatgga	actttctgct	3480
ctacagtcca	tgatggctgt	gcaggaaagaa	gagctgcagg	tgaggctgc	tgatatggag	3540
tctctgacca	ggaacataca	gattaaagaa	gatctcataa	aggacctgca	aatgcaactg	3600
gttgctcctg	aagacatacc	agctatggaa	cgctgagacc	aggaagtctt	acttcttcgg	3660
gaaaaagtgt	cttcagtaga	atcccagggt	gaagaaattt	caggaaaccg	aagacaacag	3720
ttgctgctga	tgctagaagg	actagtagat	gaacggagtc	ggctcaatga	ggccttacia	3780

gcagagagac	agctctatag	cagtctggtg	aagttccatg	cccatccaga	gagctctgag	3840
agagaccgaa	ctctgcaggt	ggaactggaa	ggggctcagg	tgttacgcag	tcggctagaa	3900
gaagttcttg	gaagaagctt	ggagcgctta	aacaggcttg	agacctggc	cgccattgga	3960
ggtgcagctg	caggggatga	caccgaagat	acaagcactg	agttcactga	cagtattgag	4020
gaggaggctg	cacaccatag	tcaccagcaa	cttgtcaagg	tggttttggg	gaaaagtctg	4080
gcaactgtgg	agaccagaa	cccatctttt	tccccctect	ctccgatggg	aggggacagt	4140
aacaggtgtc	ttcaggaaga	aatgctccac	ctgagggctg	agttccacca	gcacttagaa	4200
gagaagagga	aagctgagga	ggaactgaag	gagctaaagg	ctcaaattga	ggaagcagga	4260
ttctcctcag	tgtcccacat	caggaacacc	atgctgagcc	tttgcttga	gaatgcggag	4320
ctgaaagagc	agatgggaga	agcaatgtct	gatggatggg	agatcgagga	agacaaggag	4380
aagggcgagg	tgatggttga	gactgtggtg	accaaagagg	gtctgagtga	gagtagcctt	4440
caggctcagt	tcagaaagct	ccagggaaaa	ctgaagaatg	cccacaatat	catcaacctc	4500
ctcaaagaac	aacttgtgct	gagtagcaag	gaagggaata	gtaaaactac	tccagagctc	4560
cttgtgcatac	tgaccagcac	cattgaaaga	ataaacacag	aactgggttg	ttccccctggg	4620
aagcaccaac	accaagagga	ggggaatgtg	actgtgaggg	ctttccccag	accccagagc	4680
cttgaccttg	gggctacctt	cacagtggat	gccaccaat	tggaatacca	gtcccagcct	4740
cgtgaccttg	ggcctcagtc	agcgttttag	ctaccagggt	ccaccagca	cctgcgctcc	4800
cagctgtcac	aatgcaaaac	acgctatcaa	gatctccagg	agaagctgct	gctatcagaa	4860
gccactgtct	ttgctcaggc	taacgagctg	gagaaataca	gagttatgct	tacaggtgaa	4920
tccttggtga	agcaggacag	caagcagatc	caggtggacc	tccaggacct	gggctatgag	4980
acttggtggc	gaagcgagaa	tgaggctgaa	cgggaggaaa	ccaccagtcc	tgagtgtgag	5040
gagcacaaca	gcctcaagga	aatggtcctg	atggaggggc	tggtgctctga	gcaggggacgc	5100
cggggctcaa	cactggctag	ttcctctgag	aggaagccct	tggaagacca	gctagggaag	5160
caggaagagt	tccgggtata	tggaagtca	gaaaacatct	tggtcctacg	aaaggacatc	5220
aaagatctga	agccccagct	gcagaatgcc	aacaaggtca	ttcaaaacct	caagagccgg	5280
gtccggtccc	tctcagttac	aagtatttat	tcgtctagtc	tggaagacc	ccggaagctg	5340
agagctggtg	gcaccttgga	ggggtcttca	cctcatagt	tcctgatga	ggatgagggg	5400
tggtctgtct	atggcactgg	ggccttctac	tctccagggc	ttcaggccaa	aaaggacctg	5460
gagagtctca	tccagagagt	atcccagctg	gaggccagc	tcccaaaaaa	tggaactagaa	5520
gagaagctgg	ctgaggagct	gagatcagcc	tcgtggcctg	ggaaatatga	ttccctgatt	5580
caggatcagg	cccgggaact	gtcttaccta	cggcaaaaaa	tacgagaagg	gagaggtatt	5640
tggtatctta	tcaccgggca	tgcaaaagat	acagtaaaat	cttttgagga	tctcctaagg	5700
agcaatgaca	ttgactacta	cctgggacag	agcttccggg	agcaactcgc	ccagggaagc	5760
cagctgacag	agaggctcac	cagcaaaactc	agcaccagg	atcataaaag	tgagaaagat	5820
caagctggac	ttgagccact	ggccctcagg	ctcagcagg	agctgcagga	gaaggagaaa	5880
gtgattgaag	tcctgcaggc	caagctggat	gtcgggtccc	tcacaccctc	cagcagccat	5940
gcctgtgtct	actcccaccg	ctctcccagc	agcacctctt	tcctgtctga	tgaactggaa	6000
gcctgtctct	acatggacat	agtcagcgag	tacacacact	atgaagagaa	gaaagcttct	6060
cccagtcact	cagattccat	ccatcattcg	agtcattctg	ctgtgttctg	ttctaaccac	6120
tcataacca	gtgcattctc	gggggctaag	gccgaatcca	acagcaaccc	catcagcttg	6180
ccaactcccc	agaatacccc	caaggaggcc	aaccaggccc	attcaggctt	tcattttcac	6240
tccataccca	agctggctag	ccttccctcag	gcaccattgc	cctcagctcc	atccagcttc	6300
ctgccccttca	gccccactgg	cctctcctc	cttggtgctg	gtgagacacc	agtggctccc	6360
ttggctgagg	ctcagcagga	gctacagatg	ctgcagaagc	agttgggaga	aagtgccagc	6420
actgttcctc	ctgcttccac	agctacattg	ctgagcaacg	acttggaagc	cgactcttcc	6480
tactacctca	actctgcccc	gcctcactct	cctccaaggg	gcaccataga	actgggaaga	6540
atcctagagc	ctgggtacct	gggcagcagt	ggcaagtggg	atgtgatgag	gcctcagaaa	6600
gggagtgtat	ctggggacct	atcctcaggc	tcctctgtgt	accagcttaa	ctccaaaccc	6660
acaggggctg	acctgctgga	agagcatctt	ggtgaaatcc	ggaacctgcg	ccagcgccctg	6720
gaggagtcca	tctgcatcaa	tgaccgccta	cgggagcaac	tggaacaccg	gctgacctct	6780
actgctcgtg	gaaggggatc	cacttctaac	ttctacagtc	agggcctgga	gtccataacct	6840
cagctctgca	atgagaacag	agtcctcagg	gaagacaate	gaagacttca	ggctcaactg	6900
agtcattgtt	ccagagagca	ctcccaggaa	acagaaagcc	tgagggaggc	tctgctgtcc	6960
tctcgatccc	accttcaaga	gctggaaaag	gagctggagc	accagaaggt	ggaaaaggcag	7020
cagcttttgg	aagacttgag	ggagaagcag	caagaggtct	tgcatttcag	ggaggaaactg	7080
ctttccctcc	aggaaaacga	ctccagtggg	ccttgccctc	ccctggctcag	actgcagcac	7140
aagctggttc	tcctgcagca	acagtgtgaa	gagaaacagc	agctctttga	gtccctccag	7200
tcagagctac	aaatctacga	ggcactttat	ggcaattcca	agaaggggct	gaaagcttac	7260
agcctggatg	cctgtcacca	aatccctttg	agcagtgaac	tgagccacct	ggtggcagag	7320
gtacgagctc	tgagggggca	gctggagcag	agcattcagg	ggaacaattg	tctgcgactg	7380
cagctgcaac	agcagctgga	gagcgggtgt	ggaaaagcca	gcctcagccc	ctcctccatt	7440
aaccagaact	tcccagccag	cactgacctt	ggaaaacagc	agctgtcctt	ccaagattca	7500
gctgtgtccc	ctccagctccg	ggatgttggg	atgaattccc	cagctctggt	cttccccagc	7560

```

tctgcttcct ctactcctgg ctcagaaaacg cccataatca acagagcaaa tggtttgggt 7620
ttggataactt ctccagtaat gaagacccct cccaagctag aggggtgatgc tactgatggc 7680
tcctttgcca ataagcatgg ccgccatgtc attggccaca ttgatgacta cagtgcctta 7740
agacagcaga ttgctggagg caagctgctg gtcaaaaaga tagtgtctct tgtgagatca 7800
gcgtgcagct tccctggcct tgaagcccaa ggacacagag tgctaggcag caaaggattt 7860
catgagcttc ggagcagcac cagtgccttg caccatgccc tagaggagtc ggcttccttc 7920
ctcaccatgt tctggagagc agccctgcca agcaccaca tccctgtgct gcctggcaaa 7980
gtgggagaat caacagaaag ggaacttctg gaactgagaa ccaaagtatc caaacaggag 8040
cggctccttc agagcacaac tgagcatctg aagaacgcca accagcagaa ggagagcatg 8100
gagcagttca tcgtcagcca gctaaccaga acacatgatg ttttaaagaa ggcaaggact 8160
aacttagagg tgaaatccct aagggtcttg ccattgtact cagccttctg acccttgcct 8220
tccaggaacc atgcaagaag cgcagccacc agaagtcctt aaaacagcag gaaagggtggg 8280
cctgtccccc ttttgtgag ctacctatct gctgaggagc atctgggcct cattcctcca 8340
agtccacggg aggggtccaga agagggagtc agagatgtat cctgggtggag ctgggagaaa 8400
ggcagaaaag ctttctgaca gctatggaat acgattagcc aaggtccact tggcccagca 8460
ctaagaaaaa gatgcgtagt ttgcacagaa ggttttgtga tccctgcctc caacagcccc 8520
agcagcttgg gaactagcaa gagcacattt cttgcctcat cagctgtcct gagatggaaa 8580
actcagtggg tataggacct tgattccgat gaaaggggca cgtgggtcca atgctggagc 8640
tcctctggca ggttctaaaa gcacactact gagcagcggg gccctgccgg acaactgctg 8700
cgggggctca gtgagcacta ctcacagatc cacacctgac cctgttgggt cgagtccagg 8760
tgggccttgg tctgcactgt agcacctgtg ttctttgagt tcacatcatg aatgtgggtg 8820
cttcccagat accatctcag gcttaacctc gcacatccta tttcttttct tctatgatat 8880
ccaaatttga ctgacctcac ttcaaagttg ctgtccattt ttgtcaccct atcttatctc 8940
ggggaaattg cagactgatg gccagaccaa ctctgttgaa attcttgcac agagcaaaacc 9000
tgtgtctcatt ttttaagtggc atgggagagg cccccagcct agtaaagcct agtctgtgtc 9060
ttcacagtgc tggtagaatg tgtttgtgtg tataaatata tgatatagat ttatatatgt 9120
tgctaacgcc atatattgaa ggccaacata actggtggac aggggtgggtg acagaaaatg 9180
aaagcctttt tgggtgattgt taaagcaaga tgtgtataaa gaaataaata gtttttcttt 9240
c

```

<210> 5
 <211> 2517
 <212> PRT
 <213> human

<400> 5

Met	Lys	Glu	Ile	Cys	Arg	Ile	Cys	Ala	Arg	Glu	Leu	Cys	Gly	Asn	Gln
1				5				10						15	
Arg	Arg	Trp	Ile	Phe	His	Thr	Ala	Ser	Lys	Leu	Asn	Leu	Gln	Val	Leu
			20					25					30		
Leu	Ser	His	Val	Leu	Gly	Lys	Asp	Val	Pro	Arg	Asp	Gly	Lys	Ala	Glu
		35				40						45			
Phe	Ala	Cys	Ser	Lys	Cys	Ala	Phe	Met	Leu	Asp	Arg	Ile	Tyr	Arg	Phe
	50					55				60					
Asp	Thr	Val	Ile	Ala	Arg	Ile	Glu	Ala	Leu	Ser	Ile	Glu	Arg	Leu	Gln
65				70					75					80	
Lys	Leu	Leu	Leu	Glu	Lys	Asp	Arg	Leu	Lys	Phe	Cys	Ile	Ala	Ser	Met
			85					90						95	
Tyr	Arg	Lys	Asn	Asn	Asp	Asp	Ser	Gly	Ala	Glu	Ile	Lys	Ala	Gly	Asn
			100					105					110		
Gly	Thr	Val	Asp	Met	Ser	Val	Leu	Pro	Asp	Ala	Arg	Tyr	Ser	Ala	Leu
		115				120						125			
Leu	Gln	Glu	Asp	Phe	Ala	Tyr	Ser	Gly	Phe	Glu	Cys	Trp	Val	Glu	Asn
	130					135					140				
Glu	Asp	Gln	Ile	Gln	Glu	Pro	His	Ser	Cys	His	Gly	Ser	Glu	Gly	Pro
145				150					155					160	
Gly	Asn	Arg	Pro	Arg	Cys	Arg	Gly	Cys	Ala	Ala	Leu	Arg	Val	Ala	
			165					170					175		
Asp	Ser	Asp	Tyr	Glu	Ala	Ile	Cys	Lys	Val	Pro	Arg	Lys	Val	Ala	Arg
			180					185					190		
Ser	Ile	Ser	Cys	Gly	Pro	Ser	Ser	Arg	Trp	Ser	Thr	Ser	Ile	Cys	Thr

195 200 205
 Glu Glu Pro Ala Leu Ser Glu Val Gly Pro Pro Asp Leu Ala Ser Thr
 210 215 220
 Lys Val Pro Pro Asp Gly Glu Ser Met Glu Glu Glu Thr Pro Gly Ser
 225 230 235 240
 Ser Val Glu Ser Leu Asp Ala Ser Val Gln Ala Ser Pro Pro Gln Gln
 245 250 255
 Lys Asp Glu Glu Thr Glu Arg Ser Ala Lys Glu Leu Gly Lys Cys Asp
 260 265 270
 Cys Cys Ser Asp Asp Gln Ala Pro Gln His Gly Cys Asn His Lys Leu
 275 280 285
 Glu Leu Ala Leu Ser Met Ile Lys Gly Leu Asp Tyr Lys Pro Ile Gln
 290 295 300
 Ser Pro Arg Gly Ser Arg Leu Pro Ile Pro Val Lys Ser Ser Leu Pro
 305 310 315 320
 Gly Ala Lys Pro Gly Pro Ser Met Thr Asp Gly Val Ser Ser Gly Phe
 325 330 335
 Leu Asn Arg Ser Leu Lys Pro Leu Tyr Lys Thr Pro Val Ser Tyr Pro
 340 345 350
 Leu Glu Leu Ser Asp Leu Gln Glu Leu Trp Asp Asp Leu Cys Glu Asp
 355 360 365
 Tyr Leu Pro Leu Arg Val Gln Pro Met Thr Glu Glu Leu Leu Lys Gln
 370 375 380
 Gln Lys Leu Asn Ser His Glu Thr Thr Ile Thr Gln Gln Ser Val Ser
 385 390 395 400
 Asp Ser His Leu Ala Glu Leu Gln Glu Lys Ile Gln Gln Thr Glu Ala
 405 410 415
 Thr Asn Lys Ile Leu Gln Glu Lys Leu Asn Glu Met Ser Tyr Glu Leu
 420 425 430
 Lys Cys Ala Gln Glu Ser Ser Gln Lys Gln Asp Gly Thr Ile Gln Asn
 435 440 445
 Leu Lys Glu Thr Leu Lys Ser Arg Glu Arg Glu Thr Glu Glu Leu Tyr
 450 455 460
 Gln Val Ile Glu Gly Gln Asn Asp Thr Met Ala Lys Leu Arg Glu Met
 465 470 475 480
 Leu His Gln Ser Gln Leu Gly Gln Leu His Ser Ser Glu Gly Thr Ser
 485 490 495
 Pro Ala Gln Gln Val Ala Leu Leu Asp Leu Gln Ser Ala Leu Phe
 500 505 510
 Cys Ser Gln Leu Glu Ile Gln Lys Leu Gln Arg Val Val Arg Gln Lys
 515 520 525
 Glu Arg Gln Leu Ala Asp Ala Lys Gln Cys Val Gln Phe Val Glu Ala
 530 535 540
 Ala Ala His Glu Ser Glu Gln Gln Lys Glu Ala Ser Trp Lys His Asn
 545 550 555 560
 Gln Glu Leu Arg Lys Ala Leu Gln Gln Leu Gln Glu Glu Leu Gln Asn
 565 570 575
 Lys Ser Gln Gln Leu Arg Ala Trp Glu Ala Glu Lys Tyr Asn Glu Ile
 580 585 590
 Arg Thr Gln Glu Gln Asn Ile Gln His Leu Asn His Ser Leu Ser His
 595 600 605
 Lys Glu Gln Leu Leu Gln Glu Phe Arg Glu Leu Leu Gln Tyr Arg Asp
 610 615 620
 Asn Ser Asp Lys Thr Leu Glu Ala Asn Glu Met Leu Leu Glu Lys Leu
 625 630 635 640
 Arg Gln Arg Ile His Asp Lys Ala Val Ala Leu Glu Arg Ala Ile Asp
 645 650 655
 Glu Lys Phe Ser Ala Leu Glu Glu Lys Glu Lys Glu Leu Arg Gln Leu
 660 665 670
 Arg Leu Ala Val Arg Glu Arg Asp His Asp Leu Glu Arg Leu Arg Asp
 675 680 685
 Val Leu Ser Ser Asn Glu Ala Thr Met Gln Ser Met Glu Ser Leu Leu
 690 695 700

Arg Ala Lys Gly Leu Glu Val Glu Gln Leu Ser Thr Thr Cys Gln Asn
 705 710 715 720
 Leu Gln Trp Leu Lys Glu Glu Met Glu Thr Lys Phe Ser Arg Trp Gln
 725 730 735
 Lys Glu Gln Glu Ser Ile Ile Gln Gln Leu Thr Ser Leu His Asp
 740 745 750
 Arg Asn Lys Glu Val Glu Asp Leu Ser Ala Thr Leu Leu Cys Lys Leu
 755 760 765
 Gly Pro Gly Gln Ser Glu Ile Ala Glu Glu Leu Cys Gln Arg Leu Gln
 770 775 780
 Arg Lys Glu Arg Met Leu Gln Asp Leu Leu Ser Asp Arg Asn Lys Gln
 785 790 795 800
 Val Leu Glu His Glu Met Glu Ile Gln Gly Leu Leu Gln Ser Val Ser
 805 810 815
 Thr Arg Glu Gln Glu Ser Gln Ala Ala Glu Lys Leu Val Gln Ala
 820 825 830
 Leu Met Glu Arg Asn Ser Glu Leu Gln Ala Leu Arg Gln Tyr Leu Gly
 835 840 845
 Gly Arg Asp Ser Leu Met Ser Gln Ala Pro Ile Ser Asn Gln Gln Ala
 850 855 860
 Glu Val Thr Pro Thr Gly Arg Leu Gly Lys Gln Thr Asp Gln Gly Ser
 865 870 875 880
 Met Gln Ile Pro Ser Arg Asp Asp Ser Thr Ser Leu Thr Ala Lys Glu
 885 890 895
 Asp Val Ser Ile Pro Arg Ser Thr Leu Gly Asp Leu Asp Thr Val Ala
 900 905 910
 Gly Leu Glu Lys Glu Leu Ser Asn Ala Lys Glu Glu Leu Glu Leu Met
 915 920 925
 Ala Lys Lys Glu Arg Glu Ser Gln Met Glu Leu Ser Ala Leu Gln Ser
 930 935 940
 Met Met Ala Val Gln Glu Glu Glu Leu Gln Val Gln Ala Ala Asp Met
 945 950 955 960
 Glu Ser Leu Thr Arg Asn Ile Gln Ile Lys Glu Asp Leu Ile Lys Asp
 965 970 975
 Leu Gln Met Gln Leu Val Asp Pro Glu Asp Ile Pro Ala Met Glu Arg
 980 985 990
 Leu Thr Gln Glu Val Leu Leu Leu Arg Glu Lys Val Ala Ser Val Glu
 995 1000 1005
 Ser Gln Gly Gln Glu Ile Ser Gly Asn Arg Arg Gln Gln Leu Leu Leu
 1010 1015 1020
 Met Leu Glu Gly Leu Val Asp Glu Arg Ser Arg Leu Asn Glu Ala Leu
 1025 1030 1035 1040
 Gln Ala Glu Arg Gln Leu Tyr Ser Ser Leu Val Lys Phe His Ala His
 1045 1050 1055
 Pro Glu Ser Ser Glu Arg Asp Arg Thr Leu Gln Val Glu Leu Glu Gly
 1060 1065 1070
 Ala Gln Val Leu Arg Ser Arg Leu Glu Glu Val Leu Gly Arg Ser Leu
 1075 1080 1085
 Glu Arg Leu Asn Arg Leu Glu Thr Leu Ala Ala Ile Gly Gly Ala Ala
 1090 1095 1100
 Ala Gly Asp Asp Thr Glu Asp Thr Ser Thr Glu Phe Thr Asp Ser Ile
 1105 1110 1115 1120
 Glu Glu Glu Ala Ala His His Ser His Gln Gln Leu Val Lys Val Ala
 1125 1130 1135
 Leu Glu Lys Ser Leu Ala Thr Val Glu Thr Gln Asn Pro Ser Phe Ser
 1140 1145 1150
 Pro Pro Ser Pro Met Gly Gly Asp Ser Asn Arg Cys Leu Gln Glu Glu
 1155 1160 1165
 Met Leu His Leu Arg Ala Glu Phe His Gln His Leu Glu Glu Lys Arg
 1170 1175 1180
 Lys Ala Glu Glu Glu Leu Lys Glu Leu Lys Ala Gln Ile Glu Glu Ala
 1185 1190 1195 1200
 Gly Phe Ser Ser Val Ser His Ile Arg Asn Thr Met Leu Ser Leu Cys

1205 1210 1215
 Leu Glu Asn Ala Glu Leu Lys Glu Gln Met Gly Glu Ala Met Ser Asp
 1220 1225 1230
 Gly Trp Glu Ile Glu Glu Asp Lys Glu Lys Gly Glu Val Met Val Glu
 1235 1240 1245
 Thr Val Val Thr Lys Glu Gly Leu Ser Glu Ser Ser Leu Gln Ala Glu
 1250 1255 1260
 Phe Arg Lys Leu Gln Gly Lys Leu Lys Asn Ala His Asn Ile Ile Asn
 1265 1270 1275 1280
 Leu Leu Lys Glu Gln Leu Val Leu Ser Ser Lys Glu Gly Asn Ser Lys
 1285 1290 1295
 Leu Thr Pro Glu Leu Leu Val His Leu Thr Ser Thr Ile Glu Arg Ile
 1300 1305 1310
 Asn Thr Glu Leu Val Gly Ser Pro Gly Lys His Gln His Gln Glu Glu
 1315 1320 1325
 Gly Asn Val Thr Val Arg Pro Phe Pro Arg Pro Gln Ser Leu Asp Leu
 1330 1335 1340
 Gly Ala Thr Phe Thr Val Asp Ala His Gln Leu Asp Asn Gln Ser Gln
 1345 1350 1355 1360
 Pro Arg Asp Pro Gly Pro Gln Ser Ala Phe Ser Leu Pro Gly Ser Thr
 1365 1370 1375
 Gln His Leu Arg Ser Gln Leu Ser Gln Cys Lys Gln Arg Tyr Gln Asp
 1380 1385 1390
 Leu Gln Glu Lys Leu Leu Leu Ser Glu Ala Thr Val Phe Ala Gln Ala
 1395 1400 1405
 Asn Glu Leu Glu Lys Tyr Arg Val Met Leu Thr Gly Glu Ser Leu Val
 1410 1415 1420
 Lys Gln Asp Ser Lys Gln Ile Gln Val Asp Leu Gln Asp Leu Gly Tyr
 1425 1430 1435 1440
 Glu Thr Cys Gly Arg Ser Glu Asn Glu Ala Glu Arg Glu Glu Thr Thr
 1445 1450 1455
 Ser Pro Glu Cys Glu Glu His Asn Ser Leu Lys Glu Met Val Leu Met
 1460 1465 1470
 Glu Gly Leu Cys Ser Glu Gln Gly Arg Arg Gly Ser Thr Leu Ala Ser
 1475 1480 1485
 Ser Ser Glu Arg Lys Pro Leu Glu Asn Gln Leu Gly Lys Gln Glu Glu
 1490 1495 1500
 Phe Arg Val Tyr Gly Lys Ser Glu Asn Ile Leu Val Leu Arg Lys Asp
 1505 1510 1515 1520
 Ile Lys Asp Leu Lys Ala Gln Leu Gln Asn Ala Asn Lys Val Ile Gln
 1525 1530 1535
 Asn Leu Lys Ser Arg Val Arg Ser Leu Ser Val Thr Ser Asp Tyr Ser
 1540 1545 1550
 Ser Ser Leu Glu Arg Pro Arg Lys Leu Arg Ala Val Gly Thr Leu Glu
 1555 1560 1565
 Gly Ser Ser Pro His Ser Val Pro Asp Glu Asp Glu Gly Trp Leu Ser
 1570 1575 1580
 Asp Gly Thr Gly Ala Phe Tyr Ser Pro Gly Leu Gln Ala Lys Lys Asp
 1585 1590 1595 1600
 Leu Glu Ser Leu Ile Gln Arg Val Ser Gln Leu Glu Ala Gln Leu Pro
 1605 1610 1615
 Lys Asn Gly Leu Glu Glu Lys Leu Ala Glu Glu Leu Arg Ser Ala Ser
 1620 1625 1630
 Trp Pro Gly Lys Tyr Asp Ser Leu Ile Gln Asp Gln Ala Arg Glu Leu
 1635 1640 1645
 Ser Tyr Leu Arg Gln Lys Ile Arg Glu Gly Arg Gly Ile Cys Tyr Leu
 1650 1655 1660
 Ile Thr Arg His Ala Lys Asp Thr Val Lys Ser Phe Glu Asp Leu Leu
 1665 1670 1675 1680
 Arg Ser Asn Asp Ile Asp Tyr Tyr Leu Gly Gln Ser Phe Arg Glu Gln
 1685 1690 1695
 Leu Ala Gln Gly Ser Gln Leu Thr Glu Arg Leu Thr Ser Lys Leu Ser
 1700 1705 1710

Thr Lys Asp His Lys Ser Glu Lys Asp Gln Ala Gly Leu Glu Pro Leu
 1715 1720 1725
 Ala Leu Arg Leu Ser Arg Glu Leu Gln Glu Lys Glu Lys Val Ile Glu
 1730 1735 1740
 Val Leu Gln Ala Lys Leu Asp Ala Arg Ser Leu Thr Pro Ser Ser Ser
 1745 1750 1755 1760
 His Ala Leu Ser Asp Ser His Arg Ser Pro Ser Ser Thr Ser Phe Leu
 1765 1770 1775
 Ser Asp Glu Leu Glu Ala Cys Ser Asp Met Asp Ile Val Ser Glu Tyr
 1780 1785 1790
 Thr His Tyr Glu Glu Lys Lys Ala Ser Pro Ser His Ser Asp Ser Ile
 1795 1800 1805
 His His Ser Ser His Ser Ala Val Leu Ser Ser Lys Pro Ser Ser Thr
 1810 1815 1820
 Ser Ala Ser Gln Gly Ala Lys Ala Glu Ser Asn Ser Asn Pro Ile Ser
 1825 1830 1835 1840
 Leu Pro Thr Pro Gln Asn Thr Pro Lys Glu Ala Asn Gln Ala His Ser
 1845 1850 1855
 Gly Phe His Phe His Ser Ile Pro Lys Leu Ala Ser Leu Pro Gln Ala
 1860 1865 1870
 Pro Leu Pro Ser Ala Pro Ser Ser Phe Leu Pro Phe Ser Pro Thr Gly
 1875 1880 1885
 Pro Leu Leu Leu Gly Cys Cys Glu Thr Pro Val Val Ser Leu Ala Glu
 1890 1895 1900
 Ala Gln Gln Glu Leu Gln Met Leu Gln Lys Gln Leu Gly Glu Ser Ala
 1905 1910 1915 1920
 Ser Thr Val Pro Pro Ala Ser Thr Ala Thr Leu Leu Ser Asn Asp Leu
 1925 1930 1935
 Glu Ala Asp Ser Ser Tyr Tyr Leu Asn Ser Ala Gln Pro His Ser Pro
 1940 1945 1950
 Pro Arg Gly Thr Ile Glu Leu Gly Arg Ile Leu Glu Pro Gly Tyr Leu
 1955 1960 1965
 Gly Ser Ser Gly Lys Trp Asp Val Met Arg Pro Gln Lys Gly Ser Val
 1970 1975 1980
 Ser Gly Asp Leu Ser Ser Gly Ser Ser Val Tyr Gln Leu Asn Ser Lys
 1985 1990 1995 2000
 Pro Thr Gly Ala Asp Leu Leu Glu Glu His Leu Gly Glu Ile Arg Asn
 2005 2010 2015
 Leu Arg Gln Arg Leu Glu Glu Ser Ile Cys Ile Asn Asp Arg Leu Arg
 2020 2025 2030
 Glu Gln Leu Glu His Arg Leu Thr Ser Thr Ala Arg Gly Arg Gly Ser
 2035 2040 2045
 Thr Ser Asn Phe Tyr Ser Gln Gly Leu Glu Ser Ile Pro Gln Leu Cys
 2050 2055 2060
 Asn Glu Asn Arg Val Leu Arg Glu Asp Asn Arg Arg Leu Gln Ala Gln
 2065 2070 2075 2080
 Leu Ser His Val Ser Arg Glu His Ser Gln Glu Thr Glu Ser Leu Arg
 2085 2090 2095
 Glu Ala Leu Leu Ser Ser Arg Ser His Leu Gln Glu Leu Glu Lys Glu
 2100 2105 2110
 Leu Glu His Gln Lys Val Glu Arg Gln Gln Leu Leu Glu Asp Leu Arg
 2115 2120 2125
 Glu Lys Gln Gln Glu Val Leu His Phe Arg Glu Glu Arg Leu Ser Leu
 2130 2135 2140
 Gln Glu Asn Asp Ser Ser Gly Pro Cys Leu Ser Leu Val Arg Leu Gln
 2145 2150 2155 2160
 His Lys Leu Val Leu Leu Gln Gln Gln Cys Glu Glu Lys Gln Gln Leu
 2165 2170 2175
 Phe Glu Ser Leu Gln Ser Glu Leu Gln Ile Tyr Glu Ala Leu Tyr Gly
 2180 2185 2190
 Asn Ser Lys Lys Gly Leu Lys Ala Tyr Ser Leu Asp Ala Cys His Gln
 2195 2200 2205
 Ile Pro Leu Ser Ser Asp Leu Ser His Leu Val Ala Glu Val Arg Ala

2210 2215 2220
 Leu Arg Gly Gln Leu Glu Gln Ser Ile Gln Gly Asn Asn Cys Leu Arg
 2225 2230 2235 2240
 Leu Gln Leu Gln Gln Gln Leu Glu Ser Gly Ala Gly Lys Ala Ser Leu
 2245 2250 2255
 Ser Pro Ser Ser Ile Asn Gln Asn Phe Pro Ala Ser Thr Asp Pro Gly
 2260 2265 2270
 Asn Lys Gln Leu Leu Leu Gln Asp Ser Ala Val Ser Pro Pro Val Arg
 2275 2280 2285
 Asp Val Gly Met Asn Ser Pro Ala Leu Val Phe Pro Ser Ser Ala Ser
 2290 2295 2300
 Ser Thr Pro Gly Ser Glu Thr Pro Ile Ile Asn Arg Ala Asn Gly Leu
 2305 2310 2315 2320
 Gly Leu Asp Thr Ser Pro Val Met Lys Thr Pro Pro Lys Leu Glu Gly
 2325 2330 2335
 Asp Ala Thr Asp Gly Ser Phe Ala Asn Lys His Gly Arg His Val Ile
 2340 2345 2350
 Gly His Ile Asp Asp Tyr Ser Ala Leu Arg Gln Gln Ile Ala Glu Gly
 2355 2360 2365
 Lys Leu Leu Val Lys Lys Ile Val Ser Leu Val Arg Ser Ala Cys Ser
 2370 2375 2380
 Phe Pro Gly Leu Glu Ala Gln Gly Thr Glu Val Leu Gly Ser Lys Gly
 2385 2390 2395 2400
 Ile His Glu Leu Arg Ser Ser Thr Ser Ala Leu His His Ala Leu Glu
 2405 2410 2415
 Glu Ser Ala Ser Leu Leu Thr Met Phe Trp Arg Ala Ala Leu Pro Ser
 2420 2425 2430
 Thr His Ile Pro Val Leu Pro Gly Lys Val Gly Glu Ser Thr Glu Arg
 2435 2440 2445
 Glu Leu Leu Glu Leu Arg Thr Lys Val Ser Lys Gln Glu Arg Leu Leu
 2450 2455 2460
 Gln Ser Thr Thr Glu His Leu Lys Asn Ala Asn Gln Gln Lys Glu Ser
 2465 2470 2475 2480
 Met Glu Gln Phe Ile Val Ser Gln Leu Thr Arg Thr His Asp Val Leu
 2485 2490 2495
 Lys Lys Ala Arg Thr Asn Leu Glu Val Lys Ser Leu Arg Ala Leu Pro
 2500 2505 2510
 Cys Thr Pro Ala Leu
 2515

<210> 6
 <211> 27
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primers

<400> 6
 cggaattcga ggaggcctac cagaaac

27

<210> 7
 <211> 32
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primers

<400> 7
 tgagtcgact acgtgtcaag gcaacaatgg tc

32

<210> 8

<211> 1683

<212> PRT

<213> rat

<400> 8

Met Met Ala Gln Phe Pro Thr Ala Met Asn Gly Gly Pro Asn Met Trp
 1 5 10 15
 Ala Ile Thr Ser Glu Glu Arg Thr Lys His Asp Lys Gln Phe Asp Asn
 20 25 30
 Leu Lys Pro Ser Gly Gly Tyr Ile Thr Gly Asp Gln Ala Arg Thr Phe
 35 40 45
 Phe Leu Gln Ser Gly Leu Pro Ala Pro Val Leu Ala Glu Ile Trp Ala
 50 55 60
 Leu Ser Asp Leu Asn Lys Asp Gly Lys Met Asp Gln Gln Glu Phe Ser
 65 70 75 80
 Ile Ala Met Lys Leu Ile Lys Leu Lys Leu Gln Gly Gln Gln Leu Pro
 85 90 95
 Val Val Leu Pro Pro Ile Met Lys Gln Pro Pro Met Phe Ser Pro Leu
 100 105 110
 Ile Ser Ala Arg Phe Gly Met Gly Ser Met Pro Asn Leu Ser Ile His
 115 120 125
 Gln Pro Leu Pro Pro Val Ala Pro Ile Thr Ala Pro Leu Ser Ser Ala
 130 135 140
 Thr Ser Gly Thr Ser Ile Pro Pro Leu Met Met Pro Ala Pro Leu Val
 145 150 155 160
 Pro Ser Val Ser Thr Ser Ser Leu Pro Asn Gly Thr Ala Ser Leu Ile
 165 170 175
 Gln Pro Leu Ser Ile Pro Tyr Ser Ser Ser Thr Leu Pro His Ala Ser
 180 185 190
 Ser Tyr Ser Leu Met Met Gly Gly Phe Gly Gly Ala Ser Ile Gln Lys
 195 200 205
 Ala Gln Ser Leu Ile Asp Leu Gly Ser Ser Ser Ser Thr Ser Ser Thr
 210 215 220
 Ala Ser Leu Ser Gly Asn Ser Pro Lys Thr Gly Thr Ser Glu Trp Ala
 225 230 235 240
 Val Pro Gln Pro Ser Arg Leu Lys Tyr Arg Gln Lys Phe Asn Ser Leu
 245 250 255
 Asp Lys Ser Met Ser Gly Tyr Leu Ser Gly Phe Gln Ala Arg Asn Ala
 260 265 270
 Leu Leu Gln Ser Asn Leu Ser Gln Thr Gln Leu Ala Thr Ile Trp Thr
 275 280 285
 Leu Ala Asp Ile Asp Gly Asp Gly Gln Leu Lys Ala Glu Glu Phe Ile
 290 295 300
 Leu Ala Met His Leu Thr Asp Met Ala Lys Ala Gly Gln Pro Leu Pro
 305 310 315 320
 Leu Thr Leu Pro Pro Glu Leu Val Pro Pro Ser Phe Arg Gly Gly Lys
 325 330 335
 Gln Ile Asp Ser Ile Asn Gly Thr Leu Pro Ser Tyr Gln Lys Thr Gln
 340 345 350
 Glu Glu Glu Pro Gln Lys Lys Leu Pro Val Thr Phe Glu Asp Lys Arg
 355 360 365
 Lys Ala Asn Tyr Glu Arg Gly Asn Met Glu Leu Glu Lys Arg Arg Gln
 370 375 380
 Val Leu Met Glu Gln Gln Gln Arg Glu Ala Glu Arg Lys Ala Gln Lys
 385 390 395 400
 Glu Lys Glu Glu Trp Glu Arg Lys Gln Arg Glu Leu Gln Glu Gln Glu
 405 410 415
 Trp Lys Lys Gln Leu Glu Leu Glu Lys Arg Leu Glu Lys Gln Arg Glu
 420 425 430
 Leu Glu Arg Gln Arg Glu Glu Glu Arg Arg Lys Glu Ile Glu Arg Arg
 435 440 445
 Glu Ala Ala Lys Gln Glu Leu Glu Arg Gln Arg Arg Leu Glu Trp Glu
 450 455 460

Arg Ile Arg Arg Gln Glu Leu Leu Asn Gln Lys Asn Arg Glu Gln Glu
 465 470 475 480
 Glu Ile Val Arg Leu Asn Ser Lys Lys Lys Ser Leu His Leu Glu Leu
 485 490 495
 Glu Ala Val Asn Gly Lys His Gln Gln Ile Ser Gly Arg Leu Gln Asp
 500 505 510
 Val Arg Ile Arg Lys Gln Thr Gln Lys Thr Glu Leu Glu Val Leu Asp
 515 520 525
 Lys Gln Cys Asp Leu Glu Ile Met Glu Ile Lys Gln Leu Gln Gln Glu
 530 535 540
 Leu Gln Glu Tyr Gln Asn Lys Leu Ile Tyr Leu Val Pro Glu Lys Gln
 545 550 555 560
 Leu Leu Asn Glu Arg Ile Lys Asn Met Gln Leu Ser Asn Thr Pro Asp
 565 570 575
 Ser Gly Ile Ser Leu Leu His Lys Lys Ser Ser Glu Lys Glu Glu Leu
 580 585 590
 Cys Gln Arg Leu Lys Glu Gln Leu Asp Ala Leu Glu Lys Glu Thr Ala
 595 600 605
 Ser Lys Leu Ser Glu Met Asp Ser Phe Asn Asn Gln Leu Lys Cys Gly
 610 615 620
 Asn Met Asp Asp Ser Val Leu Gln Cys Leu Leu Ser Leu Leu Ser Cys
 625 630 635 640
 Leu Asn Asn Leu Phe Leu Leu Leu Lys Glu Leu Arg Glu Ser Tyr Asn
 645 650 655
 Thr Gln Gln Leu Ala Leu Glu Gln Leu His Lys Ile Lys Arg Asp Lys
 660 665 670
 Leu Lys Glu Leu Glu Arg Lys Arg Leu Glu Gln Ile Gln Lys Lys Lys
 675 680 685
 Leu Glu Asp Glu Ala Ala Arg Lys Ala Lys Gln Gly Lys Glu Asn Leu
 690 695 700
 Trp Lys Glu Ser Ile Arg Lys Glu Glu Glu Glu Lys Gln Lys Arg Leu
 705 710 715 720
 Gln Glu Glu Lys Ser Gln Asp Arg Thr Gln Glu Glu Glu Arg Lys Thr
 725 730 735
 Glu Ala Lys Gln Ser Glu Thr Ala Arg Ala Leu Val Asn Tyr Arg Ala
 740 745 750
 Leu Tyr Pro Phe Glu Ala Arg Asn His Asp Glu Met Ser Phe Asn Ser
 755 760 765
 Gly Asp Ile Ile Gln Val Asp Glu Lys Thr Val Gly Glu Pro Gly Trp
 770 775 780
 Leu Tyr Gly Ser Phe Gln Gly Lys Phe Gly Trp Phe Pro Cys Asn Tyr
 785 790 795 800
 Val Glu Lys Met Leu Ser Ser Asp Lys Thr Pro Ser Pro Lys Lys Ala
 805 810 815
 Leu Leu Pro Pro Ala Val Ser Leu Ser Ala Thr Ser Ala Ala Pro Gln
 820 825 830
 Pro Leu Cys Ser Asn Gln Pro Ala Pro Val Thr Asp Tyr Gln Asn Val
 835 840 845
 Ser Phe Ser Asn Leu Asn Val Asn Thr Thr Trp Gln Gln Lys Ser Ala
 850 855 860
 Phe Thr Arg Thr Val Ser Pro Gly Ser Val Ser Pro Ile His Gly Gln
 865 870 875 880
 Gly Gln Ala Val Glu Asn Leu Lys Ala Gln Ala Leu Cys Ser Trp Thr
 885 890 895
 Ala Lys Lys Glu Asn His Leu Asn Phe Ser Lys His Asp Val Ile Thr
 900 905 910
 Val Leu Glu Gln Gln Glu Asn Trp Trp Phe Gly Glu Val His Gly Gly
 915 920 925
 Arg Gly Trp Phe Pro Lys Ser Tyr Val Lys Ile Ile Pro Gly Ser Glu
 930 935 940
 Val Lys Arg Gly Glu Pro Glu Ala Leu Tyr Ala Ala Val Asn Lys Lys
 945 950 955 960
 Pro Thr Ser Thr Ala Tyr Pro Val Gly Glu Glu Tyr Ile Ala Leu Tyr

965 970 975
 Ser Tyr Ser Ser Val Glu Pro Gly Asp Leu Thr Phe Thr Glu Gly Glu
 980 985 990
 Glu Leu Leu Val Thr Gln Lys Asp Gly Glu Trp Trp Thr Gly Ser Ile
 995 1000 1005
 Gly Glu Arg Thr Gly Ile Phe Pro Ser Asn Tyr Val Arg Pro Lys Asp
 1010 1015 1020
 Gln Glu Asn Val Gly Asn Ala Ser Lys Ser Gly Ala Ser Asn Lys Lys
 1025 1030 1035 1040
 Pro Glu Ile Ala Gln Val Thr Ser Ala Tyr Ala Ala Ser Gly Ala Glu
 1045 1050 1055
 Gln Leu Ser Leu Ala Pro Gly Gln Leu Ile Leu Ile Leu Lys Lys Asn
 1060 1065 1070
 Ser Ser Gly Trp Trp Gln Gly Glu Leu Gln Ala Arg Gly Lys Lys Arg
 1075 1080 1085
 Gln Lys Gly Trp Phe Pro Ala Ser His Val Lys Leu Leu Gly Pro Ser
 1090 1095 1100
 Ala Glu Arg Thr Thr Pro Ala Phe His Ala Val Cys Gln Val Ile Ala
 1105 1110 1115 1120
 Met Tyr Asp Tyr Ile Ala Asn Asn Glu Asp Glu Leu Asn Phe Ser Lys
 1125 1130 1135
 Gly Gln Leu Ile Asn Val Met Asn Lys Asp Asp Pro Asp Trp Trp Gln
 1140 1145 1150
 Gly Glu Ile Asn Gly Val Thr Gly Leu Phe Pro Ser Asn Tyr Val Lys
 1155 1160 1165
 Met Thr Thr Asp Ser Asp Pro Ser Gln Gln Trp Cys Ala Asp Leu Gln
 1170 1175 1180
 Ala Leu Asp Thr Met Gln Pro Met Glu Arg Lys Arg Gln Gly Tyr Ile
 1185 1190 1195 1200
 His Glu Leu Ile Glu Thr Glu Glu Arg Tyr Met Asp Asp Leu Gln Leu
 1205 1210 1215
 Val Ile Glu Val Phe Gln Lys Arg Met Ala Glu Ser Gly Phe Leu Thr
 1220 1225 1230
 Glu Ala Glu Met Ala Leu Ile Phe Val Asn Trp Lys Glu Leu Ile Met
 1235 1240 1245
 Ser Asn Thr Lys Leu Leu Lys Ala Leu Arg Val Arg Lys Lys Thr Gly
 1250 1255 1260
 Gly Glu Lys Met Pro Val Glu Met Met Gly Asp Ile Leu Ala Ala Glu
 1265 1270 1275 1280
 Leu Ser His Met Gln Ala Tyr Ile Arg Phe Cys Ser Cys Gln Leu Asn
 1285 1290 1295
 Gly Ala Ala Leu Leu Gln Gln Lys Thr Asp Glu Asp Ala Asp Phe Lys
 1300 1305 1310
 Glu Phe Leu Lys Lys Leu Ala Ser Asp Pro Arg Cys Lys Gly Met Pro
 1315 1320 1325
 Leu Ser Ser Phe Leu Leu Lys Pro Met Gln Arg Ile Thr Arg Tyr Pro
 1330 1335 1340
 Leu Leu Ile Arg Ser Ile Leu Glu Asn Thr Pro Gln Asn His Val Asp
 1345 1350 1355 1360
 His Ser Ser Leu Lys Leu Ala Leu Glu Arg Ala Glu Glu Leu Cys Ser
 1365 1370 1375
 Gln Val Asn Glu Gly Val Arg Glu Lys Glu Asn Ser Asp Arg Leu Glu
 1380 1385 1390
 Trp Ile Gln Ala His Val Gln Cys Glu Gly Leu Ala Glu Gln Leu Ile
 1395 1400 1405
 Phe Asn Ser Leu Thr Asn Cys Leu Gly Pro Arg Lys Leu Leu Tyr Ser
 1410 1415 1420
 Gly Lys Leu Tyr Lys Thr Lys Ser Asn Lys Glu Leu His Gly Phe Leu
 1425 1430 1435 1440
 Phe Asn Asp Phe Leu Leu Thr Tyr Leu Val Arg Gln Phe Ala Ala
 1445 1450 1455
 Ser Ser Gly Phe Glu Lys Leu Phe Ser Ser Lys Ser Ser Ala Gln Phe
 1460 1465 1470

Lys Met Tyr Lys Thr Pro Ile Phe Leu Asn Glu Val Leu Val Lys Leu
 1475 1480 1485
 Pro Thr Asp Pro Ser Ser Asp Glu Pro Val Phe His Ile Ser His Ile
 1490 1495 1500
 Asp Arg Val Tyr Thr Leu Arg Thr Asp Asn Ile Asn Glu Arg Thr Ala
 1505 1510 1515 1520
 Trp Val Gln Lys Ile Lys Ala Ala Ser Glu Gln Tyr Ile Asp Thr Glu
 1525 1530 1535
 Lys Lys Lys Arg Glu Lys Ala Tyr Gln Ala Arg Ser Gln Lys Thr Ser
 1540 1545 1550
 Gly Ile Gly Arg Leu Met Val His Val Ile Glu Ala Thr Glu Leu Lys
 1555 1560 1565
 Ala Cys Lys Pro Asn Gly Lys Ser Asn Pro Tyr Cys Glu Ile Ser Met
 1570 1575 1580
 Gly Ser Gln Ser Tyr Thr Thr Arg Thr Leu Gln Asp Thr Leu Asn Pro
 1585 1590 1595 1600
 Lys Trp Asn Phe Asn Cys Gln Phe Phe Ile Lys Asp Leu Tyr Gln Asp
 1605 1610 1615
 Val Leu Cys Leu Thr Met Phe Asp Arg Asp Gln Phe Ser Pro Asp Asp
 1620 1625 1630
 Phe Leu Gly Arg Thr Glu Val Pro Val Ala Lys Ile Arg Thr Glu Gln
 1635 1640 1645
 Glu Ser Lys Gly Pro Thr Thr Arg Arg Leu Leu Leu His Glu Val Pro
 1650 1655 1660
 Thr Gly Glu Val Trp Val Arg Phe Asp Leu Gln Leu Phe Glu Gln Lys
 1665 1670 1675 1680
 Thr Leu Leu

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/26860

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) : C07H 21/00 US CL : 536/23.2 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 536/23.2 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) BIOSIS CA CAPLUS EMBASE MEDLINE GENBANK SEQUENCE SEARCH		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	KALCHMAN, M.A. HIP1, a human homologue of S.cerevisiae Sla2p, interacts with membrane-associated huntingtin in the brain. Nature Genetics. May 1997, Vol. 16, No. 1 pages 44-53, entire document.	1-3, 9-12.
X	Database GenBank Accession No. 075042. SEKI, N. et al. 'Characterization of cDNA clones in size-fractionated cDNA libraries from human brain'. 01 November 1998.	1-3
X	Database GenBank Accession No. 075065. SEKI, N. et al. 'Characterization of cDNA clones in size-fractionated cDNA libraries from human brain'. 01 November 1998.	1-3
X	Database GenBank Accession No. AA987244. NCI-CGAP 'National Cancer Institute, Cancer Genome Anatomy Project (CGAP), Tumor Gene Index'. 27, July 1998.	3
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: *A* document defining the general state of the art which is not considered to be of particular relevance *B* earlier document published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art *Z* document member of the same patent family	
Date of the actual completion of the international search 19 JANUARY 2000		Date of mailing of the international search report 10 FEB 2000
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer MANJUNATH RAO Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/26860

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	Database GenBank Accession No. AA664799. NCI-CGAP 'National Cancer Institute, Cancer Genome Anatomy Project (CGAP), Tumor Gen Index'. 13, February 1998.	3
X	Database GenBank Accession No. AB007923. OHARA, O. 'Homo sapiens mRNA for KIAA0454 protein, partial cds.' 13, August 1998.	
X	GenBank Accession No. AB007946. O'HARA et al. 'Homo sapiens male brain cDNA to mRNA, clone lib:pBluescriptII SK plus clone:HH0492'. 13 August 1998.	3
X	Database GenBank Accession No. AA671390. MARRA et al. 'The WashU-HHMI Mouse EST Project'. 25 November 1997	3
X	Database GenBank Accession No. AA110441. MARRA, M. et al. 'The WashU-HHMI Mouse EST Project'. 03 February 1997.	3

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/26860

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☐ Claims Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

Please See Extra Sheet.

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
1-3 and 9-12

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/26860

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION WAS LACKING

This ISA found multiple inventions as follows:

This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for all inventions to be searched, the appropriate additional search fees must be paid.

Group I, claims 1-3 and 9-12, drawn to polynucleotides encoding PDE-binding proteins.

Group II, claims 4-8, drawn to PDE-binding proteins.

Group III, claims 13-15, drawn to a monoclonal antibody.

Group IV, claims 16-19, drawn to a method of determining the agent that modulates PDE activity.

Group V, claim 20, drawn to a method of modulating PDE activity.

The inventions listed as Groups I-V do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The polynucleotides encoding PDE-interacting proteins are known in the prior art and does not contribute over the prior art (Kalchman et al. Nature Genetics, May 1997, Vol. 16(1):44-53).

Group I is a product; this shares the special technical feature of DNA molecules which groups II-V do not share.

Group II is a product; this shares the special technical feature of a protein which groups I and III-V do not share.

Group III is a product; this shares the special technical feature of an antibody which groups I,II, IV-V do not share.

Groups IV and V are processes; this shares the special technical feature of uncharacterized chemical compounds which groups I-III do not share.